LOFRA®

MADE IN ITALY

70 years

TASTE OF ITALY

FREE STANDING & BUILT-IN RANGES

THE VALUE AND DESIGN OF

ITALIAN CUISINE

SINCE 1956

LOFRA 70 years
MADE IN ITALY

Free Standing

16 Curva
24 Maxima
38 Professional
54 Rainbow
76 Dolcevita
118 Venezia
130 Italia
138 Eclisse

156 Modern Collection

158 Stainless Steel Hobs
170 Glass Hobs
180 Gas Induction Hobs
186 Induction Hobs
190 Vitro Ceramic Hobs
194 Ovens
208 Microwave Ovens
210 Range Tops
213 Warming Drawers
214 Coffee Machines
216 Wine Coolers
220 Free Standing Refrigerators
222 Retrò Refrigerators
230 Built - In Refrigerators
232 Dishwashers
233 Hoods

254 Dolcevita Collection

256 Hobs
262 Ovens
268 Microwave Ovens
272 Range Tops
280 Warming Drawers
282 Coffee Machines
284 Wine Coolers
288 Free Standing Refrigerators
292 Hoods

302 Accessories

70 years

WHERE TRADITION BECOMES INSPIRATION

Some places play a very important role in our lives. Spaces where emotions evoke memories, where a scent can open up a whole world, and where a flavor can turn a moment into a memory.

It's not just about creating an appliance. It's about defining a lifestyle.

Lofra has built its history on this principle, step by step, innovation after innovation.

Over the years, it has introduced a new concept of home: a place where style inspires creativity and where technology improves life, making it simpler and smarter.

What began with the work of skilled craftsmen has become much more: it is a true statement of identity.

It is a constant search for the perfect harmony between aesthetics, performance, and everyday use.

Seventy years later, this balance still guides every choice.

During the years, Lofra has demonstrated its strength, always evolving without losing its identity.

Because behind every cooker there is a community of skilled hands, passion, and pride.

From the very beginning, these people have believed in a simple but powerful ideal: to create elegant and durable products.

Today, we celebrate seventy years of innovation, precision and skill, without ever compromising beauty.

Seventy years is not a milestone. It is a journey.

And this journey continues.

QUALITY OF ITA

PADOVA - ITALY

INDUSTRIAL VISION, ITALIAN CRAFT

Immersed in the beauty of the Euganean Hills, now a **UNESCO World Heritage Site**, Lofra was founded in 1956, rooted in a deep and rich tradition of Italian craftsmanship.

From the very beginning, we have cultivated a strong **love for cooking**, combining the harmony of the surrounding landscape with the art of crafting.

Our mission is to create products that are not just appliances, but also and above all allies in everyday life, capable of improving our days and making every moment spent in the kitchen a unique and unforgettable experience, paying homage to the gastronomic culture of Italy.

A perfect balance between technological innovation and **respect for tradition**.

We are constantly searching for new technical and stylistic solutions to enhance every single product, without ever forgetting our roots.

Our ability to interpret **new design trends** and seize technological opportunities has allowed us to offer our customers around the world a superior culinary experience, inspired by the expertise and craftsmanship of our **Italian manufacturing heritage**.

Lofra

Your Italian Cuisine

LIAN CUISINE

A Story To Tell

1956
The Beginning

In the post-war period, we started manufacturing cookers and basic cooking appliances, focusing on durable, innovative products to meet immediate needs. This was the beginning of our journey.

1970s
Igniting Our Passion

Our passion for handcrafted quality intensified. We developed new ranges of freestanding stainless steel hobs, including the iconic Maxima and Curva.

1980s
Global Recognition

We expanded into the international market and were enthusiastically received around the world, a major milestone in our growth.

2000s
Adapting To Modern Kitchens

Recognising the trend towards compact kitchens, we broke new ground by developing slim built-in appliances.

2010s
Embracing Made in Italy

Under new leadership, we have reinforced our dedication to Italian artistry and craftsmanship, ensuring that quality and design lie at the core of all our creations.

2013
Crafting A Legacy

We consolidated our position as a top kitchen appliance brand, underlining elegance and attention to detail to further highlight Italian production excellence.

2017
Certifying Our Quality

We prioritised rigorous quality control, achieving certifications that guarantee the durability and performance of our products, empowering culinary expression.

2020s
Expanding Our Horizons

We launched the expansive 120 cm Quattroporte range, which offers ample cooking space. Our new factory demonstrates our commitment to continuous improvement and innovation.

2025
Pursuing Endless Innovation

We continue to develop projects that simplify and enhance food preparation, driven by the belief that cooking is an Italian art form and passion.

2026
70 Years. Made with Passion.

We have created products that make cooking simpler and more enjoyable, inspired by the passion of Italian cuisine.



Cooktops: Design & Performance

Cast Iron Pan Support

Durable and easy to remove for maintenance, they ensure maximum cleanliness. Essential for frequent and intensive use of the hob, creating an even and functional surface.



Gas Stop Safety Device

Each burner is safe, protected by the Gas-Stop system, which immediately stops gas supply if the flame extinguishes.



Single-Plate Hob

It has no gaps or defects because it has not been welded. This makes it easier for dust and liquids to run off and makes it easier to clean the top, resulting in longer life.



Ergonomic Knobs

Turning the gas knob lights the fire. The innovative ergonomic and aesthetic design protects against heat and smoke when the oven is opened.



Mirror Polished Top

Polishing stainless steel improves its appearance and hygiene by removing surface roughness, making it harder for dirt and bacteria to adhere.



Brushed Steel Top

The satin finish is achieved through a special brushing process, resulting in a unique matte texture that is smoother than Scotch Brite.™.



Top Quality Burners

III Series Burners

The new Sabaf Series III burners have outstanding performance that is unrivaled in the world. Highest efficiency and emissions reduced to a minimum.



AEO

The AEO (High Efficiency Brass) features a brass ring flame-spreader and, thanks to its tilted flames, achieves efficiency levels of up to 66%. It is available in auxiliary, semi-rapid, and rapid models.



Triple Crown

For ultra-fast cooking, this is the ideal burner.
Exceptionally powerful, it ensures precision cooking and thermal uniformity from the center to the edges of pots and pans for professional results.



Dual

It is equipped with two concentric flames of small dimensions, which allows a better distribution of the heat to cook the food evenly.



Ovens: Versatile & Intuitive

Cooling Fan

An automatic fan cools the oven's door handle and dashboard by blocking heat. This technology enhances the reliability, durability, and thermal insulation of the oven's internal components.



Easy to clean enamel

The oven boasts an exclusive enamel coating that creates a smooth, non-stick surface. This innovative design prevents dirt, grease, and fat from adhering to the oven's interior, making cleaning effortless and thorough.



Electric Grill

All the reliability and efficiency of the Lofra tradition, in an electric resistance grill for baking your favourite recipes.



Telescopic Guides

Special runners ensure that trays and racks weighing up to 15 kg can be easily moved in and out of the oven. There is no risk of them tipping over.



Tempered Triple Glazed Oven Door

The oven's three-glass-panel design creates an insulated chamber that significantly lowers its external temperature. This enhances safety and reduces energy waste by minimizing heat loss.



Stainless Steel Door Profiles

It plays a crucial role in thermal insulation and sealing against vapours and odours, helping to improve the efficiency, safety and hygiene of the appliance.



Take A Look Inside

Multifunction Electric Oven

With up to twelve cooking programs, these ovens offer flexibility for even the most creative chefs to choose the perfect setting for any dish.




Gas Oven

A fan controls and maintains temperature uniformity inside. Ideal for cooking where even heat distribution and constant temperature are needed.



Oven Functions



Oven Light

More than just a light, it helps your favourite doughs rise.





Traditional Cooking

One of the most common methods of cooking because heat is distributed from above and below, cooking food as evenly as possible.





Bottom Heating

To crisp up pizza or quiche crusts or to slow cook dishes, turn on the bottom heat mode.





Upper Heating

It allows you to cook slowly and delicately dishes which need to be kept dry and well cooked on the inside. It is suitable for pizzas, focaccias, bread, biscuits, meringues and brioches.





Grilling

The grill can also be used as a quick way of cooking just one area of the food at a time. It's a great way to grill meat, fish and vegetables.





Maxi - Grill

Usually used for browning and glazing meat, fish or vegetables over a flame. It is a very healthy and even method of cooking.



Fan-Assist Barbecue

The fan-assisted barbecue function uses a fan and an upper heating element to cook meat. This method creates a crispy outer layer while keeping the inside tender.



Evenly Ventilated Cooking

Thanks to the constant air circulation, the products come out of the oven soft and well leavened.
Also suitable for roasts, potatoes and vegetables, on several levels at the same time.



Fan-Assist Oven Cooking

This means that the fan is activated, allowing you to cook food evenly. Suitable for pastas, roasted fish, cookies and cakes.




Defrosting

Use unheated air circulation to speed up defrosting and thaw food safely.



Grilling Rotisserie

The rotisserie feature allows you to create a variety of delicious dishes that benefit from the even cooking and self-bake properties of rotation.



Maxi - Grill Rotisserie

Perfect for cooking a variety of dishes that benefit from slow, even cooking and from being capable of cooking in their own juices.



Maxi - Grill Fan Rotisserie

Can be used for cooking all kinds of food, including roast beef and vegetables.



A deeply rooted passion.

Since 1956, we have been telling the story of Italian cuisine.



Embrace The Italian Culinary Poetry

Welcome to the heart of Lofra tradition and innovation.

It is on these principles that we have built our **identity**, creating high-performance products that stand out for their elegant, recognizable and timeless design, capable of enhancing any style of kitchen and turning any space into something truly special.

This catalogue is your **guide** to discovering our wide range of products, designed to meet the needs of an increasingly dynamic global market. Here you will find not only the **technical features** of our products, but also the **philosophy** behind them.

We believe that working with qualified distributors like you is **essential** to getting our products into **homes around the world**. We share the same passion for excellence and customer focus, and we believe in a partnership based on trust, transparency and ongoing support.

Browse through the pages of this catalogue. Start your journey into **Italian cuisine**.

Let's write the future of the kitchen, **together**.

Curva Line

Shaping modern cuisine

The charm of the Curva line

Curva brings a soft yet decisive touch to the kitchen, breaking the symmetry and introducing a new concept of flexibility in cooking.
Its voluminous mirror-polished stainless steel body combines aesthetics and performance, becoming a true distinctive feature of the home.

With a maximum capacity of 101 litres, it offers an exciting cooking experience that combines aesthetics and performance.

Available in sizes from 60 to 90 cm, it features a gas hob and a choice of gas or multifunction electric ovens that reach up to 270 °C.

A detail is never really just a detail.




CURVA

CURVA 60



C66GV/C

Item Code: 41020089
EAN Code: 8022389006772



C66MF/C

Item Code: 60020024
EAN Code: 8022389006789

Cooktop
- Gas Cooktop
- Mirror Polished
- 3 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

C66GV/C - Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also with gas grill upon request and special production

Power Absorbed: 1550 W
Gas Consumption: 12.65 kW




C66MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 240 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 2610 W
Gas Consumption: 9.35 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x60x85-90.50





CURVA 70



C76GV/C

Item Code: 41110086
EAN Code: 8022389006796



C76MF/C

Item Code: 60110017
EAN Code: 8022389006802

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

C76GV/C - Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also with gas grill upon request and special production

Power Absorbed: 1550 W
Gas Consumption: 15.45 kW




C76MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 240 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 2610 W
Gas Consumption: 12.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 70x60x85-90.50





CURVA 90



CG96GV/C

Item Code: 41060085
EAN Code: 8022389006819



CG96MF/C

Item Code: 60060017
EAN Code: 8022389006826

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

CG96GV/C - Oven
- Convection Gas
- Gas-Stop Safety Device
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also with gas grill upon request and special production

Power Absorbed: 1850 W
Gas Consumption: 17.15 kW




CG96MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 3100 W
Gas Consumption: 12.15 kW



Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50



CURVA 120



CSD126GV+E/2CI

Item Code: 62010003
EAN Code: 8022389008226

Cooktop
- Gas Cooktop
- Mirror Polished
- 5 Gas Burners
- 1 Triple Crown
- 1 Dual Crown
- Gas-Stop Safety Device

Adjustable Metal Feet


Power Absorbed: 3550 W
Gas Consumption: 21.70 kW

Main Oven
- Convection Gas
- Gas-Stop Safety Device
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Electric Static Oven
- 9 Cooking Programs
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Digital Timer
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray


Available also with gas grill upon request and special production







Cooktop Layout:
2 Aux | 2 Semi - Rapid | 1 Rapid | 1 Dual Crown | 1 Triple Crown

Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x85-90.50







TECHNICAL TABLES

MODEL	C66GV/C	C66MF/C	C76GV/C	C76MF/C
Aesthetics	Curva	Curva	Curva	Curva
Dimensions (WxDxH) cm	60x60x85-90.50	60x60x85-90.50	70x60x85-90.50	70x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	1550 W	2610 W	1550 W	2610 W
Gas Consumption	12.65 kW	9.35 kW	15.45 kW	12.15 kW
HOB FEATURES				
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	4	4	5	5
Electric Ignition Under Knob	•	•	•	•
Cast Iron Pan Support	•	•	•	•
Gas-Stop Safety Device	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
OVEN FEATURES				
Number Of Oven	1	1	1	1
Timer	Digital Timer	Digital Timer	Digital Timer	Digital Timer
Programmer Type	-	-	-	-
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	•	•	•	•
Number Of Fan	1	1	1	1
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	-	-	-	-
Rotisserie Function	-	-	-	-
"Easy To Clean" Enamel	-	-	-	-
MAIN OVEN	Convection Gas	Multifunction Electric	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90
Cooking Programs	3	9	3	9
Max Temperature (°C)	270 °C	240 °C	270 °C	240 °C
Gross Capacity (L)	72 L	72 L	72 L	72 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	-	1650 W	-	1650 W
Max Power Absorbed By Top Heat	-	900 W	-	900 W
Max Power Absorbed By Grill	1500 W	1500 W	1500 W	1500 W
Max Power Absorbed By Maxi - Grill	-	2400 W	-	2400 W
Max Power Absorbed By Fan	-	2000 W	-	2000 W
Max Gas Burner Consumption	3.30 kW	-	3.30 kW	-
SECONDARY OVEN				
Internal Dimensions (WxDxH) cm	-	-	-	-
Cooking Programs	-	-	-	-
Max Temperature (°C)	-	-	-	-
Gross Capacity (L)	-	-	-	-
Oven Shelf Support	-	-	-	-
Wire Shelf	-	-	-	-
Enamel Tray	-	-	-	-
Max Power Absorbed By Bottom Heat	-	-	-	-
Max Power Absorbed By Top Heat	-	-	-	-
Max Power Absorbed By Grill	-	-	-	-
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
Ref. Page.	18	18	19	19

TECHNICAL TABLES

MODEL	CG96GV/C	CG96MF/C	CSD126GV+E/2Ci
Aesthetics	Curva	Curva	Curva
Dimensions (WxDxH) cm	90x60x85-90.50	90x60x85-90.50	120x60x85-90.50
Adj. Metal Feet	•	•	•
Power Absorbed	1850 W	3100 W	3550 W
Gas Consumption	17.15 kW	12.15 kW	21.70 kW
HOB FEATURES			
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	5	5	7
Electric Ignition Under Knob	•	•	•
Cast Iron Pan Support	•	•	•
Gas-Stop Safety Device	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	4.20 kW
OVEN FEATURES			
Number Of Oven	1	1	2
Timer	Digital Timer	Digital Timer	Digital Timer
Programmer Type	-	-	-
Grill Type	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	•	•	•
Number Of Fan	1	1	1
Tempered Triple Glass Door	•	•	•
Cooling Fan	-	-	-
Rotisserie Function	-	-	-
"Easy To Clean" Enamel	-	-	-
MAIN OVEN	Convection Gas	Multifunction Electric	Convection Gas
Internal Dimensions (WxDxH) cm	67.80x40x37	67.80x40x37	67.80x40x37
Cooking Programs	3	9	3
Max Temperature (°C)	270 °C	250 °C	260 °C
Gross Capacity (L)	101 L	101 L	101 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2
Enamel Tray	1	1	1
Max Power Absorbed By Bottom Heat	-	1750 W	-
Max Power Absorbed By Top Heat	-	1000 W	-
Max Power Absorbed By Grill	1750 W	2000 W	1750 W
Max Power Absorbed By Maxi - Grill	-	3000 W	-
Max Power Absorbed By Fan	-	2500 W	-
Max Gas Burner Consumption	5.00 kW	-	5.00 kW
SECONDARY OVEN			Electric Static
Internal Dimensions (WxDxH) cm	-	-	23x40.80x36.90
Cooking Programs	-	-	9
Max Temperature (°C)	-	-	250 °C
Gross Capacity (L)	-	-	35 L
Oven Shelf Support	-	-	Fixed
Wire Shelf	-	-	1
Enamel Tray	-	-	1
Max Power Absorbed By Bottom Heat	-	-	1200 W
Max Power Absorbed By Top Heat	-	-	500 W
Max Power Absorbed By Grill	-	-	1000 W
Max Power Absorbed By Maxi - Grill	-	-	-
Max Power Absorbed By Fan	-	-	-
Ref. Page.	20	20	21

Maxima Line

Precision by Design

Sculpted Performance

The Maxima line represents the essence of Lofra's "total stainless steel" concept, where iconic design meets cutting-edge technology.

Designed for the most demanding customers, it stands out for its high-quality steel, which undergoes mechanical and ecological polishing: eliminating any roughness without chemical agents, the surface is so smooth that dirt slides off with just hot water.

With its classic look and great versatility, Maxima guarantees maximum durability and professional results.

It's the right choice for those looking for a durable, minimalist cooker with timeless Italian style.



Anything that is not included in the standard features listed above is to be considered as optional.



MAXIMA

MAXIMA 60



M66GV/C

Item Code: 41020100
EAN Code: 8022389012353



M66MF/C

Item Code: 60020038
EAN Code: 8022389012315

Cooktop
- Gas Cooktop
- Mirror Polished
- 3 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

M66GV/C - Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also with gas grill upon request and special production

Power Absorbed: 1550 W
Gas Consumption: 12.65 kW




M66MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 240 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 2610 W
Gas Consumption: 9.35 kW



Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x60x85-90.50



MAXIMA 70



M76GV/C

Item Code: 41110095
EAN Code: 8022389012377



M76MF/C

Item Code: 60110026
EAN Code: 8022389012384

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

M76GV/C- Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also with gas grill upon request and special production

Power Absorbed: 1550 W
Gas Consumption: 15.45 kW




M76MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 240 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 2610 W
Gas Consumption: 12.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 70x60x85-90.50





MAXIMA 80



MG86GV/C

Item Code: 41050081
EAN Code: 8022389012551



MG86MF/C

Item Code: 60050008
EAN Code: 8022389012438

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

MG86GV/C - Oven
- Convection Gas
- Gas-Stop Safety Device
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also with gas grill upon request and special production

Power Absorbed: 1850 W
Gas Consumption: 17.15 kW




MG86MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 3100 W
Gas Consumption: 12.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 80x60x85-90.50





MAXIMA 80 Extendable Side Loader



MT86GV/C

Item Code: 41240005
EAN Code: 8022389012537



MT86MF/C

Item Code: 60240003
EAN Code: 8022389012544

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

MT86GV/C - Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

Extendable Side Loader
- Internal Dimensions (Cm - Wxdxh): 38x14x46


Power Absorbed: 1550 W
Gas Consumption: 15.45 kW




MT86MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 240 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

Extendable Side Loader
- Internal Dimensions (Cm - Wxdxh): 38x14x46


Power Absorbed: 2605 W
Gas Consumption: 15.45 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 80x60x85-90.50





MAXIMA 90



MG96GV/C

Item Code: 41060103
EAN Code: 8022389012629



MG96MF/C

Item Code: 60060045
EAN Code: 8022389012636

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

MG96GV/C - Oven
- Convection Gas
- Gas-Stop Safety Device
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also with gas grill upon request and special production

Power Absorbed: 1850 W
Gas Consumption: 17.15 kW




MG96MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 3100 W
Gas Consumption: 12.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





MAXIMA 90 Extendable Side Loader



MT96GV/C

Item Code: 41230011
EAN Code: 8022389012582



MT96MF/C

Item Code: 60230007
EAN Code: 8022389012599

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

MT96GV/C- Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

Extendable Side Loader
- Internal Dimensions (Cm - Wxdxh): 38x14x46

Available also with gas grill upon request and special production


Power Absorbed: 1550 W
Gas Consumption: 8.75 kW




MT96MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 240 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

Extendable Side Loader
- Internal Dimensions (Cm - Wxdxh): 38x14x46


Power Absorbed: 2600 W
Gas Consumption: 15.45 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





MAXIMA 90



MG96GV/CIS

Item Code: 41060104
EAN Code: 8022389012391



MG96MF/CIS

Item Code: 60060046
EAN Code: 8022389012414

Cooktop
- Gas Cooktop
- Mirror Polished
- 5 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

MG96GV/CIS - Oven
- Convection Gas
- Gas-Stop Safety Device
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

Available also with gas grill upon request and special production

Power Absorbed: 1820 W
Gas Consumption: 17.15 kW




MG96MF/CIS - Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 3070 W
Gas Consumption: 12.15 kW




Cooktop Layout:
2 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





MAXIMA 90 Storage Space



MR96GV/C

Item Code: 41230012
EAN Code: 8022389012605



MR96MF/C

Item Code: 60230008
EAN Code: 8022389012612

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

MR96GV/C - Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

Side Loader
- Internal Dimensions (Cm - Wxdxh): 38x14x46

Power Absorbed: 1550 W
Gas Consumption: 12.15 kW




MR96MF/C - Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 240 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

Side Loader
- Internal Dimensions (Cm - Wxdxh): 38x14x46


Power Absorbed: 2600 W
Gas Consumption: 15.35 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





TECHNICAL TABLES

MODEL	M66GV/C	M66MF/C	M76GV/C	M76MF/C
Aesthetics	Maxima	Maxima	Maxima	Maxima
Dimensions (WxDxH) cm	60x60x85-90.50	60x60x85-90.50	70x60x85-90.50	70x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	1550 W	2610 W	1550 W	2610 W
Gas Consumption	12.65 kW	9.35 kW	15.45 kW	12.15 kW
HOB FEATURES				
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	4	4	5	5
Electric Ignition Under Knob	•	•	•	•
Cast Iron Pan Support	•	•	•	•
Gas-Stop Safety Device	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
Number Of Electric Zones	-	-	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-
Power Indicator	-	-	-	-
Residual Heat Indicator Light	-	-	-	-
Timer	-	-	-	-
Child Lock	-	-	-	-
OVEN FEATURES				
Number Of Oven	1	1	1	1
Timer	Analog Timer	Analog Timer	Analog Timer	Analog Timer
Programmer Type	-	-	-	-
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	•	-	•	-
Number Of Fan	1	1	1	1
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	•	•	•	•
Rotisserie Function	-	-	-	-
"Easy To Clean" Enamel	-	-	-	-
MAIN OVEN	Convection Gas	Multifunction Electric	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90
Cooking Programs	3	9	3	9
Max Temperature (°C)	270 °C	240 °C	270 °C	240 °C
Gross Capacity (L)	72 L	72 L	72 L	72 L
Oven Shelf Support	Fixed	Fixed	Fixed	Fixed
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	-	1650 W	-	1650 W
Max Power Absorbed By Top Heat	-	900 W	-	900 W
Max Power Absorbed By Grill	1500 W	1500 W	1500 W	1500 W
Max Power Absorbed By Maxi - Grill	-	2400 W	-	2400 W
Max Power Absorbed By Fan	-	2000 W	-	2000 W
Max Gas Burner Consumption	3.30 kW	-	3.30 kW	-
SECONDARY OVEN				
Internal Dimensions (WxDxH) cm	-	-	-	-
Cooking Programs	-	-	-	-
Max Temperature (°C)	-	-	-	-
Gross Capacity (L)	-	-	-	-
Oven Shelf Support	-	-	-	-
Wire Shelf	-	-	-	-
Enamel Tray	-	-	-	-
Max Power Absorbed By Bottom Heat	-	-	-	-
Max Power Absorbed By Top Heat	-	-	-	-
Max Power Absorbed By Grill	-	-	-	-
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
Ref. Page.	26	26	27	27

TECHNICAL TABLES

MODEL	MG86GV/C	MG86MF/C	MT86GV/C	MT86MF/C
Aesthetics	Maxima	Maxima	Maxima	Maxima
Dimensions (WxDxH) cm	80x60x85-90.50	80x60x85-90.50	80x60x85-90.50	80x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	1850 W	3100 W	1550 W	2605 W
Gas Consumption	17.15 kW	12.15 kW	12.15 kW	15.45 kW
HOB FEATURES				
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	5	5	5	5
Electric Ignition Under Knob	•	•	•	•
Cast Iron Pan Support	•	•	•	•
Gas-Stop Safety Device	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
Number Of Electric Zones	-	-	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-
Power Indicator	-	-	-	-
Residual Heat Indicator Light	-	-	-	-
Timer	-	-	-	-
Child Lock	-	-	-	-
OVEN FEATURES				
Number Of Oven	1	1	1	1
Timer	Analog Timer	Analog Timer	Analog Timer	Analog Timer
Programmer Type	-	-	-	-
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	•	-	•	-
Number Of Fan	1	1	1	1
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	•	•	•	•
Rotisserie Function	-	-	-	-
"Easy To Clean" Enamel	-	-	-	-
MAIN OVEN	Convection Gas	Multifunction Electric	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	67.80x40x37	67.80x40x37	67.80x40x37	67.80x40x37
Cooking Programs	3	9	3	9
Max Temperature (°C)	260 °C	240 °C	270 °C	240 °C
Gross Capacity (L)	101 L	72 L	72 L	72 L
Oven Shelf Support	Fixed	Fixed	Fixed	Telescopic at 2 Levels
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	-	1750 W	-	1650 W
Max Power Absorbed By Top Heat	-	1000 W	-	900 W
Max Power Absorbed By Grill	1750 W	2000 W	1750 W	1500 W
Max Power Absorbed By Maxi - Grill	-	3000 W	-	2400 W
Max Power Absorbed By Fan	-	2500 W	-	2000 W
Max Gas Burner Consumption	5.00 kW	-	3.30 kW	-
SECONDARY OVEN				
Internal Dimensions (WxDxH) cm	-	-	-	-
Cooking Programs	-	-	-	-
Max Temperature (°C)	-	-	-	-
Gross Capacity (L)	-	-	-	-
Oven Shelf Support	-	-	-	-
Wire Shelf	-	-	-	-
Enamel Tray	-	-	-	-
Max Power Absorbed By Bottom Heat	-	-	-	-
Max Power Absorbed By Top Heat	-	-	-	-
Max Power Absorbed By Grill	-	-	-	-
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
Ref. Page.	28	28	29	29

TECHNICAL TABLES

MODEL	MG96GV/C	MG96MF/C	MT96GV/C	MT96MF/C
Aesthetics	Maxima	Maxima	Maxima	Maxima
Dimensions (WxDxH) cm	90x60x85-90.50	90x60x85-90.50	90x60x85-90.50	90x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	1850 W	3100 W	1550 W	2600 W
Gas Consumption	17.15 kW	12.15 kW	8.75 kW	15.45 kW
HOB FEATURES				
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	5	5	5	5
Electric Ignition Under Knob	•	•	•	•
Cast Iron Pan Support	•	•	•	•
Gas-Stop Safety Device	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
Number Of Electric Zones	-	-	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-
Power Indicator	-	-	-	-
Residual Heat Indicator Light	-	-	-	-
Timer	-	-	-	-
Child Lock	-	-	-	-
OVEN FEATURES				
Number Of Oven	1	1	1	1
Timer	Analog Timer	Analog Timer	Analog Timer	Analog Timer
Programmer Type	-	-	-	-
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	•	-	•	-
Number Of Fan	1	1	1	1
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	•	•	•	•
Rotisserie Function	-	-	-	-
"Easy To Clean" Enamel	-	-	-	-
MAIN OVEN	Convection Gas	Multifunction Electric	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	67.80x40x37	67.80x40x37	67.80x40x37	67.80x40x37
Cooking Programs	3	9	3	9
Max Temperature (°C)	260 °C	250 °C	270 °C	240 °C
Gross Capacity (L)	101 L	101 L	72 L	72 L
Oven Shelf Support	Fixed	Fixed	Fixed	Fixed
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	-	1750 W	-	1650 W
Max Power Absorbed By Top Heat	-	1000 W	-	900 W
Max Power Absorbed By Grill	1750 W	2000 W	1500 W	1500 W
Max Power Absorbed By Maxi - Grill	-	3000 W	-	2400 W
Max Power Absorbed By Fan	-	2500 W	-	2000 W
Max Gas Burner Consumption	5.00 kW	-	3.30 kW	-
SECONDARY OVEN				
Internal Dimensions (WxDxH) cm	-	-	-	-
Cooking Programs	-	-	-	-
Max Temperature (°C)	-	-	-	-
Gross Capacity (L)	-	-	-	-
Oven Shelf Support	-	-	-	-
Wire Shelf	-	-	-	-
Enamel Tray	-	-	-	-
Max Power Absorbed By Bottom Heat	-	-	-	-
Max Power Absorbed By Top Heat	-	-	-	-
Max Power Absorbed By Grill	-	-	-	-
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
Ref. Page.	30	30	31	31

TECHNICAL TABLES

MODEL	MG96GV/Cis	MG96MF/Cis	MR96GV/C	MR96MF/C
Aesthetics	Maxima	Maxima	Maxima	Maxima
Dimensions (WxDxH) cm	90x60x85-90.50	90x60x85-90.50	90x60x85-90.50	90x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	1820 W	3070 W	1550 W	2600 W
Gas Consumption	17.15 kW	12.15 kW	12.15 kW	15.35 kW
HOB FEATURES				
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	6	6	5	5
Electric Ignition Under Knob	•	•	•	•
Cast Iron Pan Support	•	•	•	•
Gas-Stop Safety Device	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
Number Of Electric Zones	-	-	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-
Power Indicator	-	-	-	-
Residual Heat Indicator Light	-	-	-	-
Timer	-	-	-	-
Child Lock	-	-	-	-
OVEN FEATURES				
Number Of Oven	1	1	1	1
Timer	Analog Timer	Analog Timer	Analog Timer	Analog Timer
Programmer Type	-	-	-	-
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	•	-	•	-
Number Of Fan	1	1	1	1
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	•	•	•	•
Rotisserie Function	-	-	-	-
"Easy To Clean" Enamel	-	-	-	-
MAIN OVEN	Convection Gas	Multifunction Electric	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	67.80x40x37	67.80x40x37	67.80x40x37	67.80x40x37
Cooking Programs	3	9	3	9
Max Temperature (°C)	260 °C	250 °C	270 °C	240 °C
Gross Capacity (L)	101 L	101 L	72 L	72 L
Oven Shelf Support	Fixed	Fixed	Fixed	Fixed
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	-	1750 W	-	1650 W
Max Power Absorbed By Top Heat	-	1000 W	-	900 W
Max Power Absorbed By Grill	1750 W	2000 W	1500 W	1500 W
Max Power Absorbed By Maxi - Grill	-	3000 W	-	2400 W
Max Power Absorbed By Fan	-	2500 W	-	2000 W
Max Gas Burner Consumption	5.00 kW	-	3.30 kW	-
SECONDARY OVEN				
Internal Dimensions (WxDxH) cm	-	-	-	-
Cooking Programs	-	-	-	-
Max Temperature (°C)	-	-	-	-
Gross Capacity (L)	-	-	-	-
Oven Shelf Support	-	-	-	-
Wire Shelf	-	-	-	-
Enamel Tray	-	-	-	-
Max Power Absorbed By Bottom Heat	-	-	-	-
Max Power Absorbed By Top Heat	-	-	-	-
Max Power Absorbed By Grill	-	-	-	-
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
Ref. Page.	32	32	33	33

Professional Line

Expertise at your fingertips

Innovation in every detail

In the kitchen, every second is precious and precision is essential.

The Professional range brings experience and professionalism into your home.

With its mirror-polished stainless steel, powerful gas or induction hobs, and multifunction ovens with temperatures up to 270°C, it turns every cooking session into a unique, high-performance experience.

The Up&Down and Quattroporte models offer unparalleled versatility and efficiency, with design and functionality blending perfectly to guarantee master chef results.




PROFESSIONAL

PROFESSIONAL 60 Up&Down



PUD66MFE/CI

Item Code: 60020023
EAN Code: 8022389006567


Cooktop
- Gas Cooktop
- Brushed Steel
- 3 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet

Power Absorbed: 4780 W
Gas Consumption: 9.35 kW


Main Oven
- Multifunction Electric
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Upper Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray







Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x60x90-91.50





PROFESSIONAL 70 Up&Down



PUD76MFE/C

Item Code: 60110016
EAN Code: 8022389006574


Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

Adjustable Metal Feet


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Upper Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray


Power Absorbed: 4780 W
Gas Consumption: 12.15 kW



Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 70x60x90-91.50



PROFESSIONAL 90



PG96MFT/CISF


Item Code: 60060041
EAN Code: 8022389010663

Cooktop
- Gas Cooktop
- Satin Finish
- 5 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Without Rear Splashback


Adjustable Metal Feet

Power Absorbed: 3086 W
Gas Consumption: 9.35 kW


Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray




Cooktop Layout:
2 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





PROFESSIONAL 90



PD96MFTE/CISF

Item Code: 60220026
EAN Code: 8022389010724

Cooktop
- Gas Cooktop
- Satin Finish
- 5 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Without Rear Splashback

Adjustable Metal Feet

Power Absorbed: 4351 W
Gas Consumption: 9.35 kW


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 70 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Electric Static Oven
- 9 Cooking Programs
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray







Cooktop Layout:
2 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





PROFESSIONAL 100



PG106MFT/UI


Item Code: 60250001
EAN Code: 8022389012704

Cooktop
- Gas Cooktop
- Satin Finish
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device


Adjustable Metal Feet

Power Absorbed: 3085 W
Gas Consumption: 12.95 kW


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Dual Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 100x60x85-90.50





PROFESSIONAL 120



PD126MFT+E/2CI2I

Item Code: 62010051
EAN Code: 8022389026305

Cooktop
- Gas Cooktop
- Brushed Steel
- 3 Gas Burners
- 1 Dual Crown Ø 145 mm
- 1 Dual Crown Ø 115 mm
- Gas-Stop Safety Device

- Induction Zone
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zone x Ø 210 mm
- 1 Heating Zone x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 4800 W
Gas Consumption: 16.90 kW


Available also in other colors upon request and special production







Cooktop Layout:
1 Aux | 2 Semi - Rapid | 2 Dual Crown | 2 Induction Zones

Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x85-90.50







PROFESSIONAL 120



PD126GV+E/2CI - STAINLESS STEEL

Item Code: 62010001
EAN Code: 8022389008240

Cooktop
- Gas Cooktop
- Satin Finish
- 5 Gas Burners
- 1 Triple Crown
- 1 Dual Crown
- Gas-Stop Safety Device


Adjustable Metal Feet

Power Absorbed: 3570 W
Gas Consumption: 21.40 kW

Main Oven
- Convection Gas
- Gas-Stop Safety Device
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Digital Programmer For Start And End Of Cooking Time
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Available also with gas grill upon request and special production


Secondary Oven
- Electric Static Oven
- 9 Cooking Programs
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray







Cooktop Layout:
2 Aux | 2 Semi - Rapid | 1 Rapid | 1 Dual Crown | 1 Triple Crown

Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x85-90.50







Also Available:



PMND126GV+E/2CI - BLACK MATT

Item Code: 62010011
EAN Code: 8022389009513



PBPD126GV+E/2CI - PEARL WHITE

Item Code: 62010010
EAN Code: 8022389009506



PBID126GV+E/2CI - IVORY

Item Code: 62010009
EAN Code: 8022389009490



PRD126GV+E/2CI - RED BURGUNDY

Item Code: 62010012
EAN Code: 8022389009520

PROFESSIONAL 120 Quattroporte



PG126SMFET+DMFT/2AEO - YELLOW

Item Code: 62010028
EAN Code: 8022389019383

Cooktop
- Gas Cooktop
- Brushed Steel
- 5 Gas Burners
- 1 Dual Crown Ø 145 mm
- 1 Dual Crown Ø 125 mm
- Gas-Stop Safety Device

"Easy To Clean" Black Enameling
Cooling Fan
Adjustable Metal Feet

Lower Right Storage Compartment

Power Absorbed: 7635 W
Gas Consumption: 16.90 kW


Upper Right Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray




Upper Left Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray




Lower Left Oven
- Multifunction Electric
- 5 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray




Cooktop Layout:
2 Aux | 2 Semi - Rapid | 1 Rapid | 2 Dual Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x90-91.50





Also Available:



PNM126SMFET+DMFT/2AEO - BLACK MATT

Item Code: 62010024
EAN Code: 8022389012124



P126SMFET+DMFT/2AEO - STAINLESS STEEL

Item Code: 62010023
EAN Code: 8022389019352



PBP126SMFET+DMFT/2AEO - PEARL WHITE

Item Code: 62010026
EAN Code: 8022389019390



PBI126SMFET+DMFT/2AEO - IVORY

Item Code: 62010025
EAN Code: 8022389019376



PR126SMFET+DMFT/2AEO - RED BURGUNDY

Item Code: 62010027
EAN Code: 8022389019369

TECHNICAL TABLES

MODEL	PUD66MFE/Ci	PUD76MFE/C	PG96MFT/CisF	PD96MFTE/CisF
Aesthetics	Professional	Professional	Professional	Professional
Dimensions (WxDxH) cm	60x60x90-91.50	70x60x90-91.50	90x60x85-90.50	90x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	4780 W	4780 W	3086 W	4351 W
Gas Consumption	9.35 kW	12.15 kW	9.35 kW	9.35 kW
HOB FEATURES				
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	4	5	6	6
Electric Ignition Under Knob	•	•	•	•
Cast Iron Pan Support	•	•	•	•
Gas-Stop Safety Device	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
Number Of Electric Zones	-	-	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-
Power Indicator	-	-	-	-
Residual Heat Indicator Light	-	-	-	-
Timer	-	-	-	-
Child Lock	-	-	-	-
OVEN FEATURES				
Number Of Oven	2	2	1	2
Timer	•	•	•	•
Programmer Type	Digital Timer	Digital Timer	Digital Timer	Digital Timer
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	-	-	-
Number Of Fan	1	1	1	1
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	•	•	•	•
Rotisserie Function	-	-	-	-
"Easy To Clean" Enamel	-	-	-	-
MAIN OVEN	Multifunction Electric	Multifunction Electric	Multifunction Electric	Multifunction Electric
Internal Dimensions (WxDxH) cm	45x35x40	45x35x40	67.80x40x37	67.80x40x37
Cooking Programs	9	9	3	9
Max Temperature (°C)	260 °C	260 °C	270 °C	260 °C
Gross Capacity (L)	72 L	72 L	72 L	72 L
Oven Shelf Support	Telescopic Shelves at 2 Level	Telescopic Shelves at 2 Level	Fixed	Telescopic Shelves at 2 Level
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	1650 W	1650 W	1200 W	1650 W
Max Power Absorbed By Top Heat	900 W	900 W	500 W	900 W
Max Power Absorbed By Grill	1500 W	1500 W	1000 W	1500 W
Max Power Absorbed By Maxi - Grill	2400 W	2400 W	-	2400 W
Max Power Absorbed By Fan	2000 W	2000 W	-	2000 W
Max Gas Burner Consumption	-	-	-	-
SECONDARY OVEN	Electric Static Oven	Electric Static Oven		Electric Static Oven
Internal Dimensions (WxDxH) cm	47,90x44,80x17,60	47,90x44,80x17,60	-	47,90x44,80x17,60
Cooking Programs	9	9	-	9
Max Temperature (°C)	250 °C	250 °C	-	250 °C
Gross Capacity (L)	40 L	40 L	-	35 L
Oven Shelf Support	Fixed	Fixed	-	Fixed
Wire Shelf	2	2	-	2
Enamel Tray	1	1	-	1
Max Power Absorbed By Bottom Heat	1200 W	1200 W	-	-
Max Power Absorbed By Top Heat	950 W	950 W	-	-
Max Power Absorbed By Grill	1900 W	1000 W	-	1500 W
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
Ref. Page.	40	41	42	43

TECHNICAL TABLES

MODEL	PG106MFT/Ui	PD126MFT+E/2Ci2I	PD126GV+E/2Ci
Aesthetics	Professional	Professional	Professional
Dimensions (WxDxH) cm	100x60x85 - 90	90x60x85-90.50	90x60x85-90.50
Adj. Metal Feet	•	•	•
Power Absorbed	3.085 W	3570 W	3570 W
Gas Consumption	12.95 kW	21.40 kW	21.40 kW
HOB FEATURES			
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	5	5	7
Electric Ignition Under Knob	•	•	•
Cast Iron Pan Support	•	•	•
Gas-Stop Safety Device	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	4.20 kW	4.20 kW
Number Of Electric Zones	-	2	-
Booster Max. Input Induction Zone Ø 150 mm	-	1200 W	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-
Power Indicator	-	•	-
Residual Heat Indicator Light	-	•	-
Timer	-	•	-
Child Lock	-	•	-
OVEN FEATURES			
Number Of Oven	1	2	2
Timer	•	•	•
Programmer Type	Digital Touch Programmer	Digital Timer	Digital Timer
Grill Type	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	-	•
Number Of Fan	1	1	1
Tempered Triple Glass Door	•	•	•
Cooling Fan	•	•	•
Rotisserie Function	•	•	-
"Easy To Clean" Enamel	-	-	-
MAIN OVEN	Multifunction Electric	Multifunction Electric	Convection Gas
Internal Dimensions (WxDxH) cm	67.80x40x37	67.80x40x37	67.80x40x37
Cooking Programs	9	9	3
Max Temperature (°C)	270 °C	270 °C	260 °C
Gross Capacity (L)	101 L	101 L	101 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2
Enamel Tray	1	1	1
Max Power Absorbed By Bottom Heat	1750 W	1200 W	1200 W
Max Power Absorbed By Top Heat	1000 W	500 W	500 W
Max Power Absorbed By Grill	2000 W	1000 W	1000 W
Max Power Absorbed By Maxi - Grill	3000 W	-	-
Max Power Absorbed By Fan	2500 W	-	-
Max Gas Burner Consumption	-	-	-
SECONDARY OVEN		Electric Static Oven	Electric Static Oven
Internal Dimensions (WxDxH) cm	-	47,90x44,80x17,60	47,90x44,80x17,60
Cooking Programs	-	9	9
Max Temperature (°C)	-	250 °C	250 °C
Gross Capacity (L)	-	35 L	35 L
Oven Shelf Support	-	Fixed	Fixed
Wire Shelf	-	1	2
Enamel Tray	-	1	1
Max Power Absorbed By Bottom Heat	-	-	-
Max Power Absorbed By Top Heat	-	-	-
Max Power Absorbed By Grill	-	1750 W	1750 W
Max Power Absorbed By Maxi - Grill	-	-	-
Max Power Absorbed By Fan	-	-	-
Ref. Page.	44	45	46

TECHNICAL TABLES FOR QUATTROPORTE MODELS

MODEL	P...126SMFET+DMFT/2AEO
Aesthetics	Professional
Dimensions (WxDxH) cm	120x60x90-91.50
Adj. Metal Feet	•
Power Absorbed	7635 W
Gas Consumption	16.90 kW
HOB FEATURES	
Type Of Cooking Top	Gas Hob
Number Of Gas Burners	7
Electric Ignition Under Knob	•
Cast Iron Pan Support	•
Gas-Stop Safety Device	•
Max Input Burners Auxiliary Burner	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW
Max Input Burners Rapid Burner	-
Max Input Burners Triple Crown Burner	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	4.00 kW
Max Input Burners Dual Crown Burner (145 mm)	4.50 kW
OVEN FEATURES	
Number Of Oven	4
Timer	-
Programmer Type	Digital Timer
Grill Type	Electric Grill
Number Of Fan	2
Tempered Triple Glass Door	•
Cooling Fan	•
Rotisserie Function	•
"Easy To Clean" Enamel	•
MAIN OVEN	Upper Right - Multifunction Electric
Internal Dimensions (WxDxH) cm	47.90x40x36.90
Cooking Programs	9
Max Temperature (°C)	260 °C
Gross Capacity (L)	72 L
Oven Shelf Support	Telescopic Shelves at 2 Level
Wire Shelf	2
Enamel Tray	1
Max Power Absorbed By Bottom Heat	1650 W
Max Power Absorbed By Top Heat	900 W
Max Power Absorbed By Grill	1500 W
Max Power Absorbed By Maxi - Grill	2400 W
Max Power Absorbed By Fan	2000 W
SECONDARY OVEN	Lower Left - Electric Static
Internal Dimensions (WxDxH) cm	47,90x44,80x17,60
Cooking Programs	9
Max Temperature (°C)	250 °C
Gross Capacity (L)	40 L
Oven Shelf Support	Fixed Guide
Wire Shelf	2
Enamel Tray	1
Max Power Absorbed By Bottom Heat	1200 W
Max Power Absorbed By Top Heat	900 W
Max Power Absorbed By Grill	1900 W
Max Power Absorbed By Maxi - Grill	-
Max Power Absorbed By Fan	-
THIRD OVEN	Upper Left - Multifunction Electric
Internal Dimensions (WxDxH) cm	23x40,80x36,90
Cooking Programs	5
Max Temperature (°C)	270 °C
Gross Capacity (L)	72 L
Oven Shelf Support	Fixed Guide
Wire Shelf	2
Enamel Tray	1
Max Power Absorbed By Bottom Heat	1650 W
Max Power Absorbed By Top Heat	900 W
Max Power Absorbed By Grill	1500 W
Max Power Absorbed By Maxi - Grill	-
Max Power Absorbed By Fan	-
LOWER RIGHT STORAGE COMPARTMENT	Electric Static
Internal Dimensions (WxDxH) cm	24x39,80x10
Cooking Programs	-
Max Temperature (°C)	-
Gross Capacity (L)	40 L
Oven Shelf Support	-
Wire Shelf	-
Enamel Tray	-
Max Power Absorbed By Bottom Heat	-
Max Power Absorbed By Top Heat	-
Max Power Absorbed By Grill	200 W
Max Power Absorbed By Maxi - Grill	-
Max Power Absorbed By Fan	-
Ref. Page.	48



PROFESSIONAL

Rainbow Line

The Joy of Colour

Design your dream kitchen

The Rainbow line brings an extra touch of joy to everyday life, blending Mediterranean colors with a robust, modern style.

The kitchen becomes a lively space, where freedom, simplicity, and the warmth of home meet the innovation of Italian design.

With its mirror-polished stainless steel gas or induction hob and multifunction ovens, Rainbow combines high performance with a colorful personality.

Available in sizes ranging from 60 to 90 cm to suit every need.

Every color of this line inspires creativity, and every detail celebrates the joy of cooking.





RAINBOW


LOFRA

PROFESSIONAL 60 Induction Hob




PL66MFT/4I

Item Code: 60020040
EAN Code: 8022389012711

Cooktop
- Induction Cooktop
- 4 Booster Cooking Zones
- Up To 9 Levels
- 2 Heating Zone Ø 215 mm
- 2 Heating Zone Ø 150 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W


Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray




"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Power Absorbed: 9810 W

Cooktop Layout:
2 x 150 Ø | 2 x 215 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x60x85-91.50





RAINBOW

RAINBOW 60 Gas Oven



PNM66GVT/C - BLACK MATT

Item Code: 41020097
EAN Code: 8022389008424

Cooktop
- Gas Cooktop
- Mirror Polished
- 3 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Power Absorbed: 1560 W
Gas Consumption: 12.65 kW

Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Digital Timer
- Digital Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray




Available also with gas grill upon request and special production

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x60x85-90.50



Also Available:



PL66GVT/C - STAINLESS STEEL

Item Code: 41020099
EAN Code: 8022389008448



PBP66GVT/C - PEARL WHITE

Item Code: 41020098
EAN Code: 8022389008431



PBI66GVT/C - IVORY

Item Code: 41020096
EAN Code: 8022389008417



PR66GVT/C - RED BURGUNDY

Item Code: 41020095
EAN Code: 8022389008400

RAINBOW 60 Electric Oven



PL66MFT/C -
STAINLESS STEEL


Item Code: 60020034
EAN Code: 8022389008691

Cooktop
- Gas Cooktop
- Mirror Polished
- 3 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 2610 W
Gas Consumption: 12.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x60x85-90.50





Also Available:



PNM66MFT/C - BLACK MATT

Item Code: 60020032
EAN Code: 8022389008677



PBP66MFT/C - PEARL WHITE

Item Code: 60020033
EAN Code: 8022389008684



PBI66MFT/C - IVORY

Item Code: 60020031
EAN Code: 8022389008660



PR66MFT/C - RED BURGUNDY

Item Code: 60020030
EAN Code: 8022389008653

RAINBOW 70 Gas Oven



PBP76GVT/C - PEARL WHITE

Item Code: 41110093
EAN Code: 8022389008486

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Available also with gas grill upon request and special production


Power Absorbed: 1570 W
Gas Consumption: 15.45 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 70x60x85-90.50





Also Available:



PNM76GVT/C - BLACK MATT

Item Code: 41110092
EAN Code: 8022389008479



PL76GVT/C - STAINLESS STEEL

Item Code: 41110094
EAN Code: 8022389008493



PBI76GVT/C - IVORY

Item Code: 41110091
EAN Code: 8022389008462



PR76GVT/C - RED BURGUNDY

Item Code: 41110090
EAN Code: 8022389008455

RAINBOW 70 Electric Oven



PBI76MFT/C - IVORY


Item Code: 60110022
EAN Code: 8022389008714

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 2610 W
Gas Consumption: 12.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown

Technical Drawing (cm):
Dimensions (cm - WxDxH): 70x60x85-90.50







Also Available:



PNM76MFT/C - BLACK MATT

Item Code: 60110023
EAN Code: 8022389008721



PL76MFT/C - STAINLESS STEEL

Item Code: 60110025
EAN Code: 8022389008745



PBP76MFT/C - PEARL WHITE

Item Code: 60110024
EAN Code: 8022389008738



PR76MFT/C - RED BURGUNDY

Item Code: 60110021
EAN Code: 8022389008707

RAINBOW 80 Gas Oven



PRG86GVT/C -
RED BURGUNDY

Item Code: 41050075
EAN Code: 8022389008509

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Oven
- Convection Gas
- Gas-Stop Safety Device
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Available also with gas grill upon request and special production


Power Absorbed: 1820 W
Gas Consumption: 17.15 kW



Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 80x60x85-90.50



Also Available:



PNMG86GVT/C - BLACK MATT

Item Code: 41050077
EAN Code: 8022389008523



PLG86GVT/C - STAINLESS STEEL

Item Code: 41050079
EAN Code: 8022389008547



PBPG86GVT/C - PEARL WHITE

Item Code: 41050078
EAN Code: 8022389008530



PBIG86GVT/C - IVORY

Item Code: 41050076
EAN Code: 8022389008516

RAINBOW 80 Electric Oven



PNMG86MFT/C - BLACK MATT


Item Code: 60050005
EAN Code: 8022389008776

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 3100 W
Gas Consumption: 12.15 kW



Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 80x60x85-90.50



Also Available:



PLG86MFT/C - STAINLESS STEEL

Item Code: 60050007
EAN Code: 8022389008790



PBPG86MFT/C - PEARL WHITE

Item Code: 60050006
EAN Code: 8022389008783



PBIG86MFT/C - IVORY

Item Code: 60050004
EAN Code: 8022389008769



PRG86MFT/C - RED BURGUNDY

Item Code: 60050003
EAN Code: 8022389008752

RAINBOW 90 Gas Oven



PLG96GVT/C -
STAINLESS STEEL

Item Code: 41060101
EAN Code: 8022389008592

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Oven
- Convection Gas
- Gas-Stop Safety Device
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Available also with gas grill upon request and special production


Power Absorbed: 1840 W
Gas Consumption: 17.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





Also Available:



PNMG96GVT/C - BLACK MATT

Item Code: 41060099
EAN Code: 8022389008578



PBPG96GVT/C - PEARL WHITE

Item Code: 41060100
EAN Code: 8022389008585



PBIG96GVT/C - IVORY

Item Code: 41060098
EAN Code: 8022389008561



PRG96GVT/C - RED BURGUNDY

Item Code: 41060097
EAN Code: 8022389008554

RAINBOW 90 Electric Oven



PBPG96MFT/C -
PEARL WHITE


Item Code: 60060033
EAN Code: 8022389008837

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Digital Timer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 3090 W
Gas Consumption: 12.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50







Also Available:



PNMG96MFT/C - BLACK MATT

Item Code: 60060032
EAN Code: 8022389008820



PLG96MFT/C - STAINLESS STEEL

Item Code: 60060034
EAN Code: 8022389008844



PBIG86MFT/C - IVORY

Item Code: 60060031
EAN Code: 8022389008813



PRG96MFT/C - RED BURGUNDY

Item Code: 60060030
EAN Code: 8022389008806

TECHNICAL TABLES

MODEL	PL66MFT/4I	P...66GVT/C	P...66MFT/C	P...76GVT/C	P...76MFT/C
Aesthetics	Professional	Rainbow	Rainbow	Rainbow	Rainbow
Dimensions (WxDxH) cm	60x60x90-91.50	60x60x85-90.50	60x60x85-90.50	70x60x85-90.50	70x60x85-90.50
Adj. Metal Feet	•	•	•	•	•
Power Absorbed	9810 W	1560 W	2610 W	1570 W	2610 W
Gas Consumption	-	12.65 kW	12.15 kW	15.45 kW	12.15 kW
HOB FEATURES					
Type Of Cooking Top	Induction Hob	Gas Hob	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	-	4	4	5	5
Electric Ignition Under Knob	-	•	•	•	•
Cast Iron Pan Support	-	•	•	•	•
Gas-Stop Safety Device	-	•	•	•	•
Max Input Burners Auxiliary Burner	-	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	-	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	-	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	-	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-	-
Number Of Electric Zones	4	-	-	-	-
Booster Max. Input Induction Zone Ø 150 mm	1600 W	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	2000 W	-	-	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-	-
Power Indicator	•	-	-	-	-
Residual Heat Indicator Light	•	-	-	-	-
Timer	•	-	-	-	-
Child Lock	•	-	-	-	-
OVEN FEATURES					
Number Of Oven	1	1	1	1	1
Timer	•	•	•	•	•
Programmer Type	Digital Timer	Digital Timer	Digital Timer	Digital Timer	Digital Timer
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	-	-	-	-
Number Of Fan	1	1	1	1	1
Tempered Triple Glass Door	•	•	•	•	•
Cooling Fan	•	•	•	•	•
Rotisserie Function	-	-	-	-	-
"Easy To Clean" Enamel	-	-	-	-	-
MAIN OVEN	Multifunction Electric	Convection Gas	Multifunction Electric	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90
Cooking Programs	9	3	9	3	9
Max Temperature (°C)	270 °C	270°	270°	270°	270°
Gross Capacity (L)	72 L	72 L	72 L	72 L	72 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2	2	2
Enamel Tray	1	1	1	1	1
Max Power Absorbed By Bottom Heat	1650 W	-	1650 W	-	1650 W
Max Power Absorbed By Top Heat	900 W	-	900 W	-	900 W
Max Power Absorbed By Grill	1500 W	1500 W	1500 W	1500 W	1500 W
Max Power Absorbed By Maxi - Grill	2400 W	-	2400 W	-	2400 W
Max Power Absorbed By Fan	2000 W	-	2000 W	-	2000 W
Max Gas Burner Consumption	-	3.30 kW	-	3.30 kW	-
Ref. Page.	57	58	60	62	64

TECHNICAL TABLES

MODEL	P...G86GVT/C	P...G86MFT/C	P...G96GVT/C	P...G96MFT/C
Aesthetics	Rainbow	Rainbow	Rainbow	Rainbow
Dimensions (WxDxH) cm	80x60x85-90.50	80x60x85-90.50	90x60x85-90.50	90x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	1820 W	3100 W	1850 W	3090 W
Gas Consumption	17.15 kW	12.15 kW	17.15 kW	12.15 kW
HOB FEATURES				
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	5	5	5	5
Electric Ignition Under Knob	•	•	•	•
Cast Iron Pan Support	•	•	•	•
Gas-Stop Safety Device	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
Number Of Electric Zones	-	-	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-
Power Indicator	-	-	-	-
Residual Heat Indicator Light	-	-	-	-
Timer	-	-	-	-
Child Lock	-	-	-	-
OVEN FEATURES				
Number Of Oven	1	1	1	1
Timer	•	•	•	•
Programmer Type	Digital Timer	Digital Timer	Digital Timer	Digital Timer
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	-	-	-
Number Of Fan	1	1	1	1
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	•	•	•	•
Rotisserie Function	-	-	-	-
"Easy To Clean" Enamel	-	-	-	-
MAIN OVEN	Convection Gas	Multifunction Electric	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	67.80x40x37	67.80x40x37	67.80x40x37	67.80x40x37
Cooking Programs	3	9	3	9
Max Temperature (°C)	260°	260°	260°	260°
Gross Capacity (L)	101 L	101 L	101 L	101 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	-	1750 W	-	1750 W
Max Power Absorbed By Top Heat	-	1000 W	-	1000 W
Max Power Absorbed By Grill	1750 W	2000 W	1750 W	2000 W
Max Power Absorbed By Maxi - Grill	-	3000 W	-	3000 W
Max Power Absorbed By Fan	-	2500 W	-	2500 W
Max Gas Burner Consumption	3.30 kW	-	3.30 kW	-
Ref. Page.	66	68	70	72

Dolcevita Line

A legend, a legacy

Moments That Matter

The Dolcevita line is the most distinctive.

The classic lines, reminiscent of retro styles, are elegant and refined, giving a finely rustic look.

It is a perfect fusion of classic aesthetics and advanced cooking technology.

Available in sizes from 60 to 150 cm, it is equipped with gas, induction or hybrid hobs and multifunction gas or electric ovens with a temperature range of up to 270 °C.

The refined brass, bronze, or chrome finishes and brushed steel surface guarantee performance, versatility, and timeless elegance.

The kitchen becomes a cozy retreat, where every moment is an opportunity to relax and enjoy life and good food with friends and family.





DOLCEVITA

DOLCEVITA 60



RBI66MFT/CI - IVORY

Brass Trims

Item Code: 51140109
EAN Code: 8022389013688

Chrome Trims

Item Code: 60020058
EAN Code: 8022389020983

Bronze Trims


Item Code: 60020048
EAN Code: 8022389020105

Cooktop
- Gas Cooktop
- Brushed Steel
- 3 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Power Absorbed: 2610 W
Gas Consumption: 9.35 kW

Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray




Available also in other colors upon request and special production

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x60x85-90.50



Also Available:



RNM66MFT/CI - BLACK MATT

Brass Trims
Item Code: 60020036
EAN Code: 8022389010496

Chrome Trims
Item Code: 60020057
EAN Code: 8022389020297

Bronze Trims
Item Code: 60020056
EAN Code: 8022389020280



RS66MFT/CI - STAINLESS STEEL

Brass Trims
Item Code: 51440101
EAN Code: 8022389019307

Chrome Trims
Item Code: 51140125
EAN Code: 8022389025742

Bronze Trims
Item Code: 51140126
EAN Code: 8022389025759



RBP66MFT/CI - PEARL WHITE

Brass Trims
Item Code: 60020074
EAN Code: 8022389025704

Chrome Trims
Item Code: 60020054
EAN Code: 8022389020235

Bronze Trims
Item Code: 60020077
EAN Code: 8022389025735

DOLCEVITA 60 Gas Oven



RNM66GVGT/CI - BLACK MATT

Brass Trims

Item Code: 41020104
EAN Code: 8022389020693

Chrome Trims

Item Code: 41020108
EAN Code: 8022389021690

Bronze Trims

Item Code: 41020103
EAN Code: 8022389019161

Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Gas Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Available also in other colors upon request and special production


Power Absorbed: 61 W
Gas Consumption: 12.65 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x60x85-90.50





Also Available:



RS66GVGT/CI - STAINLESS STEEL

Brass Trims
Item Code: 41020105
EAN Code: 8022389020709

Chrome Trims
Item Code: 41020106
EAN Code: 8022389020686

Bronze Trims
Item Code: 41020107
EAN Code: 8022389020679



RBI66GVGT/CI - IVORY

Brass Trims
Item Code: 41020109
EAN Code: 8022389024592

Chrome Trims
Item Code: 41020110
EAN Code: 8022389025698

Bronze Trims
Item Code: 41020111
EAN Code: 8022389025681

DOLCEVITA 60 Induction Hob



RS66MFT/4I - STAINLESS STEEL

Brass Trims

Item Code: 51140123
EAN Code: 8022389019574

Chrome Trims

Item Code: 51140110
EAN Code: 8022389013695

Bronze Trims

Item Code: 51140124
EAN Code: 8022389025728


Cooktop
- Induction Cooktop
- 4 Booster Cooking Zones
- Up To 9 Levels
- 2 Heating Zone Ø 215 mm
- 2 Heating Zone Ø 150 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W

Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also in other colors upon request and special production

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Power Absorbed: 8610 W




Cooktop Layout:
2 x 150 Ø | 2 x 215 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x60x85-90.50





Also Available:



RNM66MFT/4I - BLACK MATT

Brass Trims
Item Code: 60020055
EAN Code: 8022389019697

Chrome Trims
Item Code: 60020047
EAN Code: 8022389020266

Bronze Trims
Item Code: 60020050
EAN Code: 8022389020273



RBP66MFT/4I - PEARL WHITE

Brass Trims
Item Code: 60020075
EAN Code: 8022389026664

Chrome Trims
Item Code: 60020076
EAN Code: 8022389026671

Bronze Trims
Item Code: 60020078
EAN Code: 8022389026947



RBI66MFT/4I - IVORY

Brass Trims
Item Code: 60020051
EAN Code: 8022389020112

Chrome Trims
Item Code: 60020052
EAN Code: 8022389020136

Bronze Trims
Item Code: 60020053
EAN Code: 8022389020143

DOLCEVITA 70 Up&Down



RNMUD76MFTE/CI - BLACK MATT

Brass Trims
Item Code: 60110027
EAN Code: 8022389017778

Chrome Trims
Item Code: 60110029
EAN Code: 8022389020396

Bronze Trims
Item Code: 60110031
EAN Code: 8022389019932

RSUD76MFTE/CI - STAINLESS STEEL

Brass Trims
Item Code: 60110037
EAN Code: 8022389020822

Chrome Trims
Item Code: 60110036
EAN Code: 8022389020846

Bronze Trims
Item Code: 60110038
EAN Code: 8022389020839

Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Upper Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray

Available also in other colors upon request and special production


Power Absorbed: 4345 W
Gas Consumption: 12.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 70x60x90-91.50





DOLCEVITA 70 Up&Down & Induction Hob



RSUD76MFTE/4I - STAINLESS STEEL

Brass Trims
Item Code: 60110034
EAN Code: 8022389020853

Chrome Trims
Item Code: 60110033
EAN Code: 8022389020655

Bronze Trims
Item Code: 60110035
EAN Code: 8022389020860

RNMUD76MFTE/4I - BLACK MATT

Brass Trims
Item Code: 60110028
EAN Code: 8022389017785

Chrome Trims
Item Code: 60110030
EAN Code: 8022389020372

Bronze Trims
Item Code: 60110032
EAN Code: 8022389020389

Cooktop
- Induction Cooktop
- 4 Booster Cooking Zones
- Up To 9 Levels
- 1 Heating Zone Ø 210 mm
- 1 Heating Zone Ø 190 mm
- 2 Heating Zone Ø 170 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Upper Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Available also in other colors upon request and special production

Power Absorbed: 4750 W







Cooktop Layout:
2 x 170 Ø | 1 x 190 Ø | 1 x 210 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 70x60x90-91.50





DOLCEVITA 90



RSG96MFT/CI - STAINLESS STEEL

Brass Trims

Item Code: 60060035
EAN Code: 8022389009759

Chrome Trims

Item Code: 60060063
EAN Code: 8022389020433

Bronze Trims


Item Code: 60060054
EAN Code: 8022389017655

Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Power Absorbed: 3100 W
Gas Consumption: 12.15 kW




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





Also Available:



RNMG96MFT/CI - BLACK MATT

Brass Trims
Item Code: 60060037
EAN Code: 8022389009773

Chrome Trims
Item Code: 60060058
EAN Code: 8022389019888

Bronze Trims
Item Code: 60060044
EAN Code: 8022389011097



RBPG96MFT/CI - PEARL WHITE

Brass Trims
Item Code: 60060042
EAN Code: 8022389010854

Chrome Trims
Item Code: 60060083
EAN Code: 8022389022451

Bronze Trims
Item Code: 60060082
EAN Code: 8022389022444



RBIG96MFT/CI - IVORY

Brass Trims
Item Code: 60060038
EAN Code: 8022389009780

Chrome Trims
Item Code: 60060060
EAN Code: 8022389020228

Bronze Trims
Item Code: 60060043
EAN Code: 8022389011080



RRG96MFT/CI - RED BURGUNDY

Brass Trims
Item Code: 60060039
EAN Code: 8022389010021

Chrome Trims
Item Code: 60060057
EAN Code: 8022389017907

Bronze Trims
Item Code: 60060048
EAN Code: 8022389014623



RLVG96MFT/CI - LAVENDER

Brass Trims
Item Code: 60060036
EAN Code: 8022389009766

Chrome Trims
Item Code: 60060059
EAN Code: 8022389020259

Bronze Trims
Item Code: 60060071
EAN Code: 8022389020990



RBLG96MFT/CI - BLUE NAVY

Brass Trims
Item Code: 60060064
EAN Code: 8022389025148

Chrome Trims
Item Code: 60060066
EAN Code: 8022389025131

Bronze Trims
Item Code: 60060100
EAN Code: 8022389025612



RVG96MFT/CI - GREEN

Brass Trims
Item Code: 60060065
EAN Code: 8022389025117

Chrome Trims
Item Code: 60060099
EAN Code: 8022389025605

Bronze Trims
Item Code: 60060067
EAN Code: 8022389025407

DOLCEVITA 90 Gas Oven



RBIG96GVGT/CI - IVORY

Brass Trims

Item Code: 41060108
EAN Code: 8022389020198

Chrome Trims

Item Code: 41060110
EAN Code: 8022389020211

Bronze Trims

Item Code: 41060109
EAN Code: 8022389020204

Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Power Absorbed: 100 W
Gas Consumption: 12.15 kW

Oven
- Convection Gas
- Gas-Stop Safety Device
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Gas Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray




Available also in other colors upon request and special production

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50



Also Available:



RNMG96GVGT/CI - BLACK MATT

Brass Trims
Item Code: 41060106
EAN Code: 8022389019215

Chrome Trims
Item Code: 41060107
EAN Code: 8022389019222

Bronze Trims
Item Code: 41060111
EAN Code: 8022389020716



RSG96GVGT/CI - STAINLESS STEEL

Brass Trims
Item Code: 41060117
EAN Code: 8022389021003

Chrome Trims
Item Code: 41060121
EAN Code: 8022389023625

Bronze Trims
Item Code: 41060120
EAN Code: 8022389022482

DOLCEVITA 90 Induction Hob



RVG96MFT/5I - GREEN

Brass Trims

Item Code: 60060104
EAN Code: 8022389025650

Chrome Trims

Item Code: 60060105
EAN Code: 8022389025674

Bronze Trims

Item Code: 60060106
EAN Code: 8022389025667


Cooktop
- Induction Cooktop
- 5 Booster Cooking Zones
- Up To 9 Levels
- 1 Heating Zone Ø 260 mm
- 1 Heating Zone Ø 210 mm
- 1 Heating Zone Ø 190 mm
- 2 Heating Zone Ø 170 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W

Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Available also with double bridge upon request and special production


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Power Absorbed: 10500 W




Cooktop Layout:
2 x 170 Ø | 1 x 190 Ø | 1 x 210 Ø | 1 x 260 Ø

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50







Also Available:



RNMG96MFT/5I - BLACK MATT

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60060050	**Item Code:** 60060061	**Item Code:** 60060062
EAN Code: 8022389017754	**EAN Code:** 8022389019680	**EAN Code:** 8022389020365



RSG96MFT/5I - STAINLESS STEEL

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60060049	**Item Code:** 60060085	**Item Code:** 60060084
EAN Code: 8022389018515	**EAN Code:** 8022389022529	**EAN Code:** 8022389022512



RBPG96MFT/5I - PEARL WHITE

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60060104	**Item Code:** 60060105	**Item Code:** 60060106
EAN Code: 8022389025650	**EAN Code:** 8022389025674	**EAN Code:** 8022389025667



RBIG96MFT/5I - IVORY

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60060051	**Item Code:** 60060107	**Item Code:** 60060086
EAN Code: 8022389017891	**EAN Code:** 8022389026985	**EAN Code:** 8022389023649



RRG96MFT/5I - RED BURGUNDY

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60060052	**Item Code:** 60060088	**Item Code:** 60060087
EAN Code: 8022389018508	**EAN Code:** 8022389023663	**EAN Code:** 8022389023656



RLVG96MFT/5I - LAVENDER

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60060053	**Item Code:** 60060090	**Item Code:** 60060089
EAN Code: 8022389018522	**EAN Code:** 8022389023687	**EAN Code:** 8022389023670



RBLG96MFT/5I - BLUE NAVY

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60060101	**Item Code:** 60060102	**Item Code:** 60060103
EAN Code: 8022389025629	**EAN Code:** 8022389025643	**EAN Code:** 8022389025636

DOLCEVITA 90 Double Oven



RNMD96MFTE/CI - BLACK MATT

Brass Trims

Item Code: 60220024
EAN Code: 8022389009735

Chrome Trims

Item Code: 60220029
EAN Code: 8022389014869

Bronze Trims

Item Code: 60220028
EAN Code: 8022389011073


Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray

Power Absorbed: 4355 W
Gas Consumption: 11.30 kW







Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





Also Available:



RSD96MFTE/CI - STAINLESS STEEL

Brass Trims
Item Code: 60220021
EAN Code: 8022389009704

Chrome Trims
Item Code: 60220041
EAN Code: 8022389020419

Bronze Trims
Item Code: 60220044
EAN Code: 8022389020426



RBPD96MFT/CI - PEARL WHITE

Brass Trims
Item Code: 60220052
EAN Code: 8022389021980

Chrome Trims
Item Code: 60220040
EAN Code: 8022389020242

Bronze Trims
Item Code: 60220062
EAN Code: 8022389022437



RBID96MFTE/CI - IVORY

Brass Trims
Item Code: 60220023
EAN Code: 8022389009728

Chrome Trims
Item Code: 60220030
EAN Code: 8022389016733

Bronze Trims
Item Code: 60220027
EAN Code: 8022389011066



RRD96MFTE/CI - RED BURGUNDY

Brass Trims
Item Code: 60220022
EAN Code: 8022389009711

Chrome Trims
Item Code: 60220031
EAN Code: 8022389016726

Bronze Trims
Item Code: 60220043
EAN Code: 8022389020402



RLVD96MFTE/CI - LAVENDER

Brass Trims
Item Code: 60220025
EAN Code: 8022389009742

Chrome Trims
Item Code: 60220039
EAN Code: 8022389019673

Bronze Trims
Item Code: 60220055
EAN Code: 8022389020723



RBLD96MFTE/CI - BLUE NAVY

Brass Trims
Item Code: 60220074
EAN Code: 8022389024097

Chrome Trims
Item Code: 60220075
EAN Code: 8022389024073

Bronze Trims
Item Code: 60220085
EAN Code: 8022389025414



RVD96MFTE/CI - GREEN

Brass Trims
Item Code: 60220076
EAN Code: 8022389024103

Chrome Trims
Item Code: 60220086
EAN Code: 8022389025445

Bronze Trims
Item Code: 60220077
EAN Code: 8022389024080

DOLCEVITA 90 Double Oven GVGTE



RSD96GVGTE/CI - STAINLESS STEEL

Brass Trims

Item Code: 41220011
EAN Code: 8022389021010

Chrome Trims

Item Code: 41220013
EAN Code: 8022389023632

Bronze Trims

Item Code: 41220012
EAN Code: 8022389022338

Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 1800 W
Gas Consumption: 15.45 kW

Main Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Gas Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray




Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray





Available also in other colors upon request and special production

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





Also Available:



RNMD96GVGTE/CI - BLACK MATT

Brass Trims
Item Code: 41220008
EAN Code: 8022389020303

Chrome Trims
Item Code: 41220009
EAN Code: 8022389020310

Bronze Trims
Item Code: 41220010
EAN Code: 8022389020327



RBID96GVGTE/CI - IVORY

Brass Trims
Item Code: 41220005
EAN Code: 8022389020150

Chrome Trims
Item Code: 41220007
EAN Code: 8022389020181

Bronze Trims
Item Code: 41220006
EAN Code: 8022389020167

DOLCEVITA 90 Double Oven & Induction Hob



RBLD96MFTE/5I - BLUE NAVY

Brass Trims

Item Code: 60220079
EAN Code: 8022389025155

Chrome Trims

Item Code: 60220081
EAN Code: 8022389025438

Bronze Trims

Item Code: 60220082
EAN Code: 8022389025421

Cooktop
- Induction Cooktop
- 5 Booster Cooking Zones
- Up To 9 Levels
- 1 Heating Zone Ø 260 mm
- 1 Heating Zone Ø 210 mm
- 1 Heating Zone Ø 190 mm
- 2 Heating Zone Ø 170 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray

Available also with double bridge upon request and special production


Available also with vitro ceramic cooktop upon request and special production


Power Absorbed: 11750 W




Cooktop Layout:
2 x 170 Ø | 1 x 190 Ø | 1 x 210 Ø | 1 x 260 Ø

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50







Also Available:



RNMD96MFTE/5I - BLACK MATT

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60220033	**Item Code:** 60220042	**Item Code:** 60220045
EAN Code: 8022389017976	**EAN Code:** 8022389020334	**EAN Code:** 8022389020341



RSD96MFTE/5I - STAINLESS STEEL

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60220032	**Item Code:** 60220064	**Item Code:** 60220063
EAN Code: 8022389017662	**EAN Code:** 8022389022215	**EAN Code:** 8022389022208



RBPD96MFTE/5I - PEARL WHITE

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60220071	**Item Code:** 60220072	**Item Code:** 60220073
EAN Code: 8022389022284	**EAN Code:** 8022389022291	**EAN Code:** 8022389022307



RBID96MFTE/5I - IVORY

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60220034	**Item Code:** 60220070	**Item Code:** 60220065
EAN Code: 8022389017983	**EAN Code:** 8022389022239	**EAN Code:** 8022389022222



RRD96MFTE/5I - RED BURGUNDY

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60220035	**Item Code:** 60220067	**Item Code:** 60220066
EAN Code: 8022389018539	**EAN Code:** 8022389022253	**EAN Code:** 8022389022246



RLVD96MFTE/5I - LAVENDER

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60220036	**Item Code:** 60220069	**Item Code:** 60220068
EAN Code: 8022389017761	**EAN Code:** 8022389022277	**EAN Code:** 8022389022260



RVD96MFTE/5I - GREEN

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 60220078	**Item Code:** 60220083	**Item Code:** 60220084
EAN Code: 8022389025124	**EAN Code:** 8022389025469	**EAN Code:** 8022389025452

DOLCEVITA 90 Double Oven & Induction Hob



RNMD96MFTE/5IF - BLACK MATT

Brass Trims

Item Code: 60220053
EAN Code: 8022389020358

Chrome Trims

Item Code: 60220054
EAN Code: 8022389020648

Bronze Trims

Item Code: 60220089
EAN Code: 8022389026992

Cooktop
- Induction Cooktop
- 5 Booster Cooking Zones
- Up To 9 Levels
- 1 Heating Zone Ø 260 mm
- 1 Heating Zone Ø 210 mm
- 1 Heating Zone Ø 190 mm
- 2 Heating Zone Ø 170 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W
- Without Rear Splashback

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray

Available also with double bridge upon request and special production

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Available also in other colors upon request and special production


Power Absorbed: 11800 W







Cooktop Layout:
2 x 170 Ø | 1 x 190 Ø | 1 x 210 Ø | 1 x 260 Ø

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50







DOLCEVITA 90 Quattroporte



RNMT96MF2ET/CI - BLACK MATT

Brass Trims
Item Code: 60260007
EAN Code: 8022389031712

Chrome Trims
Item Code: 60260008
EAN Code: 8022389031729

Bronze Trims
Item Code: 60260009
EAN Code: 8022389031736

RST96MF2ET/CI - STAINLESS STEEL

Brass Trims
Item Code: 60260004
EAN Code: 8022389026954

Chrome Trims
Item Code: 60260005
EAN Code: 8022389026961

Bronze Trims
Item Code: 60260006
EAN Code: 8022389026978

Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 6520 W
Gas Consumption: 12.15 kW


Available also in other colors upon request and special production

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Upper Right Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Fixed Shelves Support
- 1 Wire Shelf
- 1 Enamel Tray

Upper Left Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Fixed Shelves Support
- 1 Wire Shelf
- 1 Enamel Tray


Lower Right Storage Compartment
- 9,6 L Gross Capacity









Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x90-91.50





DOLCEVITA 90 Quattroporte Gas Oven



RNMT96GV2ET/CI - BLACK MATT

Brass Trims
Item Code: 41260001
EAN Code: 8022389031521

Chrome Trims
Item Code: 41260002
EAN Code: 8022389031538

Bronze Trims
Item Code: 41260003
EAN Code: 8022389031545

RST96GV2ET/CI - STAINLESS STEEL

Brass Trims
Item Code: 41260004
EAN Code: 8022389031552

Chrome Trims
Item Code: 41260005
EAN Code: 8022389031569

Bronze Trims
Item Code: 41260006
EAN Code: 8022389031576

Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 6520 W
Gas Consumption: 12.15 kW

Available also in other colors upon request and special production

Main Oven
- Convection Gas
- Gas-Stop Safety Device
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Upper Right Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Fixed Shelves Support
- 1 Wire Shelf
- 1 Enamel Tray

Upper Left Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Fixed Shelves Support
- 1 Wire Shelf
- 1 Enamel Tray


Lower Right Storage Compartment
- 9,6 L Gross Capacity









Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x90-91.50





DOLCEVITA 100



RSD106MFTE/UI - STAINLESS STEEL

Brass Trims

Item Code: 60270001
EAN Code: 8022389027005

Chrome Trims

Item Code: 60270002
EAN Code: 8022389027012

Bronze Trims

Item Code: 60270003
EAN Code: 8022389027029

Cooktop
- Gas Cooktop
- Brushed Steel
- 4 Gas Burners
- 1 Dual Crown
- Gas-Stop Safety Device
- Lofra 1956 Cast Iron Pan Supports


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray

Available also in other colors upon request and special production


Power Absorbed: 4400 W
Gas Consumption: 12.15 kW



Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Dual Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 100x60x85-90.50



DOLCEVITA 110 Induction Hob



RST116MFET+SMFT/6IB - STAINLESS STEEL

Brass Trims
Item Code: 60280007
EAN Code: 8022389031644

Chrome Trims
Item Code: 60280008
EAN Code: 8022389031651

Bronze Trims
Item Code: 60280009
EAN Code: 8022389031668

RNMT116MFET+SMFT/6IB - BLACK MATT

Brass Trims
Item Code: 60280010
EAN Code: 8022389031675

Chrome Trims
Item Code: 60280011
EAN Code: 8022389031682

Bronze Trims
Item Code: 60280012
EAN Code: 8022389031699

Cooktop
- Induction Cooktop
- 5 Booster Cooking Zones
- Up To 9 Levels
- 4 Heating Zones Ø 210 mm
- 2 Heating Zones Octa
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 240 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Upper Right Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Fixed Shelves Support
- 1 Wire Shelf
- 1 Enamel Tray


Lower Right Storage Compartment
- 9,6 L Gross Capacity


Available also in other colors upon request and special production

"Easy To Clean" Black Enameling
2 Cooling Fan
Adjustable Metal Feet

Upper Left Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Fixed Shelves Support
- 1 Wire Shelf
- 1 Enamel Tray


Power Absorbed: 28.5 kW









Cooktop Layout:
4 x 210 Ø | 2 x Octa



Technical Drawing (cm):
Dimensions (cm - WxDxH): 100x60x85-90.50





DOLCEVITA 110 Quattroporte



RNMT116MFET+SMFT/2AEO - BLACK MATT

Brass Trims
Item Code: 60280004
EAN Code: 8022389027067

Chrome Trims
Item Code: 60280005
EAN Code: 8022389027074

Bronze Trims
Item Code: 60280006
EAN Code: 8022389027081

RST116MFET+SMFT/2AEO - STAINLESS STEEL

Brass Trims
Item Code: 60280001
EAN Code: 8022389027036

Chrome Trims
Item Code: 60280002
EAN Code: 8022389027043

Bronze Trims
Item Code: 60280003
EAN Code: 8022389027050

Cooktop
- Gas Cooktop
- Brushed Steel
- 5 Gas Burners
- 1 Dual Crown Ø 145 mm
- 1 Dual Crown Ø 115 mm
- Gas-Stop Safety Device

"Easy To Clean" Black Enameling
2 Cooling Fan
Adjustable Metal Feet

Power Absorbed: 6520 W
Gas Consumption: 12.15 kW


Available also in other colors upon request and special production

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 240 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Upper Right Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Fixed Shelves Support
- 1 Wire Shelf
- 1 Enamel Tray

Upper Left Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Fixed Shelves Support
- 1 Wire Shelf
- 1 Enamel Tray


Lower Right Storage Compartment
- 9,6 L Gross Capacity




Cooktop Layout:
2 Auxiliary | 1 Semi-Rapid | 2 Rapid | 2 Dual Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 110x60x90-91.50





DOLCEVITA 120 Double Oven



RNMD126MFT+E/2AEO - BLACK MATT

Brass Trims

Item Code: 62010015
EAN Code: 8022389010939

Chrome Trims

Item Code: 62010038
EAN Code: 8022389022314

Bronze Trims

Item Code: 62010037
EAN Code: 8022389022345

Cooktop
- Gas Cooktop
- Brushed Steel
- 5 Gas Burners
- 1 Dual Crown Ø 145 mm
- 1 Dual Crown Ø 115 mm
- Gas-Stop Safety Device


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray


Available also in other colors upon request and special production


Power Absorbed: 4800 W
Gas Consumption: 16.90 kW



Cooktop Layout:
2 Aux | 2 Semi - Rapid | 1 Rapid | 2 Triple Crown

Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x85-90.50





Also Available:



RSD126MFT+E/2AEO - STAINLESS STEEL

Brass Trims
Item Code: 62010030
EAN Code: 8022389021522

Chrome Trims
Item Code: 62010040
EAN Code: 8022389022352

Bronze Trims
Item Code: 62010039
EAN Code: 8022389023724



RBPD126MFT+E/2AEO - PEARL WHITE

Brass Trims
Item Code: 62010016
EAN Code: 8022389010946

Chrome Trims
Item Code: 62010042
EAN Code: 8022389023748

Bronze Trims
Item Code: 62010041
EAN Code: 8022389023731



RBID126MFT+E/2AEO - IVORY

Brass Trims
Item Code: 62010013
EAN Code: 8022389010915

Chrome Trims
Item Code: 62010055
EAN Code: 8022389026619

Bronze Trims
Item Code: 62010034
EAN Code: 8022389023694



RRD126MFT+E/2AEO - RED BURGUNDY

Brass Trims
Item Code: 62010014
EAN Code: 8022389010922

Chrome Trims
Item Code: 62010036
EAN Code: 8022389023717

Bronze Trims
Item Code: 62010035
EAN Code: 8022389023700

DOLCEVITA 120 Double Oven & Induction Zone



RNMD126MFT+E/2CI2I - BLACK MATT

Brass Trims

Item Code: 62010052
EAN Code: 8022389026350

Chrome Trims

Item Code: 62010053
EAN Code: 8022389026572

Bronze Trims

Item Code: 62010054
EAN Code: 8022389026589

Cooktop
- Gas Cooktop
- Brushed Steel
- 3 Gas Burners
- 1 Dual Crown Ø 145 mm
- 1 Dual Crown Ø 115 mm
- Gas-Stop Safety Device

- Induction Zone
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 210 mm
- 1 Heating Zones x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Power Absorbed: 4800 W
Gas Consumption: 16.90 kW


Available also in other colors upon request and special production




Cooktop Layout:
1 Aux | 2 Semi - Rapid | 2 Dual Crown | 2 Induction Zones

Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x85-90.50







DOLCEVITA 120 Double Oven & Induction Hob



RSD126MFT+MFT/6IB - STAINLESS STEEL

Brass Trims

Item Code: 62010063
EAN Code: 8022389027128

Chrome Trims

Item Code: 51440602
EAN Code: 8022389025018

Bronze Trims

Item Code: 62010065
EAN Code: 8022389027142

Cooktop
- Induction Cooktop
- 5 Booster Cooking Zones
- Up To 9 Levels
- 4 Heating Zones Ø 210 mm
- 2 Heating Zones Octa
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Multifunction Electric
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Fixed Oven Guides
- 1 Wire Shelves
- 1 Enamel Tray


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 27 kW


Available also in other colors upon request and special production




Cooktop Layout:
4 x 210 Ø | 2 x Octa



Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x85-90.50





DOLCEVITA 120 Quattroporte



RRB126SMFET+MFT/2AEO - RED BURGUNDY

Brass Trims

Item Code: 62010017
EAN Code: 8022389017853

Chrome Trims

Item Code: 62010044
EAN Code: 8022389023762

Bronze Trims

Item Code: 62010043
EAN Code: 8022389023755

Cooktop
- Gas Cooktop
- Brushed Steel
- 5 Gas Burners
- 1 Dual Crown Ø 145 mm
- 1 Dual Crown Ø 115 mm
- Gas-Stop Safety Device

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 7400 W
Gas Consumption: 16.90 kW


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Upper Left Oven
- Electric Static Oven
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray


Lower Left Oven
- Multifunction Electric
- 5 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray

Lower Right
Storage Compartment

Available also in other colors upon request and special production










Cooktop Layout:
2 Aux | 2 Semi - Rapid | 1 Rapid | 2 Dual Crown

Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x85-90.50







Also Available:



RNM126SMFET+MFT/2AEO - BLACK MATT

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 62010018	**Item Code:** 62010046	**Item Code:** 62010045
EAN Code: 8022389017860	**EAN Code:** 8022389023816	**EAN Code:** 8022389023779



RBP126SMFET+MFT/2AEO - PEARL WHITE

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 62010020	**Item Code:** 62010049	**Item Code:** 62010048
EAN Code: 8022389017884	**EAN Code:** 8022389023809	**EAN Code:** 8022389023793



RS126SMFET+MFT/2AEO - STAINLESS STEEL

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 62010033	**Item Code:** 62010057	**Item Code:** 62010058
EAN Code: 8022389021904	**EAN Code:** 8022389027098	**EAN Code:** 8022389027104



RBI126SMFET+MFT/2AEO - IVORY

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 62010019	**Item Code:** 62010059	**Item Code:** 62010047
EAN Code: 8022389017877	**EAN Code:** 8022389027111	**EAN Code:** 8022389023786

DOLCEVITA 150



RNMD156MFT+MFT/AEOV - BLACK MATT

Brass Trims

Item Code: 63010002
EAN Code: 8022389017839

Chrome Trims

Item Code: 63010005
EAN Code: 8022389020747

Bronze Trims

Item Code: 63010006
EAN Code: 8022389020754

Cooktop
- Gas Cooktop
- Brushed Steel
- 6 Gas Burners
- 1 Dual Crown Ø 145 mm
- Gas-Stop Safety Device

- Induction Zone
- 2 Booster Cooking Zones
- Up To 9 Levels
- 2 Heating Zone Ø 155 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet


Power Absorbed: 8150 W
Gas Consumption: 16.75 kW

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- End-Of-Cooking Timer
- Analog Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also in other colors upon request and special production







Cooktop Layout:
1 Aux | 3 Semi - Rapid | 2 Rapid | 2 Induction Zone Ø 155 mm

Technical Drawing (cm):
Dimensions (cm - WxDxH): 150x60x87 - 92,50







Also Available:



RSD156MFT+MFT/AEOV - STAINLESS STEEL

Brass Trims
Item Code: 63010004
EAN Code: 8022389017730

Chrome Trims
Item Code: 63010007
EAN Code: 8022389020761

Bronze Trims
Item Code: 63010008
EAN Code: 8022389020778



RBID156MFT+MFT/AEOV - IVORY

Brass Trims
Item Code: 63010001
EAN Code: 8022389017846

Chrome Trims
Item Code: 63010009
EAN Code: 8022389020785

Bronze Trims
Item Code: 63010010
EAN Code: 8022389020792



RRD156MFT+MFT/AEOV - RED BURGUNDY

Brass Trims
Item Code: 63010003
EAN Code: 8022389017822

Chrome Trims
Item Code: 63010011
EAN Code: 8022389020808

Bronze Trims
Item Code: 63010012
EAN Code: 8022389020815

TECHNICAL TABLES

MODEL	R...66MFT/Ci	R...66GVGT/Ci	R...66MFT/4I	R...UD76MFTE/Ci	R...UD76MFTE/4I
Aesthetics	Dolcevita	Dolcevita	Dolcevita	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	60x60x85-90.50	60x60x85-90.50	60x60x85-90.50	70x60x90-91.50	70x60x90-91.50
Adj. Metal Feet	•	•	•	•	•
Power Absorbed	2610 W	70 W	9810 W	9750 W	4750 W
Gas Consumption	9.35 kW	12.65 kW	-	12.15 kW	-
HOB FEATURES					
Type Of Cooking Top	Gas Hob	Gas Hob	Induction Hob	Gas Hob	Induction Hob
Number Of Gas Burners	4	4	-	5	-
Hob Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze
Electric Ignition Under Knob	•	•	-	•	-
Cast Iron Pan Support	•	•	-	•	-
Gas-Stop Safety Device	•	•	-	•	-
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	-	1.10 kW	-
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	-	1.75 kW	-
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	-	2.80 kW	-
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	-	3.70 kW	-
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-	-
Number Of Electric Zones	-	-	4	-	4
Booster Max. Input Induction Zone Ø 150 mm	-	-	1600 W	-	1600 W
Booster Max. Input Induction Zone Ø 170 mm	-	-	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-	-
Booster Max. Input Induction Zone Ø 215 mm	-	-	2000 W	-	2000 W
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-	-
Power Indicator	-	-	•	-	•
Residual Heat Indicator Light	-	-	•	-	•
Timer	-	-	•	-	•
Child Lock	-	-	•	-	•
OVEN FEATURES					
Number Of Oven	1	1	1	2	2
Programmer Type	Analog Programmer	Analog Programmer	Analog Programmer	Analog Programmer	Analog Programmer
Grill Type	Electric Grill	Gas Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	-	-	-	-
Number Of Fan	1	1	1	1	1
Tempered Triple Glass Door	•	•	•	•	•
Cooling Fan	•	•	•	•	•
Rotisserie Function	•	•	•	•	•
"Easy To Clean" Enamel	•	•	•	•	•
MAIN OVEN	Multifunction Electric	Convection Gas	Multifunction Electric	Multifunction Electric	Multifunction Electric
Internal Dimensions (WxDxH) cm	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90
Cooking Programs	9	3	9	9	9
Max Temperature (°C)	270 °C	270 °C	270 °C	260 °C	270 °C
Gross Capacity (L)	72 L	72 L	72 L	72 L	72 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2	2	2
Enamel Tray	1	1	1	1	1
Max Power Absorbed By Bottom Heat	1650 W	-	1650 W	1650 W	1750 W
Max Power Absorbed By Top Heat	900 W	-	900 W	900 W	1000 W
Max Power Absorbed By Grill	1500 W	1500 W	1500 W	1500 W	2000 W
Max Power Absorbed By Maxi - Grill	2400 W	-	2400 W	2400 W	3000 W
Max Power Absorbed By Fan	2000 W	-	2000 W	2000 W	2500 W
Max Gas Burner Consumption	-	3.30 kW	-	-	-
SECONDARY OVEN				Electric Static	Electric Static
Internal Dimensions (WxDxH) cm	-	-	-	47,90x44,80x17,60	47,90x44,80x17,60
Cooking Programs	-	-	-	-	-
Max Temperature (°C)	-	-	-	250 °C	250 °C
Gross Capacity (L)	-	-	-	40 L	40 L
Oven Shelf Support	-	-	-	Fixed	Fixed
Wire Shelf	-	-	-	1	1
Enamel Tray	-	-	-	1	1
Max Power Absorbed By Bottom Heat	-	-	-	1200 W	1200 W
Max Power Absorbed By Top Heat	-	-	-	950 W	950 W
Max Power Absorbed By Grill	-	-	-	1000 W	1000 W
Max Power Absorbed By Maxi - Grill	-	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-	-
Ref. Page.	78	80	82	84	85

TECHNICAL TABLES

MODEL	R...G96MFT/CI	R...G96GVGT/Ci	R...G96MFT/5I	R...D96MFTE/Ci	R...D96GVGTE/Ci
Aesthetics	Dolcevita	Dolcevita	Dolcevita	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	90x60x85-90.50	90x60x85-90.50	90x60x85-90.50	90x60x85-90.50	90x60x85-90.50
Adj. Metal Feet	•	•	•	•	•
Power Absorbed	3100 W	100 W	10500 W	4355 W	1800 W
Gas Consumption	12.15 kW	12.15 kW	-	11.30 kW	15.45 kW
HOB FEATURES					
Type Of Cooking Top	Gas Hob	Gas Hob	Induction Hob	Gas Hob	Gas Hob
Number Of Gas Burners	5	5	-	5	5
Hob Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze
Electric Ignition Under Knob	•	•	-	•	•
Cast Iron Pan Support	•	•	-	•	•
Gas-Stop Safety Device	•	•	-	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	-	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	-	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	-	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	-	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-	-
Number Of Electric Zones	-	-	5	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	1400 W	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	2000 W	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	-	3000 W	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	3000 W	-	-
Power Indicator	-	-	•	-	-
Residual Heat Indicator Light	-	-	•	-	-
Timer	-	-	•	-	-
Child Lock	-	-	•	-	-
OVEN FEATURES					
Number Of Oven	1	1	1	2	2
Programmer Type	Analog Programmer	Analog Programmer	Analog Programmer	Analog Programmer	Analog Programmer
Grill Type	Electric Grill	Gas Grill	Electric Grill	Electric Grill	Gas Grill
Gas-Stop Safety Device	-	-	-	-	-
Number Of Fan	1	1	1	1	1
Tempered Triple Glass Door	•	•	•	•	•
Cooling Fan	•	•	•	•	•
Rotisserie Function	•	•	•	•	•
"Easy To Clean" Enamel	•	•	•	•	•
MAIN OVEN	Multifunction Electric	Convection Gas	Multifunction Electric	Multifunction Electric	Convection Gas
Internal Dimensions (WxDxH) cm	67.80x40x37	67.80x40x37	67,80x40x 37	47.90x40x36.90	47.90x40x36.90
Cooking Programs	9	3	9	9	3
Max Temperature (°C)	270 °C	260 °C	270 °C	260 °C	260 °C
Gross Capacity (L)	101 L	101 L	101 L	72 L	72 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2	2	2
Enamel Tray	1	1	1	1	1
Max Power Absorbed By Bottom Heat	1750 W	-	1750 W	1650 W	-
Max Power Absorbed By Top Heat	1000 W	-	1000 W	900 W	-
Max Power Absorbed By Grill	2000 W	1500 W	2000 W	1500 W	1500 W
Max Power Absorbed By Maxi - Grill	3000 W	-	3000 W	2400 W	-
Max Power Absorbed By Fan	2500 W	-	2500 W	2000 W	-
Max Gas Burner Consumption	-	5.00 kW	-	-	3.30 kW
SECONDARY OVEN				Electric Static	Electric Static
Internal Dimensions (WxDxH) cm	-	-	-	23x40,80x36,90	23x40,80x36,90
Cooking Programs	-	-	-	-	-
Max Temperature (°C)	-	-	-	250 °C	250 °C
Gross Capacity (L)	-	-	-	35 L	35 L
Oven Shelf Support	-	-	-	Fixed	Fixed
Wire Shelf	-	-	-	1	1
Enamel Tray	-	-	-	1	1
Max Power Absorbed By Bottom Heat	-	-	-	1200 W	1200 W
Max Power Absorbed By Top Heat	-	-	-	500 W	500 W
Max Power Absorbed By Grill	-	-	-	1000 W	1000 W
Max Power Absorbed By Maxi - Grill	-	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-	-
Ref. Page.	86	88	90	92	94

TECHNICAL TABLES

MODEL	R...D96MFTE/5I	R...D96MFTE/5IF	R...D106MFTE/Ui	R...D126MFT+E/2AEO
Aesthetics	Dolcevita	Dolcevita	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	90x60x85-90.50	90x60x85-90.50	100x60x85-90.50	120x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	11750 W	11800 W	4400 W	4800 W
Gas Consumption	-	-	-	16.90 kW
HOB FEATURES				
Type Of Cooking Top	Induction Hob	Induction Hob	Gas Hob	Gas Hob
Number Of Gas Burners	-	-	5	7
Hob Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze
Electric Ignition Under Knob	-	-	•	•
Cast Iron Pan Support	-	-	•	•
Gas-Stop Safety Device	-	-	•	•
Max Input Burners Auxiliary Burner	-	-	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	-	-	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	-	-	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	-	-	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	3.90 kW
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	4.50 kW
Number Of Electric Zones	5	5	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	1400 W	1400 W	-	-
Booster Max. Input Induction Zone Ø 190 mm	2000 W	2000 W	-	-
Booster Max. Input Induction Zone Ø 210 mm	3000 W	3000 W	-	-
Booster Max. Input Induction Zone Ø 260 mm	3000 W	3000 W	-	-
Power Indicator	•	•	-	-
Residual Heat Indicator Light	•	•	-	-
Timer	•	•	-	-
Child Lock	•	•	-	-
OVEN FEATURES				
Number Of Oven	2	2	2	2
Programmer Type	Analog Programmer	Analog Programmer	Analog Programmer	Analog Programmer
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	-	-	-
Number Of Fan	1	1	2	2
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	•	•	•	•
Rotisserie Function	•	•	•	•
"Easy To Clean" Enamel	•	•	•	•
MAIN OVEN	Multifunction Electric	Convection Gas	Multifunction Electric	Multifunction Electric
Internal Dimensions (WxDxH) cm	47.90x40x36.90	47.90x40x36.90	67.80x40x37	67.80x40x37
Cooking Programs	9	9	9	9
Max Temperature (°C)	270 °C	270 °C	270 °C	270 °C
Gross Capacity (L)	72 L	72 L	72 L	72 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	1650 W	1650 W	1.700 W	1.700 W
Max Power Absorbed By Top Heat	900 W	900 W	1000 W	1000 W
Max Power Absorbed By Grill	1500 W	1500 W	2000 W	2000 W
Max Power Absorbed By Maxi - Grill	2400 W	2400 W	3000 W	3000 W
Max Power Absorbed By Fan	2000 W	2000 W	2500 W	2500 W
Max Gas Burner Consumption	-	-	-	-
SECONDARY OVEN	Electric Static	Electric Static	Electric Static	Electric Static
Internal Dimensions (WxDxH) cm	23x40.80x36.90	23x40,80x36,90	23x40,80x36,90	23x40,80x36,90
Cooking Programs	-	-	-	-
Max Temperature (°C)	250 °C	250 °C	250 °C	250 °C
Gross Capacity (L)	35 L	35 L	35 L	35 L
Oven Shelf Support	Fixed	Fixed	Fixed	Fixed
Wire Shelf	1	1	1	1
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	1200 W	1200 W	1200 W	1200 W
Max Power Absorbed By Top Heat	500 W	500 W	500 W	500 W
Max Power Absorbed By Grill	1000 W	1000 W	1000 W	1000 W
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
Ref. Page.	96	98	101	104

TECHNICAL TABLES

MODEL	R...D126MFT+E/2CI2I	R...D126MFT+MFT/6IB	R...D156MFT+MFT/AEOV
Aesthetics	Dolcevita	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	120x60x85-90.50	120x60x85-90.50	150x60x87 - 92,50
Adj. Metal Feet	•	•	•
Power Absorbed	4800 W	27 kW	8150 W
Gas Consumption	16.90 kW	-	16.75 kW
HOB FEATURES			
Type Of Cooking Top	Gas Hob / Induction Zone	Induction Hob	Gas Hob / Induction Zone
Number Of Gas Burners	5	-	7
Hob Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze
Electric Ignition Under Knob	•	-	•
Cast Iron Pan Support	•	-	•
Gas-Stop Safety Device	•	-	•
Max Input Burners Auxiliary Burner	1.10 kW	-	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	-	1.75 kW
Max Input Burners Rapid Burner	-	-	2.80 kW
Max Input Burners Triple Crown Burner	-	-	-
Max Input Burners Dual Crown Burner (125 mm)	3.90 kW	-	-
Max Input Burners Dual Crown Burner (145 mm)	4.50 kW	-	4.50 kW
Number Of Electric Zones	2	6	2
Booster Max. Input Induction Zone Ø 150 mm	1200 W	-	1200 W
Booster Max. Input Induction Zone Ø 170 mm	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	3700 W	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-
Octa Zones		3700 W	
Power Indicator	•	•	•
Residual Heat Indicator Light	•	•	•
Timer	•	•	•
Child Lock	•	•	•
OVEN FEATURES			
Number Of Oven	2	2	2
Programmer Type	Analog Programmer	Analog Programmer	Analog Programmer
Grill Type	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	-	-
Number Of Fan	2	2	2
Tempered Triple Glass Door	•	•	•
Cooling Fan	•	•	•
Rotisserie Function	•	•	•
"Easy To Clean" Enamel	•	•	•
MAIN OVEN	Multifunction Electric	Multifunction Electric	Multifunction Electric
Internal Dimensions (WxDxH) cm	67.80x40x37	67.80x40x37	67.80x40x37
Cooking Programs	9	9	9
Max Temperature (°C)	270 °C	270 °C	260 °C
Gross Capacity (L)	72 L	72 L	101 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2
Enamel Tray	1	1	1
Max Power Absorbed By Bottom Heat	1.700 W	1.700 W	1750 W
Max Power Absorbed By Top Heat	1000 W	1000 W	1000 W
Max Power Absorbed By Grill	2000 W	2000 W	2000 W
Max Power Absorbed By Maxi - Grill	3000 W	3000 W	3000 W
Max Power Absorbed By Fan	2500 W	2500 W	2500 W
Max Gas Burner Consumption	-	-	-
SECONDARY OVEN	Electric Static	Electric Static	Electric Static
Internal Dimensions (WxDxH) cm	23x40,80x36,90	23x40,80x36,90	23x40,80x36,90
Cooking Programs	-	-	-
Max Temperature (°C)	250 °C	250 °C	260 °C
Gross Capacity (L)	35 L	40 L	72 L
Oven Shelf Support	Fixed	Fixed	Telescopic at 2 Levels
Wire Shelf	1	1	1
Enamel Tray	1	1	1
Max Power Absorbed By Bottom Heat	1200 W	1200 W	1650 W
Max Power Absorbed By Top Heat	500 W	500 W	900 W
Max Power Absorbed By Grill	1000 W	1000 W	1500 W
Max Power Absorbed By Maxi - Grill	1500 W	1500 W	2400 W
Max Power Absorbed By Fan	1500 W	1500 W	2000 W
Ref. Page.	106	107	110

TECHNICAL TABLES FOR QUATTROPORTE MODELS

MODEL	R...T96MF2ET/CI	R...T96GV2ET/CI	R...T116MFET+SMFT/2AEO	R...126SMFET+MFT/2AEO
Aesthetics	Dolcevita	Dolcevita	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	90x60x90-91.50	90x60x90-91.50	110x60x90-91.50	120x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	6520 W	6520 W	6520 W	7400 W
Gas Consumption	12.15 kW	12.15 kW	12.15 kW	16.90 kW
HOB FEATURES				
Type Of Cooking Top	Gas Hob	Gas Hob	Gas Hob	Gas Hob
Number Of Gas Burners	5	5	7	7
Hob Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze
Electric Ignition Under Knob	•	•	•	•
Cast Iron Pan Support	•	•	•	•
Gas-Stop Safety Device	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	-	-
Max Input Burners Dual Crown Burner (125 mm)	-	-	4.00 kW	4.00 kW
Max Input Burners Dual Crown Burner (145 mm)	-	-	4.50 kW	4.50 kW
OVEN FEATURES				
Number Of Oven	4	4	4	4
Programmer Type	Analog Programmer	Analog Programmer	Analog Programmer	Analog Programmer
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Number Of Fan	2	2	2	2
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	•	•	•	•
Rotisserie Function	•	•	•	•
"Easy To Clean" Enamel	•	•	•	•
MAIN OVEN	Lower Left - Multifunction Electric	Lower Left - Multifunction Electric	Lower Left - Multifunction Electric	Upper Right - Multifunction Electric
Internal Dimensions (WxDxH) cm	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90	47.90x40x36.90
Cooking Programs	9	9	9	9
Max Temperature (°C)	260 °C	260 °C	260 °C	260 °C
Gross Capacity (L)	72 L	72 L	72 L	72 L
Oven Shelf Support	Telescopic Shelves at 2 Level	Telescopic Shelves at 2 Level	Telescopic Shelves at 2 Level	Telescopic Shelves at 2 Level
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	1650 W	1650 W	1650 W	1650 W
Max Power Absorbed By Top Heat	900 W	900 W	900 W	900 W
Max Power Absorbed By Grill	1500 W	1500 W	1500 W	1500 W
Max Power Absorbed By Maxi - Grill	2400 W	2400 W	2400 W	2400 W
Max Power Absorbed By Fan	2000 W	2000 W	2000 W	2000 W
SECONDARY OVEN	Upper Right - Electric Static	Upper Right - Electric Static	Upper Right - Electric Static	Lower Left - Multifunction Electric
Internal Dimensions (WxDxH) cm	47,90x40x10	47,90x40x10	47,90x44,80x17,60	47,90x44,80x17,60
Cooking Programs	9	9	9	9
Max Temperature (°C)	250 °C	250 °C	250 °C	250 °C
Gross Capacity (L)	40 L	40 L	40 L	40 L
Oven Shelf Support	Fixed	Fixed	Fixed	Fixed
Wire Shelf	1	1	1	1
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	1200 W	1200 W	1200 W	1200 W
Max Power Absorbed By Top Heat	220 W	220 W	900 W	900 W
Max Power Absorbed By Grill	1900 W	1900 W	1900 W	1900 W
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
THIRD OVEN	Upper Left - Multifunction Electric	Upper Left - Multifunction Electric	Upper Left - Multifunction Electric	Upper Left - Multifunction Electric
Internal Dimensions (WxDxH) cm	23x40,80x36,90	23x40,80x36,90	23x40,80x36,90	23x40,80x36,90
Cooking Programs	5	5	5	5
Max Temperature (°C)	260 °C	260 °C	270 °C	270 °C
Gross Capacity (L)	35 L	35 L	72 L	72 L
Oven Shelf Support	Fixed	Fixed	Fixed	Fixed
Wire Shelf	1	1	1	1
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	1200 W	1200 W	1650 W	1650 W
Max Power Absorbed By Top Heat	500 W	500 W	900 W	900 W
Max Power Absorbed By Grill	1000 W	1000 W	1500 W	1500 W
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
LOWER RIGHT STORAGE COMPARTMENT	Electric Static	Electric Static	Electric Static	Electric Static
Internal Dimensions (WxDxH) cm	24x39,80x10	24x39,80x10	24x39,80x10	24x39,80x10
Cooking Programs	-	-	-	-
Max Temperature (°C)	-	-	-	-
Gross Capacity (L)	9,6 L	9,6 L	9,6 L	9,6 L
Oven Shelf Support	-	-	-	-
Wire Shelf	-	-	-	-
Enamel Tray	-	-	-	-
Max Power Absorbed By Bottom Heat	-	-	-	-
Max Power Absorbed By Top Heat	-	-	-	-
Max Power Absorbed By Grill	200 W	200 W	200 W	200 W
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
Ref. Page.	99	100	101	108

TECHNICAL TABLES FOR QUATTROPORTE MODELS WITH INDUCTION HOB

MODEL	R...T116MFET+SMFT/6IB
Aesthetics	Dolcevita
Dimensions (WxDxH) cm	100x60x85-90.50
Adj. Metal Feet	•
Power Absorbed	28.5 kW
Gas Consumption	-
HOB FEATURES	
Type Of Cooking Top	Induction Hob
Number Of Gas Burners	-
Hob Trims	Brass / Chrome / Bronze
Number Of Electric Zones	6
Booster Max. Input Induction Zone Ø 150 mm	-
Booster Max. Input Induction Zone Ø 170 mm	-
Booster Max. Input Induction Zone Ø 190 mm	-
Booster Max. Input Induction Zone Ø 210 mm	3700 W
Booster Max. Input Induction Zone Ø 260 mm	-
Octa Zones	3700 W
Power Indicator	•
Residual Heat Indicator Light	•
Timer	•
Child Lock	•
OVEN FEATURES	
Number Of Oven	4
Programmer Type	Analog Programmer
Grill Type	Electric Grill
Number Of Fan	2
Tempered Triple Glass Door	•
Cooling Fan	•
Rotisserie Function	•
"Easy To Clean" Enamel	•
MAIN OVEN	Lower Left - Multifunction Electric
Internal Dimensions (WxDxH) cm	47.90x40x36.90
Cooking Programs	9
Max Temperature (°C)	260 °C
Gross Capacity (L)	72 L
Oven Shelf Support	Telescopic Shelves at 2 Level
Wire Shelf	2
Enamel Tray	1
Max Power Absorbed By Bottom Heat	1650 W
Max Power Absorbed By Top Heat	900 W
Max Power Absorbed By Grill	1500 W
Max Power Absorbed By Maxi - Grill	2400 W
Max Power Absorbed By Fan	2000 W
SECONDARY OVEN	Upper Right - Electric Static
Internal Dimensions (WxDxH) cm	47,90x40x10
Cooking Programs	9
Max Temperature (°C)	250 °C
Gross Capacity (L)	40 L
Oven Shelf Support	Fixed
Wire Shelf	1
Enamel Tray	1
Max Power Absorbed By Bottom Heat	1200 W
Max Power Absorbed By Top Heat	220 W
Max Power Absorbed By Grill	1900 W
Max Power Absorbed By Maxi - Grill	-
Max Power Absorbed By Fan	-
THIRD OVEN	Upper Left - Multifunction Electric
Internal Dimensions (WxDxH) cm	23x40,80x36,90
Cooking Programs	5
Max Temperature (°C)	260 °C
Gross Capacity (L)	35 L
Oven Shelf Support	Fixed
Wire Shelf	1
Enamel Tray	1
Max Power Absorbed By Bottom Heat	1200 W
Max Power Absorbed By Top Heat	500 W
Max Power Absorbed By Grill	1000 W
Max Power Absorbed By Maxi - Grill	-
Max Power Absorbed By Fan	-
LOWER RIGHT STORAGE COMPARTMENT	Electric Static
Internal Dimensions (WxDxH) cm	24x39,80x10
Cooking Programs	-
Max Temperature (°C)	-
Gross Capacity (L)	9,6 L
Oven Shelf Support	-
Wire Shelf	-
Enamel Tray	-
Max Power Absorbed By Bottom Heat	-
Max Power Absorbed By Top Heat	-
Max Power Absorbed By Grill	200 W
Max Power Absorbed By Maxi - Grill	-
Max Power Absorbed By Fan	-
Ref. Page.	102

Venezia Line

Echoes of Light

When elegance meets history

The Venezia line transforms everyday life into a refined tribute to centuries of art, architecture, and culture.

Every detail embodies expertise and passion, meeting every need thanks to refined materials and meticulous design.

With its gas or induction hobs, multifunction ovens, and sealed brass burners for greater efficiency, it combines high performance and refined style.

Inspired by the bright colors of Burano, they give the environment a sophisticated look, an expression of Italian style, guaranteeing advanced technology while offering a unique and elegant look





VENEZIA

VENEZIA 90



PG96WMFT/AEO -
STAINLESS STEEL


Item Code: 60060072
EAN Code: 8022389021423

Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Sealed Brass Burners
- 1 Dual Crown
- Gas-Stop Safety Device
- Removable Backguard


"Easy To Clean" Black Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 3190 W
Gas Consumption: 13.25 kW


Oven
- Multifunction Electric
- 9 Cooking Programs
- 119 L Gross Capacity
- Max Temperature: 260 °C
- Fast Pre-Heat
- Double Fan
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Dual Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





Also Available:



PNMG96WMFT/AEO - BLACK MATT

Item Code: 60060073
EAN Code: 8022389021430



PBPG96WMFT/AEO - PEARL WHITE

Item Code: 60060075
EAN Code: 8022389021454



PRG96WMFT/AEO - RED FIRE

Item Code: 60060076
EAN Code: 8022389021461

VENEZIA 90 Double Oven



PBPD96MFTE/AEO - PEARL WHITE

Item Code: 60220057
EAN Code: 8022389021195


Cooktop
- Gas Cooktop
- Mirror Polished
- 4 Sealed Brass Burners
- 1 Dual Crown
- Gas-Stop Safety Device
- Removable Backguard

"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Secondary Oven
- Electric Static
- 35 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray

Power Absorbed: 4400 W
Gas Consumption: 13.25 kW







Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Dual Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





Also Available:



PNMD96MFTE/AEO - BLACK

Item Code: 60220050
EAN Code: 8022389020044



PD96MFTE/AEO - STAINLESS STEEL

Item Code: 60220048
EAN Code: 8022389020020



PRD96MFTE/AEO - RED FIRE

Item Code: 60220056
EAN Code: 8022389021188

VENEZIA 90 Induction



PNMG96WMFT/5I - BLACK

Item Code: 60060078
EAN Code: 8022389021485


Cooktop
- Induction Cooktop
- 3 Booster Cooking Zones
- Up To 9 Levels
- 2 Octa-Bridge Heating Zone
- 1 Heating Zone Ø 200 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W
- Removable Backguard

Oven
- Multifunction Electric
- 9 Cooking Programs
- 119 L Gross Capacity
- Max Temperature: 260 °C
- Fast Pre-Heat
- Double Fan
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Available also with double bridge upon request and special production


"Easy To Clean" Black Enameling
Cooling Fan
Adjustable Metal Feet


Power Absorbed: 11400 W



Cooktop Layout:
2 x 170 Ø | 1 x 190 Ø | 1 x 210 Ø | 1 x 260 Ø

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





Also Available:



PG96WMFT/5I - STAINLESS STEEL

Item Code: 60060077
EAN Code: 8022389021478



PBPG96WMFT/5I - WHITE

Item Code: 60060080
EAN Code: 8022389021508



PRG96WMFT/5I - RED FIRE

Item Code: 60060081
EAN Code: 8022389021515

VENEZIA 90 Double Oven Induction Hob



PRD96MFTE/5I - RED FIRE

Item Code: 60220059
EAN Code: 8022389021218

Cooktop
- Induction Cooktop
- 3 Booster Cooking Zones
- Up To 9 Levels
- 2 Octa-Bridge Heating Zone
- 1 Heating Zone Ø 200 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W
- Removable Backguard

Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Digital Touch Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Digital Touch Programmer
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray

Available also with double bridge upon request and special production


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 11600 W







Cooktop Layout:
2 x 170 Ø | 1 x 190 Ø | 1 x 210 Ø | 1 x 260 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





Also Available:



PNMD96MFTE/5I - BLACK MATT

Item Code: 60220049
EAN Code: 8022389020037



PD96MFTE/5I - STAINLESS STEEL

Item Code: 60220047
EAN Code: 8022389020006



PBPD96MFTE/5I - WHITE

Item Code: 60220060
EAN Code: 8022389021225

TECHNICAL TABLES

MODEL	P...G96WMFT/AEO	P...D96MFTE/AEO	P...G96WMFT/5I	P...D96MFTE/5I
Aesthetics	Venezia	Venezia	Venezia	Venezia
Dimensions (WxDxH) cm	90x60x85-90.50	90x60x85-90.50	90x60x85-90.50	90x60x85-90.50
Adj. Metal Feet	•	•	•	•
Power Absorbed	1550 W	4400 W	3190 W	10400 W
Gas Consumption	15.45 kW	13.25 kW	13.25 kW	-
HOB FEATURES				
Type Of Cooking Top	Gas Hob	Gas Hob	Induction Hob	Induction Hob
Number Of Gas Burners	5	5	-	-
Electric Ignition Under Knob	•	•	-	-
Cast Iron Pan Support	•	•	-	-
Gas-Stop Safety Device	•	•	-	-
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	-	-
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	-	-
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	-	-
Max Input Burners Triple Crown Burner	-	-	-	-
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	4.50 kW	4.50 kW	-	-
Number Of Electric Zones	-	-	5	5
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	1400 W	1400 W
Booster Max. Input Induction Zone Ø 190 mm	-	-	2000 W	2000 W
Booster Max. Input Induction Zone Ø 210 mm	-	-	3000 W	3000 W
Booster Max. Input Induction Zone Ø 260 mm	-	-	3000 W	3000 W
Power Indicator			•	•
Residual Heat Indicator Light	-	-	•	•
Timer	-	-	•	•
Child Lock	-	-	•	•
OVEN FEATURES				
Number Of Oven	1	2	1	2
Timer	•	•	•	•
Programmer Type	Digital Touch Programmer	Digital Touch Programmer	Digital Touch Programmer	Digital Touch Programmer
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	•	•	•	•
Number Of Fan	2	2	2	2
Tempered Triple Glass Door	•	•	•	•
Cooling Fan	•	•	•	•
Rotisserie Function	•	•	•	•
"Easy To Clean" Enamel	-	-	-	-
MAIN OVEN	Multifunction Electric	Multifunction Electric	Multifunction Electric	Multifunction Electric
Internal Dimensions (WxDxH) cm	78x41x40	47.90x40x36.90	78x41x40	47.90x40x36.90
Cooking Programs	9	9	9	9
Max Temperature (°C)	260 °C	260 °C	260 °C	260 °C
Gross Capacity (L)	119 L	72 L	119 L	72 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2	2	2
Enamel Tray	1	1	1	1
Max Power Absorbed By Bottom Heat	1750 W	1650 W	1750 W	1650 W
Max Power Absorbed By Top Heat	1000 W	900 W	1000 W	900 W
Max Power Absorbed By Grill	2000 W	1500 W	2000 W	1500 W
Max Power Absorbed By Maxi - Grill	3000 W	2400 W	3000 W	2400 W
Max Power Absorbed By Fan	3000 W	2000 W	3000 W	2000 W
Max Gas Burner Consumption	-	-	-	-
SECONDARY OVEN		Electric Static		Electric Static
Internal Dimensions (WxDxH) cm	-	23x40,80x36,90	-	23x40,80x36,90
Cooking Programs	-	-	-	-
Max Temperature (°C)	-	250 °C	-	250 °C
Gross Capacity (L)	-	35 L	-	35 L
Oven Shelf Support	-	Fixed	-	Fixed
Wire Shelf	-	2	-	2
Enamel Tray	-	1	-	1
Max Power Absorbed By Bottom Heat	-	1200 W	-	1200 W
Max Power Absorbed By Top Heat	-	500 W	-	500 W
Max Power Absorbed By Grill	-	1000 W	-	1000 W
Max Power Absorbed By Maxi - Grill	-	-	-	-
Max Power Absorbed By Fan	-	-	-	-
Ref. Page.	120	122	124	126



VENEZIA

Italia Line

Italian cuisine at its finest

Designed for professional cooking


Its sturdiness is noticeable at first glance: thick, durable cast iron grates, powerful brass burners, robust knobs and handles, and a double fan for consistent, professional cooking performance.

Each component is designed to ensure stability, precision, and even heat distribution, no matter how demanding the task.

The Italia line is designed for those who require high performance, lasting reliability, and distinctive design. Combining professional technology and refined aesthetics, it balances power and elegance while ensuring durability and precision. Every detail reflects superior quality and a strong focus on culinary excellence.

Customizable in different finishes and colors, it features a 130-liter oven that reaches 300 °C, perfect for baking authentic crispy Italian pizza. Spacious and versatile, it delivers professional-level results.

Italia is the right choice for those who want to make every moment in the kitchen an exciting and unforgettable experience.





ITALIA

ITALIA 90



ASG96WGVGT/AEO -
STAINLESS STEEL

Item Code: 41060105
EAN Code: 8022389021249

Cooktop
- 4 Gas Brass Burners
- 1 Double Burner
- Gas-Stop Safety Device


"Easy To Clean" Black Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 100 W
Gas Consumption: 17.65 kW


Oven
- Convection Gas
- Gas-Stop Safety Device
- 10 Cooking Programs
- 119 L Gross Capacity
- Gas Grill
- Double Fan Inside The Oven
- Rotisserie
- Digital Programmer
- Fixed Guides



Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Dual Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50



Also Available:



ANMG96WGVGT/AEO - BLACK

Item Code: 41060113
EAN Code: 8022389021256



ABPG96WGVGT/AEO - WHITE

Item Code: 41060115
EAN Code: 8022389021270



ABIG96WGVGT/AEO - IVORY

Item Code: 41060114
EAN Code: 8022389021263



ARG96WGVGT/AEO - RED BURGUNDY

Item Code: 41060116
EAN Code: 8022389021287

ITALIA 90



ASG96WMFT/AEO -
STAINLESS STEEL


Item Code: 60060055
EAN Code: 8022389017792

Cooktop
- 4 Gas Brass Burners
- 1 Double Burner
- Gas-Stop Safety Device


"Easy To Clean" Black Enameling
Cooling Fan
Adjustable Metal Feet

Power Absorbed: 100 W
Gas Consumption: 17.65 kW


Oven
- Multifunction Electric Oven
- 9 Cooking Programs
- 130 L Gross Capacity
- Fast Pre-Heat
- Electric Grill
- Double Fan Inside The Oven
- Rotisserie
- Digital Programmer
- Telescopic Shelves Support




Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Dual Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50





Also Available:



ANMG96WGVGT/AEO - BLACK

Item Code: 60060056
EAN Code: 8022389021034



ABPG96WGVGT/AEO - WHITE

Item Code: 60060069
EAN Code: 8022389021300



ABIG96WGVGT/AEO - IVORY

Item Code: 60060068
EAN Code: 8022389021294



ARG96WGVGT/AEO - RED BURGUNDY

Item Code: 60060070
EAN Code: 8022389021317

TECHNICAL TABLES

MODEL	A...G96WGVGT/AEO	A...G96WMFT/AEO
Aesthetics	Italia	Italia
Dimensions (WxDxH) cm	90x60x85-90.50	90x60x85-90.50
Adj. Metal Feet	•	•
Power Absorbed	100 W	100 W
Gas Consumption	17.65 kW	17.65 kW
HOB FEATURES		
Type Of Cooking Top	Gas Hob	Gas Hob
Number Of Gas Burners	5	5
Hob Trims	Stainless Steel	Stainless Steel
Electric Ignition Under Knob	•	•
Cast Iron Pan Support	•	•
Gas-Stop Safety Device	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	-	-
Max Input Burners Dual Crown Burner (125 mm)	3.90 kW	3.90 kW
Max Input Burners Dual Crown Burner (145 mm)	-	-
Number Of Electric Zones	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-
Booster Max. Input Induction Zone Ø 215 mm	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-
Power Indicator	-	-
Residual Heat Indicator Light	-	-
Timer	-	-
Child Lock	-	-
OVEN FEATURES		
Number Of Oven	1	1
Programmer Type	Digital Programmer	Digital Programmer
Grill Type	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	-
Number Of Fan	2	2
Tempered Triple Glass Door	•	•
Cooling Fan	•	•
Rotisserie Function	•	•
"Easy To Clean" Enamel	•	•
MAIN OVEN	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	67.80x40x37	67.80x40x37
Cooking Programs	3	9
Max Temperature (°C)	260 °C	270 °C
Gross Capacity (L)	101 L	130 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	2	2
Enamel Tray	1	1
Max Power Absorbed By Bottom Heat	-	1.700 W
Max Power Absorbed By Top Heat	-	1000 W
Max Power Absorbed By Grill	1500 W	2000 W
Max Power Absorbed By Maxi - Grill	-	3000 W
Max Power Absorbed By Fan	-	2500 W
Max Gas Burner Consumption	5.00 kW	-
SECONDARY OVEN		
Internal Dimensions (WxDxH) cm	-	-
Cooking Programs	-	-
Max Temperature (°C)	-	-
Gross Capacity (L)	-	-
Oven Shelf Support	-	-
Wire Shelf	-	-
Enamel Tray	-	-
Max Power Absorbed By Bottom Heat	-	-
Max Power Absorbed By Top Heat	-	-
Max Power Absorbed By Grill	-	-
Max Power Absorbed By Maxi - Grill	-	-
Max Power Absorbed By Fan	-	-
Ref. Page.	132	134


ITALIA

Eclisse Line

Timeless appeal

The Architecture of Black

When every detail is carefully designed, it blends in with the whole, giving the environment an extraordinarily compact and harmonious look.

The Eclisse line perfectly embodies this atmosphere, offering a bold and modern aesthetic, thanks to a completely black finish, from the surface to the smallest component.

The advanced induction cooktop offers high efficiency and complete control, while the multifunction electric oven, with its generous 101-liter capacity, is perfect for high-performance cooking. The matte black finish gives the cooker a refined and modern look, perfect for contemporary spaces where design plays a leading role.

Eclisse is not just a cooking solution, but also a lifestyle choice, that combines technological efficiency with a distinctive and sophisticated identity, transforming everyday cooking into a delightful ritual.





ECLISSE

ECLISSE 90



PNMG96MFT/5IF - BLACK MATT

Item Code: 60060095
EAN Code: 8022389024615


Cooktop
- Induction Cooktop
- 5 Booster Cooking Zones
- Up To 9 Levels
- 1 Heating Zone Ø 260 mm
- 1 Heating Zone Ø 210 mm
- 1 Heating Zone Ø 190 mm
- 2 Heating Zone Ø 170 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W

Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Maximum Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray


Available also with double bridge upon request and special production

Adjustable Metal Feet
Cooling Fan
"Easy To Clean" Enameling


Power Absorbed: 1055 W



Cooktop Layout:
2 x 170 Ø | 1 x 190 Ø | 1 x 210 Ø | 1 x 260 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50



ECLISSE 90 Double Oven



PNMD96MFTE/5IF - BLACK MATT

Item Code: 60220087
EAN Code: 8022389026060

Cooktop
- Induction Cooktop
- 5 Booster Cooking Zones
- Up To 9 Levels
- 1 Heating Zone Ø 260 mm
- 1 Heating Zone Ø 210 mm
- 1 Heating Zone Ø 190 mm
- 2 Heating Zone Ø 170 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 72 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Fixed Oven Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Electric Static Oven
- 35 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Digital Touch Programmer
- Fixed Oven Guides
- 1 Wire Shelf
- 1 Enamel Tray


Available also with double bridge upon request and special production

Adjustable Metal Feet
Cooling Fan
"Easy To Clean" Enameling


Power Absorbed: 1180 W



Cooktop Layout:
2 x 170 Ø | 1 x 190 Ø | 1 x 210 Ø | 1 x 260 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x85-90.50



ECLISSE 120 Double Oven



PNMD126MFT+MFT/6IB - BLACK MATT

Item Code: 62010066
EAN Code: 8022389031705


Cooktop
- Induction Cooktop
- 5 Booster Cooking Zones
- Up To 9 Levels
- 4 Heating Zones Ø 210 mm
- 2 Heating Zones Octa
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Frontal Touch Control
- Limiter To 7400 W


Main Oven
- Multifunction Electric
- 9 Cooking Programs
- 101 L Gross Capacity
- Max Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Telescopic Guides
- 2 Wire Shelves
- 1 Enamel Tray

Secondary Oven
- Multifunction Electric
- 40 L Gross Capacity
- Max Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Analog Programmer
- Fixed Oven Guides
- 1 Wire Shelves
- 1 Enamel Tray

Power Absorbed: 27 kW


"Easy To Clean" Blue Enameling
Cooling Fan
Adjustable Metal Feet







Cooktop Layout:
4 x 210 Ø | 2 x Octa

Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x85-90.50







ECLISSE OVENS 60 & 90





FQNM6TEE - BLACK MATT

Item Code: 29320248
EAN Code: 8022389024660


FQNM9TEE - BLACK MATT

Item Code: 29320628
EAN Code: 8022389026695


Oven
- Multifunction Electric
- Cooking Programs: 12
- Gross Capacity: 72 L
- Maximum Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control

Cooling Fan

Power Absorbed: 2700 W




Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x60




Oven
- Multifunction Electric
- Cooking Programs: 12
- Gross Capacity: 101 L
- Maximum Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Digital Touch Programmer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control

Cooling Fan

Power Absorbed: 3600 W



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x55x60



ECLISSE COMBI MICROWAVE



FMNM6TME


Item Code: 29320803
EAN Code: 8022389027395

Microwave Oven
- Cooking Functions: 6
- Cooking Levels: 4
- Gross Capacity: 32 L
- Grill: Electric
- Timer: Cooking Timer
- Display: LED Display
- Cavity: Stainless Steel
- Turntable: Ø 32 Cm
- Oven Guide: Fixed

Accessories
- 1 Rectangular Griddle
- 1 Rectangular Glass Tray

Power Absorbed: 3400 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x45



ECLISSE MICROWAVE




FMNM6T25ME

Item Code: 29320305
EAN Code: 8022389030135

Microwave Oven
- Oven Capacity: 25 L
- Control Type: Touch Sensor
- Microwave Power: 900w
- Grill Power: 1200w
- Timer: 60 Min
- 5 Power Levels
- Child Safety Lock
- End Cooking Signal
- White LED Display
- Stainless Steel Cavity
- Turntable 315 mm
- Defrost Function
- Grill

Power Absorbed: 1440 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 59.50x58.90x38.70



ECLISSE WARMING DRAWER




WNM66A

Item Code: 29320249
EAN Code: 8022389026480

Warming Drawer
- Black Matt Panel
- On/Off Switch Lights
- Max. Temperature: 70 °C
- Warm Air Circulation System
- Operating Light
- Anti-Slip Mat

Power Absorbed: 420 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x15



ECLISSE COFFEE MACHINE



YBNM66T - TOTAL BLACK

Item Code: 29320231
EAN Code: 8022389023885

Coffee Machine
- Body: Black Matt
- Lighting: Two Light Points With 2 Leds

Performance
- Machine Type: Fully Automatic
- Cups Per Cycle: 1 Or 2 Cups
- Programmable Sizes: Yes
- Heating Time: 3 Minutes
- Dispensing Head Height:
- Adjustable (80–110 mm)
- Grinder Settings: Individual
- Cup Rack: Led-Lit
- Energy Saving: Stand-By Mode


Electronic Operation
- Electronic Control
- Programmable Pre-Brewing Temperature
- Programmable Brewing Temperature
- Programmable Grinding Quantity
- Programmable Water Hardness
- Programmable Operating Time
- Programmable Switch-Off Time
- Integrated Cleaning Programme
- Automatic Descaling Programme

Capacity
- Water Tank: 1.8 L
- Bean Container: 200 G
- Grounds Container: 14 Units
- Milk Carafe: 0,75 L

Type Of Coffee
- Cup Of Coffee
- Espresso
- Cappuccino
- Latte Macchiato
- Café Au Lait
- Hot Water

Power Absorbed: 1350 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x40x45



ECLISSE WINE COOLER 24 BOTTLES




ZBPNM24M - TOTAL BLACK

Item Code: 29320815
EAN Code: 8022389029757

Wine Cooler
- Capacity: 24 Bottles
- Volume: 57 L
- Sliding Wooden Shelves: 3
- Internal LED Light
- Internal Micro-Ventilation
- Auto Defrost
- Humidity Control With Optional Water Reservoir
- Electronic Thermostat
- Temperature Control: From 5 °C - 22 °C
- Cooling System: Compressor (CFC-Free)
- Refrigerant Gas: R600a

Energy Consumption: 138 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 59x54x46



ECLISSE WINE COOLER 41 BOTTLES




ZBPNM41MD - TOTAL BLACK

Item Code: 29320818
EAN Code: 8022389029788

Wine Cooler
- Capacity: 41 Bottles
- Volume: 132 L
- Sliding Wooden Shelves: 5
- Internal LED Light
- Temperature Zones: Dual Zone
- Internal Micro-Ventilation
- Auto Defrost
- Humidity Control With Optional Water Reservoir
- Electronic Thermostat
- Temperature Control: From 5 °C - 22 °C
- Cooling System: Compressor (CFC-Free)
- Refrigerant Gas: R600a

Energy Consumption: 147 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x54x88



ECLISSE REFRIGERATOR *Side By Side*





GFPNM918

Item Code: 29170122
EAN Code: 8022389031323

Refrigerator Side By Side
- System: No Frost Premium
- Total Capacity: 569 L Net
- Refrigerator Capacity: 372 L Net
- Freezer Capacity: 197 L Net
- Evaporators: 2
- Temperature Control: Automatic
- Independent Controls: Fridge / Freezer
- Autonomy Without Power: 10 H
- Compressors: 1 (Digital Inverter)
- LED Light
- Refrigerant Gas: R600a


Refrigerator
- Function: Multi Flow
- Super Fresh Vegetable Drawers: 2
- Vacation Mode: Available
- Glass Shelves: 3
- Door Tray: 4

Freezer
- Function: Multi Flow
- Fast Freeze Button: Included
- Ice Maker With Shield
- Ice Container (Removable)
- Glass Shelf: 1
- Door Tray: 1
- Drawers: 2

Comfort
- Beverage Dispenser: Water + Ice
- Door Open Acoustic Alarm: Included
- Handles: Long Handles

Energy Consumption: 324 kWh/Year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 91x69.80x179.30



ECLISSE REFRIGERATOR *Quattroporte*





GFPNM819

Item Code: 29170123
EAN Code: 8022389031330

Refrigerator Quattroporte
- System: No Frost Premium
- Total Capacity: 515 L Net
- Refrigerator Capacity: 345 L Net
- Freezer Capacity: 170 L Net
- Evaporators: 3
- Temperature Control: Automatic (Sensor)
- Independent Controls: Fridge / Freezer
- Refrigeration Circuit: Triple
- Autonomy Without Power: 12 H
- Compressors: 1 (Inverter)
- Refrigerant Gas: R600a
- LED Light
- Type: 4 Doors
- Noise: 35 dB


Refrigerator
- Function: Multi Flow
- Fruit And Vegetable Drawers: 2
- Vacation Mode: Available
- Door Shelves: 8
- Glass Shelves: 3
- Door Tray: 6

Freezer
- Function: Multi Flow Plus
- Freezer Section Right
- Function: Multi Flow Plus
- Fast Freeze Button: Included
- Cool Select Plus Compartment: -23°C, -18°C, -5°C, -1°C, 5°C
- Up Drawers: 2
- Middle Drawers: 2
- Down Drawers: 2

Comfort
- Antibacterial Treatment: Deodorizer
- Internal Control Panel: Electronic
- Door Open Acoustic Alarm: Included

Energy Consumption: 306 kWh/Year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 83.30x65.30x189.80



TECHNICAL TABLES

MODEL	PNMG96MFT/5IF	PNMD96MFTE/5IF	PNMG120MFT/6IBF
Aesthetics	Eclisse	Eclisse	Eclisse
Dimensions (WxDxH) cm	90x60x85-90.50	90x60x85-90.50	120x60x85-90.50
Adj. Metal Feet	•	•	•
Power Absorbed	1055 W	1180 W	27 kW
Gas Consumption	-	-	16.90 kW
HOB FEATURES			
Type Of Cooking Top	Induction	Induction	Induction Hob
Number Of Gas Burners	-	-	-
Hob Trims	Black Matt	Black Matt	Black Matt
Electric Ignition Under Knob	-	-	-
Cast Iron Pan Support	-	-	-
Gas-Stop Safety Device	-	-	-
Number Of Electric Zones	5	5	6
Booster Max. Input Induction Zone Ø 150 mm	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	1400 W	1400 W	-
Booster Max. Input Induction Zone Ø 190 mm	2000 W	2000 W	-
Booster Max. Input Induction Zone Ø 210 mm	3000 W	3000 W	3700 W
Booster Max. Input Induction Zone Ø 260 mm	3000 W	3000 W	-
Booster Max. Input Octa	-	-	3700 W
Booster Max. Input Octa Bridge	-	-	•
Power Indicator	•	•	•
Residual Heat Indicator Light	•	•	•
Timer	•	•	•
Child Lock	•	•	•
OVEN FEATURES			
Number Of Oven	1	2	2
Programmer Type	Digital Touch Programmer	Digital Touch Programmer	Digital Touch Programmer
Grill Type	Gas Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	•	•	-
Number Of Fan	1	1	2
Tempered Triple Glass Door	•	•	•
Cooling Fan	•	•	•
Rotisserie Function	•	•	•
"Easy To Clean" Enamel	-	-	•
MAIN OVEN	Multifunction Electric	Multifunction Electric	Multifunction Electric
Internal Dimensions (WxDxH) cm	78x41x40	47.90x40x36.90	67.80x40x37
Cooking Programs	9	9	9
Max Temperature (°C)	260 °C	270 °C	270 °C
Gross Capacity (L)	101 L	72 L	72 L
Oven Shelf Support	Telescopic at 2 Levels	Fixed	Telescopic at 2 Levels
Wire Shelf	2	2	2
Enamel Tray	1	1	1
Max Power Absorbed By Bottom Heat	1750 W	1750 W	1.700 W
Max Power Absorbed By Top Heat	1000 W	1000 W	1000 W
Max Power Absorbed By Grill	2000 W	2000 W	2000 W
Max Power Absorbed By Maxi - Grill	3000 W	3000 W	3000 W
Max Power Absorbed By Fan	2500 W	2500 W	2500 W
Max Gas Burner Consumption	-	-	-
SECONDARY OVEN		Electric Static	Multifunction Electric
Internal Dimensions (WxDxH) cm	-	23x40,80x36,90	23x40,80x36,90
Cooking Programs	-	-	-
Max Temperature (°C)	-	250 °C	250 °C
Gross Capacity (L)	-	35 L	40 L
Oven Shelf Support	-	Fixed	Fixed
Wire Shelf	-	1	1
Enamel Tray	-	1	1
Max Power Absorbed By Bottom Heat	-	-	1200 W
Max Power Absorbed By Top Heat	-	-	500 W
Max Power Absorbed By Grill	-	1500 W	1000 W
Max Power Absorbed By Maxi - Grill	-	-	-
Max Power Absorbed By Fan	-	-	-
Ref. Page.	140	141	142

TECHNICAL TABLES

MODEL	FQNM6TEE	FQNM9TEE	FMNM6TME	FMNM6T25ME	WNM66A
Aesthetics	Eclisse	Eclisse	Eclisse	Eclisse	Eclisse
Dimensions (WxDxH) cm	60x55x60	90x55x60	60x55x45	60x40x30	60x55x15
Power Absorbed	2700 W	3600 W	3400 W	1400 W	420 W
Gas Consumption			-	-	-
MICROWAVE FEATURES					
Cooking Functions	-	-	6	6	-
Cooking Levels	-	-	4	4	-
Grill Power	-	-	1000 W	900 W	-
Gross Capacity	-	-	1550 W	1200 W	-
Gross Capacity	-	-	32 L	25 L	-
Electric Grill	-	-	•	•	-
Cooking Timer	-	-	•	•	-
Control Type	-	-	Touch Sensor	Touch Sensor	-
Display	-	-	LED Display	LED Display	-
Cavity	-	-	Stainless Steel	Stainless Steel	-
Turntable Ø	-	-	32 cm	32 cm	-
Oven Guide	-	-	Fixed	Fixed	-
WARMING DRAWER FEATURES					
On/Off Switch Lights	-	-	-	-	•
Max. Temperature	-	-	-	-	70 °C
Warm Air Circulation System	-	-	-	-	Electric Grill
Operating Light	-	-	-	-	•
Anti-Slip Mat	-	-	-	-	•
OVEN FEATURES					
Push-Pull Knobs	-	-	-	-	-
Touch Control	•	•	-	-	-
Programmer Type	Digital Touch Programmer	Digital Touch Programmer	-	-	-
Grill Type	Electric Grill	Electric Grill	-	-	-
Gas-Stop Safety Device	-	-	-	-	-
Number Of Fan	1	1	-	-	-
Tempered Triple Glass Door	•	•	-	-	-
Cooling Fan	•	•	-	-	-
Rotisserie Function	•	-	-	-	-
"Easy To Clean" Enamel	-	-	-	-	-
MAIN OVEN	Multifunction Electric	Multifunction Electric			
Internal Dimensions (WxDxH) cm	47.90x40x36.90	67.20x40.60x37.60	-	-	-
Cooking Programs	12	12	-	-	-
Max Temperature (°C)	250 °C	270 °C	-	-	-
Gross Capacity (L)	72 L	101 L	-	-	-
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	-	-	-
Wire Shelf	2	2	-	-	-
Enamel Tray	1	1	-	-	-
Max Power Absorbed By Bottom Heat	1650 W	1750 W	-	-	-
Max Power Absorbed By Top Heat	900 W	1000 W	-	-	-
Max Power Absorbed By Grill	1500 W	2000 W	-	-	-
Max Power Absorbed By Maxi - Grill	2400 W	3000 W	-	-	-
Max Power Absorbed By Fan	2000 W	2500 W	-	-	-
Ref. Page.	143	143	144	145	146

TECHNICAL TABLES

MODEL	YBNM66T	ZBPNM24M	ZBPNM41MD
Aesthetics	Eclisse	Eclisse	Eclisse
Dimensions (WxDxH) cm	60x40x45	59x54x46	60x54x88
Energy Consumption	1350 W	138 kWh	147 kWh
COFFEE MACHINE FEATURES			
Machine Type	Fully Automatic	-	-
Cups per Cycle	1 - 2	-	-
Heating Time	3 minutes	-	-
Energy Saving	Stand-by Mode	-	-
Electronic Control	•	-	-
Pre-Brewing Temperature	•	-	-
Brewing Temperature	•	-	-
Grinding Quantity	•	-	-
Water Hardness	•	-	-
Operating Time	•	-	-
Switch-Off Time	•	-	-
Cleaning Programme	•	-	-
Descaling Programme	•	-	-
Water Tank	1.8 L	-	-
Bean Container	200 g	-	-
Grounds Container	14 units	-	-
Milk Carafe	0,75 L	-	-
Water Tank	1.8 L	-	-
Dispensing Head Height	Adjustable 80–110 mm	-	-
WINE COOLER FEATURES			
Capacity	-	24 Bottles	41 Bottles
Volume	-	57 L	132 L
Temperature Zones	-	-	Dual Zone
Internal micro-ventilation	-	•	•
Electronic thermostat	-	•	•
Temperature Control	-	From 5 °C - 22 °C	From 5 °C - 22 °C
Sliding wooden shelves	-	3	5
Auto Defrost	-	•	•
Internal LED light	-	•	•
Refrigerant gas	-	R600a	R600a
Ref. Page.	147	148	149

TECHNICAL TABLES

MODEL	GFPNM918	GFPNM819
Aesthetics	Eclisse	Eclisse
Dimensions (WxDxH) cm	91x69.80x179.30	83.30x65.30x189.80
Type Of Refrigerator	Side By Side	Quattroporte
Trims	Black Matt	Black Matt
Energy Consumption	324 kWh/Year	306 kWh/Year
REFRIGERATOR FEATURES		
"No Frost Premium" System	•	•
Number Of Evaporator	1	1
Number Of Compressors	1	1
Digital Inverter	•	•
Automatic Temperature Control	•	•
Independent Refrigerator Control	•	•
Independent Freezer Control	•	•
Triple Refrigeration Circuit	•	•
LED Light	•	•
Noise	41 dB	35 dB
Storage Autonomy Without Electricity	12 H	12 H
Refrigerant Gas	R600a	R600a
FRIDGE FEATURES		
Net Capacity (L)	372 L	345 L
"Multi Flow" Function	•	•
N. Of "Superfresh" Vegetable Drawers	2	2
N. Of "Meat And Fish" Drawers	1	1
"Vacation" Mode	•	•
Glass Shelves	3	3
Door Shelves	8	8
Door Tray	6	6
FREEZER FEATURES		
Net Capacity (L)	197 L	170 L
N. Of Freezer Section	2	2
Fast Freeze Button Left Section	-	-
Ice Cube Container	-	-
Rotable Ice Cube Container	-	-
Glass Shelf	-	-
Door Tray	-	-
Drawers	-	-
LEFT SECTION		
"Multi Flow" Function Left Section	•	•
Fast Freeze Button Left Section	•	•
N. Of Drawers	3	3
RIGHT SECTION		
"Multi Flow" Function Left Section	•	•
Fast Freeze Button Left Section	•	•
N. Of Drawers	3	3
"Cool Select Plus" Compartment	From -23 °C to +5 °C	From -23 °C to +5 °C
COMFORT		
Antibacterical Treatment	Deodorizer	Deodorizer
Beverage Dispenser	•	-
Internal Electronic Control Panel	•	•
Acoustic Signaling Of Door Opening	•	•
Ref. Page	150	151

Modern Collection

The strength of steel & glass

The Art of Perfection

The elegance and sturdiness of 0.7 mm brushed stainless steel define our collection of cooktops.
Each stainless steel surface is designed to deliver impeccable power and control, and is available in versatile sizes ranging from 60 to 90 cm.

This versatility allows the ultimate complement to the kitchen environment, harmonizing perfectly with an entire ecosystem of built-in ovens, 25 liter microwaves, and integrated coffee machines.

The range is further enhanced by warming drawers and high-performance range hoods, as well as a complete selection of refrigeration solutions: from built-in and freestanding refrigerators to the iconic charm of retro models and dedicated wine coolers.

Thanks to ergonomic designs and bold proportions, each element is crafted to move seamlessly from cooking to preparation and storage. It is a complete set of professional-grade tools that transforms any countertop into a space of refined sophistication, where every element contributes to an elegant aesthetic that never goes out of style.





MODERN COLLECTION

URANO 60



HLS6G0

Item Code: 29210217
EAN Code: 8022389008608



HLNM6G0

Item Code: 29210221
EAN Code: 8022389010267


HLS6G0 - Hob
- Burners: 3 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 8.30 kW


HLNM6G0 - Hob
- Burners: 3 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Black Matt Enamel
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 8.30 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50



URANO 60



HLS640

Item Code: 29210216
EAN Code: 8022389008639



HLS6M0

Item Code: 29210219
EAN Code: 8022389008622


HLS640 - Hob
- Burners: 4 Gas Burners
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 12.15 kW


HLS6M0 - Hob
- Burners: 4 Gas Burners
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 12.15 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50



URANO 75



HLS7A0

Item Code: 29220208
EAN Code: 8022389011028



HLNM7A0 - BLACK MATT

Item Code: 29220225
EAN Code: 8022389027234


HLS7A0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 11.10 kW


HLNM7A0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Black Matt Enamel
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 11.10 kW


Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 75x50



URANO 75



HLS7D0

Item Code: 29220213
EAN Code: 8022389011950



HLNM7D0 - BLACK MATT

Item Code: 52051213
EAN Code: 8022389031361


HLS7D0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown Rh
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 11.10 kW


HLNM7D0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown Rh
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Black Matt Enamel
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 11.10 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 75x50



MODERN COLLECTION

URANO 75




HLS7B0

Item Code: 29220212
EAN Code: 8022389011936


Hob
- Burners: 4 Gas Burners
- 1 Triple Crown LH
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 11.10 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 75x50



NETTUNO 90





HLS9A0

Item Code: 29230220
EAN Code: 8022389009100

HLNM9A0 - BLACK MATT

Item Code: 29230257
EAN Code: 8022389027241


HLS9A0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 11.10 kW


HLNM9A0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Black Matt Enamel
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 11.10 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



MODERN COLLECTION

NETTUNO 90




HLS9C0

Item Code: 29230222
EAN Code: 8022389009124


HLS9C0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 11.10 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50






HLS9B0

Item Code: 29230221
EAN Code: 8022389009117


HLS9B0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown LH
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 10.90 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



NETTUNO 90





HLS9D0

Item Code: 29230223
EAN Code: 8022389009131

HLNM9D0 - BLACK MATT

Item Code: 52051416
EAN Code: 8022389031378


HLS9D0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown Rh
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 10.90 kW


HLNM9D0 - Hob
- Burners: 4 Gas Burners
- 1 Triple Crown Rh
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Black Matt Enamel
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 10.90 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



SOLE 90



HLS9U0


Item Code: 29230225
EAN Code: 8022389009155

HLS9U0 - Hob


- Burners: 4 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Side Control Knobs
- Ceramic Cutlery Tray

Gas Consumption: 11.10 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



PLUTONE 90



HLS9S0


Item Code: 29230224
EAN Code: 8022389009148

HLS9S0 - Hob


- Burners: 5 Gas Burners
- 1 Triple Crown
- Gas-Stop Safety Device
- Flat Edge
- Thickness 0.70 mm
- Stainless Steel Aisi 304
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 11.10 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



ARTES 60



HDS690

Item Code: 29210112
EAN Code: 8022389008394




HDS640

Item Code: 29210111
EAN Code: 8022389008387


HDS690 - Hob
- Burners: 3 Gas Burners
- Dual Crown: 1
- Gas-Stop Safety Device
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 12.15 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Dual Crown




Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50




HDS640 - Hob
- Burners: 4 Gas Burners
- Gas-Stop Safety Device
- Stainless Steel Trims
- Cast Iron Pan Support
- Frontal Control Knobs

Gas Consumption: 16.70 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50



ARTES 75




HDS7T0

Item Code: 29220108
EAN Code: 8022389010045


Hob
- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Trims: Stainless Steel

Gas Consumption: 11.30 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 75x50



ARTES 90




HDS9E0

Item Code: 29230106
EAN Code: 8022389010656


HDS9E0 - Hob
- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Trims: Stainless Steel

Gas Consumption: 11.30 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50






HDS9T0

Item Code: 29230107
EAN Code: 8022389010052


HDS9T0 - Hob
- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Trims: Stainless Steel

Gas Consumption: 11.30 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



DIADEMA 30




HGN310 - BLACK GLASS

Item Code: 29210114
EAN Code: 8022389011875


HGN310 - Hob
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Gas Consumption: 2.80 kW

Cooktop Layout:
1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 30x50






HGN320 - BLACK GLASS

Item Code: 29210113
EAN Code: 8022389011868


HGN320 - Hob
- Burners: 1 Gas Burner
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Gas Consumption: 3.70 kW

Cooktop Layout:
1 Aux | 1 Semi - Rapid



Technical Drawing (cm):
Dimensions (cm - WxDxH): 30x50




MERCURIO 60



HGN6H0 - BLACK GLASS

Item Code: 29210209
EAN Code: 8022389008264




HGB6H0 - WHITE GLASS

Item Code: 29210215
EAN Code: 8022389008332


Hob
- Burners: 3 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Side Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Gas Consumption: 8.30 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50



MERCURIO 60




HGR6G0- RED GLASS

Item Code: 29210232
EAN Code: 8022389013596


Hob
- Burners: 3 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Gas Consumption: 8.30 kW

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50




Also Available:



HGN6G0 - BLACK GLASS

Item Code: 29210233
EAN Code: 8022389014173



HGB6G0 - WHITE GLASS

Item Code: 29210235
EAN Code: 8022389014166

MERCURIO 75




HGN7E0 - BLACK GLASS

Item Code: 29220205
EAN Code: 8022389008646


Hob
- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Gas Consumption: 11.10 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 75x50



Also Available:



HGB7E0 - WHITE GLASS

Item Code: 29220214
EAN Code: 8022389011943




HGR7E0 - RED GLASS

Item Code: 29220221
EAN Code: 8022389018690

MARTE 90






HGN950 - BLACK GLASS
Item Code: 29230207
EAN Code: 8022389008288

HGB950 - WHITE GLASS
Item Code: 29230214
EAN Code: 8022389008325


Hob
- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Gas Consumption: 10.90 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown




Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



MARTE 90






HGN9E0 - BLACK GLASS **Item Code:** 29230208
EAN Code: 8022389010632

HGB9E0 - WHITE GLASS **Item Code:** 29230229
EAN Code: 8022389012063


Hob
- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Gas Consumption: 11.10 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



MARTE 90




HGN9B0 - BLACK GLASS

Item Code: 29230226
EAN Code: 8022389010649


Hob
- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Black Glass Hob
- Trims: Stainless Steel

Gas Consumption: 10.90 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



VEGA II2




HGN190 - BLACK GLASS

Item Code: 29240002
EAN Code: 8022389008349


Hob
- Burners: 3 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Black Glass Hob
- Trims: Stainless Steel

Gas Consumption: 12.65 kW

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown




Technical Drawing (cm):
Dimensions (cm - WxDxH): 112x40



MODERN COLLECTION

LUNA 60



HIN612


Item Code: 29210234
EAN Code: 8022389014715

Induction Hob
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 210 mm
- 1 Heating Zones x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W


Gas Zone
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Power Absorbed: 3400 W
Gas Consumption: 3.90 kW


Cooktop Layout:
1 x 145 Ø | 1 x 210 Ø | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50



DIONE 60



HGN622I


Item Code: 29210238
EAN Code: 8022389023830

Induction Hob
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 210 mm
- 1 Heating Zones x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W


Gas Zone
- Burner: 2 Gas Burners
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Power Absorbed: 2700 W
Gas Consumption: 11.10 kW

Cooktop Layout:
1 Aux | 1 Rapid | 1 x 145 Ø | 1 x 210 Ø




Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50



MODERN COLLECTION

DIONE 90



HGN9G2I


Item Code: 29230245
EAN Code: 8022389022321

Induction Hob
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 210 mm
- 1 Heating Zones x Ø 145 mm
- Stop & Go Function
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W


Gas Zone
- Burner: 3 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Beveled Edge
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Power Absorbed: 3600 W
Gas Consumption: 8.30 kW


Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown | 1 x 145 Ø | 1 x 210 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



DIONE 90



HGN924IB


Item Code: 29230256
EAN Code: 8022389026527

Induction Hob
- Cooking Zones: 4 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 210 mm
- 2 Heating Zones x Ø 180 mm - Bridge
- 1 Heating Zones x Ø 145 mm
- Stop & Go Function
- Keep Warm Function
- Booster Level
- Bridge Function
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W


Gas Zone
- Burner: 2 Gas Burners
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Beveled Edge
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Power Absorbed: 7.200 W
Gas Consumption: 4.55 kW

Cooktop Layout:
1 Aux | 1 Rapid | 1 x 145 Ø | 1 x 210 Ø | 2 x 180 Ø Octa Bridge



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



MODERN COLLECTION

NETTUNO 90 Gas & Induction



HLS9G2I - STAINLESS STEEL


Item Code: 29230227
EAN Code: 8022389012254

Induction Hob
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 210 mm
- 1 Heating Zones x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W


Gas Zone
- Burner: 3 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm
- Trims: Stainless Steel

Power Absorbed: 3600 W
Gas Consumption: 8.30 kW

Cooktop Layout:
1 Aux | 2 Semi - Rapid | 1 Triple Crown | 1 x 145 Ø | 1 x 210 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



Also Available:



HLNM9G2I - BLACK MATT


Item Code: 29230234
EAN Code: 8022389018355



HLBI9G2I - IVORY

Item Code: 29230236
EAN Code: 8022389018362

LUNA 30




HIN302

Item Code: 29210115
EAN Code: 8022389012001


Hob
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 210 mm
- 1 Heating Zones x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W

Power Absorbed: 3600 W


Cooktop Layout:
1 x 145 Ø | 1 x 210 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 30x50



LUNA 60




HIN604B

Item Code: 29211103
EAN Code: 8022389026398


Hob
- Cooking Zones: 4 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 210 mm
- 2 Heating Zones x Ø 180 mm - Bridge
- 1 Heating Zones x Ø 145 mm
- Stop & Go Function
- Keep Warm Function
- Booster Level
- Bridge Function
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W

Power Absorbed: 7600 W


Cooktop Layout:
1 x 145 Ø | 2 x 180 Ø | 1 x 210 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50



LUNA 90




HIN906B

Item Code: 29230255
EAN Code: 8022389026046


Hob
- Cooking Zones: 6 Booster Zones
- Bridge Zones: 3
- Levels: Up To 9 Levels
- Circle Heating Zones: 2100-3000 W
- Bridge Heating Zones: 1500-1850 W
- Booster Level
- Heat-Up Automatic
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Overheating System
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W

Power Absorbed: 11100 W


Cooktop Layout:
3 x Bridge Zones - 6 Single Zones



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



LUNA A90



HIN9042BA

Item Code: 29230254
EAN Code: 8022389026053


Hob
- Cooking Zones: 4 Booster Zones
- Bridge Zones: 2
- Levels: Up To 9 Levels
- Circle Heating Zones: 2100-3000 W
- Bridge Heating Zones: 1500-1850 W
- Booster Level
- Heat-Up Automatic
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Overheating System
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W

Power Absorbed: 7400 W


Hood
- Tangential Motor: 620 M^3/H
- Extraction Speeds: 3
- Grease Filter: 1 Metal
- Controls: Touch Control

Power Absorbed: 200 W


Cooktop Layout:
2 x Bridge Zones - 4 Single Zones



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



VENERE 30




VENERE 30

Item Code: 29210116
EAN Code: 8022389031415


Hob
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 180 mm
- 1 Heating Zones x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W

Power Absorbed: 3000 W

Cooktop Layout:
1 x 145 Ø | 1 x 180 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 30x50



VENERE 60




VENERE 60

Item Code: 29210236
EAN Code: 8022389014722


Hob
- Cooking Zones: 4 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 210 mm
- 1 Heating Zones x Ø 170 - 265 mm
- 1 Heating Zones x Ø 145 mm
- 1 Heating Zones x Ø 120 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W

Power Absorbed: 6800 W

Cooktop Layout:
1 x 120 Ø | 2 x 145 Ø | 1 x 210 Ø | 1 x 170 - 265 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50



VENERE 90




VENERE 90

Item Code: 29230108
EAN Code: 8022389014265


Hob
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 2 Heating Zones x Ø 210 mm
- 1 Heating Zones x Ø 170 - 265 mm
- 2 Heating Zones x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control
- Power Limiter: 7400 W

Power Absorbed: 8600 W

Cooktop Layout:
2 x 145 Ø | 2 x 210 Ø | 1 x 170 - 265 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50





MODERN COLLECTION

GAIA 60




FOS69EE - STAINLESS STEEL

Item Code: 29320155
EAN Code: 8022389010335


Oven
- Multifunction Electric
- Cooking Programs: 10
- Gross Capacity: 72 L
- Maximum Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Timer: Electronic Digital
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control, Push-Pull Knobs

Cooling Fan

Power Absorbed: 2600 W



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x60



Available Colors



FOVN69EE - BLACK GLASS

Item Code: 29320158
EAN Code: 8022389011905



FOVB69EE - WHITE GLASS

Item Code: 29320157
EAN Code: 8022389010816



FOVR69EE - RED GLASS

Item Code: 29320168
EAN Code: 8022389013015

GAIA 60 Gas Oven



FOVR66GE - RED GLASS

Item Code: 29320191
EAN Code: 8022389018409

Oven
- Convection Gas
- Gas-Stop Safety Device
- Cooking Programs: 6
- Gross Capacity: 72 L
- Maximum Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Digital Timer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control


Available also with gas grill upon request and special production

Cooling Fan

Power Absorbed: 1600 W
Gas Consumption: 12.80 kW



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x60



Available Colors



FOVN66GE - BLACK GLASS

Item Code: 29320183
EAN Code: 8022389011899



FOS66GE - STAINLESS STEEL

Item Code: 29320182
EAN Code: 8022389011233



FOVB66GE - WHITE GLASS

Item Code: 29320184
EAN Code: 8022389012247

GEMMA 60




FQVB6TEE - WHITE GLASS

Item Code: 29320167
EAN Code: 8022389012230


Oven
- Multifunction Electric
- Cooking Programs: 12
- Gross Capacity: 72 L
- Maximum Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Electronic Digital Programmer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control

Cooling Fan

Power Absorbed: 3500 W



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x60



Available Colors



FQVN6TEE - BLACK GLASS

Item Code: 29320166
EAN Code: 8022389011226



FQS6TEE - STAINLESS STEEL

Item Code: 29320165
EAN Code: 8022389011219



FQVR6TEE - RED GLASS

Item Code: 29320169
EAN Code: 8022389013022

LEDA 60





FDS69EE - STAINLESS STEEL

Item Code: 29320189
EAN Code: 8022389017587

FDS66TE - STAINLESS STEEL


Item Code: 29320190
EAN Code: 8022389017570

FDS69EE - Oven

- Multifunction Electric
- Cooking Programs: 9
- Gross Capacity: 72 L
- Maximum Temperature: 260 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Control Knobs

Cooling Fan

Power Absorbed: 2600 W




FDS66TE - Oven


- Multifunction Electric
- Cooking Programs: 6
- Gross Capacity: 72 L
- Maximum Temperature: 260 °C
- Electric Grill
- Analog Timer
- Fixed Oven Guides
- Wire Shelves: 1
- Enamel Tray: 1
- Controls: Control Knobs

Cooling Fan

Power Absorbed: 2600 W



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x60



LEDA 60 Gas Oven



FDS66GE - STAINLESS STEEL

Item Code: 29320192
EAN Code: 8022389018416

Oven
- Convection Gas
- Gas-Stop Safety Device
- Cooking Programs: 6
- Gross Capacity: 72 L
- Maximum Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Analog Timer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Control Knobs


Cooling Fan

Power Absorbed: 1600 W
Gas Consumption: 11.10 kW



Available also with gas grill upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x60



MODERN COLLECTION

FLEXO 60





FFV66GE - MIRRORED GLASS

Item Code: 29320181
EAN Code: 8022389011240

FFV6TEE - MIRRORED GLASS

Item Code: 29320005
EAN Code: 8022389014203

FFV66GE - Oven

- Convection Gas
- Gas-Stop Safety Device
- Cooking Programs: 6
- Gross Capacity: 72 L
- Maximum Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Digital Timer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control

Available also with gas grill upon request and special production

Cooling Fan

Power Absorbed: 1600 W
Gas Consumption: 11.10 kW




FFV6TEE - Oven


- Multifunction Electric
- Cooking Programs: 12
- Gross Capacity: 72 L
- Maximum Temperature: 250 °C
- Electric Grill
- Electronic Digital Programmer
- Digital Timer
- Rotisserie Function
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control

Cooling Fan

Power Absorbed: 2700 W



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x60



FLEXO 90






FFV9TEE - MIRRORED GLASS **Item Code:** 29320613
EAN Code: 8022389012995

FFVB9TEE - WHITE GLASS **Item Code:** 29320615
EAN Code: 8022389018614


Oven
- Multifunction Electric
- Cooking Programs: 12
- Gross Capacity: 101 L
- Maximum Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Electronic Programmer
- Digital Timer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control

Cooling Fan

Power Absorbed: 3500 W



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x55x60



GAIA 90





FOS99EE - STAINLESS STEEL

Item Code: 29320618
EAN Code: 8022389020921

FOVN99EE - BLACK GLASS


Item Code: 29320619
EAN Code: 8022389021591

Oven


- Multifunction Electric
- Cooking Programs: 9
- Gross Capacity: 101 L
- Maximum Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Electronic Programmer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control

Cooling Fan

Power Absorbed: 3100 W



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x55x60



GEMMA 90





FQS9TEE - STAINLESS STEEL

Item Code: 29320609
EAN Code: 8022389012056

FQVN9TEE - BLACK GLASS


Item Code: 29320611
EAN Code: 8022389014210

Oven


- Multifunction Electric
- Cooking Programs: 12
- Gross Capacity: 101 L
- Maximum Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Electronic Digital Programmer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1
- Controls: Touch Control

Cooling Fan

Power Absorbed: 3600 W



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x55x60



MODERN COLLECTION

ETNA 90



FAS96GE - STAINLESS STEEL

Item Code: 29320606
EAN Code: 8022389012292

Oven
- Convection Gas
- Gas-Stop Safety Device
- Cooking Programs: 6
- Gross Capacity: 101 L
- Maximum Temperature: 260 °C
- Electric Grill
- Rotisserie Function
- Digital Timer
- Electromechanical Timer
- Telescopic Guides
- Wire Shelves: 1
- Enamel Tray: 1
- Controls: Touch Control


Available also with gas grill upon request and special production

Cooling Fan

Power Absorbed: 1800 W
Gas Consumption: 5.00 kW



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x55x60



ONYX 90




FYS99EE - STAINLESS STEEL

Item Code: 29320612
EAN Code: 8022389012834


Oven
- Multifunction Electric
- Cooking Programs: 9
- Gross Capacity: 90 L
- Maximum Temperature: 270 °C
- Electric Grill
- Electronic Programmer
- Fixed Oven Guides
- Wire Shelves: 1
- Enamel Tray: 1
- Controls: Touch Control

Cooling Fan

Power Absorbed: 3100 W



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x55x60



MODERN COLLECTION

PROFESSIONAL COMBI MICROWAVE



FMS6TME

Item Code: 52160311
EAN Code: 8022389018317




FMVN6TME

Item Code: 52160309
EAN Code: 8022389012780

Microwave Oven
- Cooking Functions: 6
- Cooking Levels: 4
- Gross Capacity: 32 L
- Grill: Electric
- Timer: Cooking Timer
- Display: LED Display
- Cavity: Stainless Steel
- Turntable: Ø 32 Cm
- Oven Guide: Fixed
- Accessories: 1 Rectangular Griddle, 1 Rectangular Glass Tray

Power Absorbed: 3400 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x45



PROFESSIONAL MICROWAVE *Touch Control*





FMS6T25ME

Item Code: 29320300
EAN Code: 8022389030128

FMNM6T25ME


Item Code: 29320305
EAN Code: 8022389030135

Microwave Oven

- Oven Capacity: 25 L
- Control Type: Touch Sensor
- Microwave Power: 900w
- Grill Power: 1200w
- Timer: 60 Min
- 5 Power Levels
- Child Safety Lock
- End Cooking Signal
- White LED Display
- Stainless Steel Cavity
- Turntable 315 mm
- Defrost Function
- Grill

Power Absorbed: 1440 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 59.50x58.90x38.70



MODERN COLLECTION

PROFESSIONAL 90




TAS96/5

Item Code: 29230404
EAN Code: 8022389017150


Hob
- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Trims: Brushed Stainless Steel

Gas Consumption: 12.15 kW

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x20



PROFESSIONAL 90 Induction Hob



TAS96/5I


Item Code: 29230614
EAN Code: 8022389023847

Induction Hob
- Cooking Zones: 5 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 270 mm
- 2 Heating Zones x Ø 210 mm
- 2 Heating Zones x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control & Control Knobs
- Power Limiter: 7400 W


Power Absorbed: 8400 W

Available also with double bridge upon request and special production

Cooktop Layout:
2 x 170 Ø | 1 x 190 Ø | 1 x 210 Ø | 1 x 260 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x20



PROFESSIONAL 120




TAS126/7

Item Code: 29230606
EAN Code: 8022389018928


Hob
- Burners: 5 Gas Burners
- Triple Crown Burner: 2
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Trims: Brushed Stainless Steel

Gas Consumption: 16.90 kW

Cooktop Layout:
2 Aux | 1 Semi - Rapid | 1 Rapid | 3 Dual Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x20



PROFESSIONAL WARMING DRAWER





WN66A - BLACK GLASS

Item Code: 29320223
EAN Code: 8022389018720


WI66A - STAINLESS STEEL

Item Code: 29320205
EAN Code: 8022389012308

Warming Drawer
- On/Off Switch Lights
- 4 Warming Levels
- Warming Range: 0-80 °C
- Warm Air Circulation System
- Anti-Slip Mat

Power Absorbed: 420 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 59,50x55,70x14,50



PROFESSIONAL COFFEE MACHINE



YBI66T - STAINLESS STEEL

Item Code: 29320219
EAN Code: 8022389018645

Coffee Machine
- Lighting: Two Light Points With 2 Leds

Performance
- Machine Type: Fully Automatic
- Cups Per Cycle: 1 Or 2 Cups
- Programmable Sizes
- Heating Time: 3 Minutes
- Dispensing Head Height: Adjustable 80–110 mm
- Adjustable (80–110 mm)
- Grinder Settings: Individual
- Cup Rack: Led-Lit
- Energy Saving: Stand-By Mode


Electronic Operation
- Electronic Control
- Programmable Pre-Brewing Temperature
- Programmable Brewing Temperature
- Programmable Grinding Quantity
- Programmable Water Hardness
- Programmable Operating Time
- Programmable Switch-Off Time
- Integrated Cleaning Programme
- Automatic Descaling Programme

Capacity
- Water Tank: 1.8 L
- Bean Container: 200 G
- Grounds Container: 14 Units
- Milk Carafe: 0,75 L

Type Of Coffee
- Cup Of Coffee
- Espresso
- Cappuccino
- Latte Macchiato
- Café Au Lait
- Hot Water

Power Absorbed: 1350 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x40x45





MODERN COLLECTION

PROFESSIONAL WINE COOLER 24 BOTTLES




ZBPVN24M - BLACK GLASS

Item Code: 29320812
EAN Code: 8022389029726

Wine Cooler
- Capacity: 24 Bottles
- Volume: 57 L
- Sliding Wooden Shelves: 3
- Internal LED Light
- Internal Micro-Ventilation
- Auto Defrost
- Humidity Control With Optional Water Reservoir
- Electronic Thermostat
- Temperature Control: From 5 °C - 22 °C
- Cooling System: Compressor (CFC-Free)
- Refrigerant Gas: R600a

Energy Consumption: 138 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 59x54x46



Also Available:



ZBPS24M - STAINLESS STEEL

Item Code: 29320813
EAN Code: 8022389029733



ZBPNM24M - BLACK MATT

Item Code: 29320814
EAN Code: 8022389029740

PROFESSIONAL WINE COOLER 41 BOTTLES




ZBPS41MD - STAINLESS STEEL

Item Code: 29320819
EAN Code: 8022389029795

Wine Cooler
- Capacity: 41 Bottles
- Volume: 132 L
- Sliding Wooden Shelves: 5
- Internal LED Light
- Temperature Zones: Dual Zone
- Internal Micro-Ventilation
- Auto Defrost
- Humidity Control With Optional Water Reservoir
- Electronic Thermostat
- Temperature Control: From 5 °C - 22 °C
- Cooling System: Compressor (CFC-Free)
- Refrigerant Gas: R600a

Energy Consumption: 147 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x54x88



Also Available:



ZBPVN41MD - BLACK GLASS

Item Code: 29320816
EAN Code: 8022389029764



ZBPNM41MD - BLACK MATT

Item Code: 29320817
EAN Code: 8022389029771

PROFESSIONAL REFRIGERATOR Side By Side



GFPS918

Item Code: 29170067
EAN Code: 8022389030746



GFPDS918

Item Code: 29170068
EAN Code: 8022389030753

Refrigerator Side By Side
- System: No Frost Premium
- Total Capacity: 569 L Net
- Refrigerator Capacity: 372 L Net
- Freezer Capacity: 197 L Net
- Evaporators: 2
- Temperature Control: Automatic
- Independent Controls: Fridge / Freezer
- Autonomy Without Power: 10 H
- Compressors: 1 (Digital Inverter)
- LED Light
- Refrigerant Gas: R600a

Refrigerator
- Function: Multi Flow
- Super Fresh Vegetable Drawers: 2
- Vacation Mode: Available
- Glass Shelves: 3
- Door Tray: 4

Freezer
- Function: Multi Flow
- Fast Freeze Button: Included
- Ice Maker With Shield
- Ice Container (Removable)
- Glass Shelf: 1
- Door Tray: 1
- Drawers: 2


Comfort
- Beverage Dispenser: Water + Ice
- Door Open Acoustic Alarm: Included

Energy Consumption: 324 kWh/year

Internal View:



Technical Drawing (cm):
Dimensions (cm - WxDxH): 91x69.80x179.30



PROFESSIONAL REFRIGERATOR *Quattroporte*



GFPS819

Item Code: 29170069
EAN Code: 8022389030760



GFPDS819

Item Code: 29170070
EAN Code: 8022389030777

Refrigerator Quattroporte
- System: No Frost Premium
- Total Capacity: 515 L Net
- Refrigerator Capacity: 345 L Net
- Freezer Capacity: 170 L Net
- Evaporators: 3
- Temperature Control: Automatic (Sensor)
- Independent Controls: Fridge / Freezer
- Refrigeration Circuit: Triple
- Autonomy Without Power: 12 H
- Compressors: 1 (Inverter)
- Refrigerant Gas: R600a
- LED Light
- Type: 4 Doors
- Noise: 35 dB

Refrigerator
- Function: Multi Flow
- Fruit And Vegetable Drawers: 2
- Vacation Mode: Available
- Door Shelves: 8
- Glass Shelves: 3
- Door Tray: 6

Freezer
- Function: Multi Flow Plus
- Freezer Section Right
- Function: Multi Flow Plus
- Fast Freeze Button: Included
- Cool Select Plus Compartment: -23°C, -18°C, -5°C, -1°C, 5°C
- Up Drawers: 2
- Middle Drawers: 2
- Down Drawers: 2


Comfort
- Antibacterial Treatment: Deodorizer
- Internal Control Panel: Electronic
- Door Open Acoustic Alarm: Included

Energy Consumption: 306 kWh/year

Internal View:



Technical Drawing (cm):
Dimensions (cm - WxDxH): 83.30x65.30x189.80



MODERN COLLECTION

RETRO REFRIGERATOR 45 L






IGTBI45U/1 - IVORY

Item Code: 29337002
EAN Code: 8022389030357

Refrigerator
- Total Capacity: 45 L
- Interior Temperature: 0° - 8°
- Steel Wire Rack
- Plastic Handle In Chromed Finishing
- Defrost Function
- Refrigerant Gas: R600a
- Mechanical Temperature Control

Energy Consumption: 80 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 44,70x53,40x55



Also Available:



IGTNM45U/1 - BLACK MATT

Item Code: 29337001
EAN Code: 8022389030340



IGTRF45U/1 - FIRE RED

Item Code: 29337003
EAN Code: 8022389030364



IGTLB45U/1 - LIGHT BLUE

Item Code: 29337004
EAN Code: 8022389030371

RETRO REFRIGERATOR 86 L





IGTNM86D/1 - BLACK MATT

Item Code: 29337005
EAN Code: 8022389030388

Refrigerator
- Total Capacity: 86 L
- Refrigerator Capacity: 60 L
- Interior Temperature: 0° - 8°
- 1 Glass Shelf
- 1 Vegetable Crisper With Cover
- Plastic Handle In Chromed Finishing
- Defrost Function
- Refrigerant Gas: R600a
- Mechanical Temperature Control

Freezer
- Freezer Capacity: 26 L
- Interior Temperature: ≤ -18°

Energy Consumption: 165 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 48,70x59,20x89,30



Also Available:



IGTBI86D/1 - IVORY

Item Code: 29337006
EAN Code: 8022389030395



IGTRF86D/1 - FIRE RED

Item Code: 29337007
EAN Code: 8022389030401



IGTLB86D/1 - LIGHT BLUE

Item Code: 29337008
EAN Code: 8022389030418

RETRO REFRIGERATOR 280 L





IGTLB280D/1 - LIGHT BLUE


Item Code: 29337012
EAN Code: 8022389030456

Refrigerator
- Total Capacity: 280 L
- Refrigerator Capacity: 210 L
- Interior Temperature: 0° - 8°
- 3 Glass Shelves
- 1 Vegetable Crisper With Cover
- Chrome Decoration In Glass Shelf
- Plastic Handle In Chromed Finishing
- No Frost Function
- Refrigerant Gas: R600a
- Electronic Temperature Control
- Inverter Motor

Freezer
- Freezer Capacity: 70 L
- Interior Temperature: ≤ -18°
- 1 Glass Shelf In Freezer

Energy Consumption: 214 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60,30x69,80x177



Also Available:



IGTNM280D/1 - BLACK MATT

Item Code: 29337009
EAN Code: 8022389030425



IGTBI280D/1 - IVORY

Item Code: 29337010
EAN Code: 8022389030432



IGTRF280D/1 - FIRE RED

Item Code: 29337015
EAN Code: 8022389030487

RETRO REFRIGERATOR 300 L





IGTRF300D/1 - FIRE RED


Item Code: 29337015
EAN Code: 8022389030487

Refrigerator
- Total Capacity: 300 L
- Refrigerator Capacity: 216 L
- Interior Temperature: 0° - 8°
- 3 Glass Shelves
- 1 Vegetable Crisper With Cover
- Chrome Decoration In Glass Shelf & Balcony
- Plastic Handle In Chromed Finishing
- Defrost Function
- Refrigerant Gas: R600a
- Mechanical Temperature Control

Freezer
- Freezer Capacity: 84 L
- Interior Temperature: ≤ -18°
- 3 Drawers

Energy Consumption: 219 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 59,90x62,80x192



Also Available:



IGTNM300D/1 - BLACK MATT

Item Code: 29337013
EAN Code: 8022389030463



IGTBI300D/1 - IVORY

Item Code: 29337014
EAN Code: 8022389030470



IGTLB300D/1 - LIGHT BLUE

Item Code: 29337016
EAN Code: 8022389030494

BUILT - IN FREEZER




GBP0518/0 FREEZER

Item Code: 29170074
EAN Code: 8022389030654

Freezer
- System: No Frost
- Freezer Capacity: 200 L Gross
- Temperature Control: Automatic (Sensor)
- Temperature: From -15 °C To -24 °C
- Independent Controls
- "Fast Freezing" Function: -24 °C For 24 H, Then Auto Reset
- Sabbath Mode
- 7 Drawers
- Refrigerant Gas: R600a
- Compressors: 1 (Inverter)
- Control Panel: Electronic

Energy Consumption: 232 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 54x55x177,69



BUILT - IN REFRIGERATOR




GBP0518/0 REFRIGERATOR

Item Code: 29170073
EAN Code: 8022389030647

Refrigerator
- Function: Multi Flow
- Fridge Capacity: 280 L Gross
- Temperature Control: Automatic (Sensor)
- Temperature: From 2 °C To 8 °C
- Internal Refrigerator Ventilation System
- Independent Controls
- Sabbath Mode
- Compressors: 1 (Inverter)
- Refrigerant Gas: R600a
- Super Fresh Vegetable Drawers: 2
- Door Shelves: 2
- Full Side Back Led Lit

Energy Consumption: 158 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 54x55x177,69



BUILT - IN REFRIGERATOR & FREEZER



GBP0719/0


Item Code: 29170072
EAN Code: 8022389030630

Refrigerator
- System: No Frost
- Fridge Capacity: 257 L Gross
- Temperature Control: Automatic (Sensor)
- Temperature: From 2 °C To 8 °C
- Internal Refrigerator Ventilation System
- Independent Controls: Fridge / Freezer
- Eco Mode
- Holiday Mode
- Compressors: 1 (Inverter)
- Refrigerant Gas: R600a
- Super Fresh Vegetable Drawers: 2
- Meat And Fish Drawer: 1
- Full Side Back Led Lit
- Vacation Mode: Available

Freezer
- System: No Frost
- Freezer Capacity: 84 L Gross
- Temperature: From -15 °C To -25 °C
- Eco Mode
- Holiday Mode
- 3 Drawers

Energy Consumption: 250 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 69x55x193,70





GBP0519/0


Item Code: 29170071
EAN Code: 8022389030623

Refrigerator
- System: No Frost
- Fridge Capacity: 200 L Gross
- Temperature Control: Automatic (Sensor)
- Temperature: From 2 °C To 8 °C
- Internal Refrigerator Ventilation System
- Independent Controls: Fridge / Freezer
- Eco Mode
- Holiday Mode
- Compressors: 1 (Inverter)
- Refrigerant Gas: R600a
- Full Side Back Led Lit
- Vacation Mode: Available

Freezer
- System: No Frost
- Freezer Capacity: 67 L Gross
- Temperature: From -15 °C To -25 °C
- Eco Mode
- Holiday Mode
- Fast Freezing Function
- 3 Drawers

Energy Consumption: 232 kWh/year

Technical Drawing (cm):
Dimensions (cm - WxDxH): 69x55x193,70



DISHWASHER




DB0613E0

Item Code: 29270101
EAN Code: 8022389025025

Dishwasher
- Place Settings: 14
- Washing Programs: 10
- Baskets: Lower And Upper
- Upper Basket Adjustment: 3 Levels
- Cutlery Drawer: Included
- Delay Timer: 24 H
- Electronic Timer
- Salt Level Gauge
- Rinse Aid Level Gauge
- Automatic Door Opening At End Of Cycle
- Acoustic Signal At End Of Cycle
- Floor Light At End Of Cycle
- Safety: Full Aqua - Stop
- Sensor: Turbidity Sensor
- Noise Level: 42 dB
- Temperature Range: 38 °C, 45 °C, 50 °C, 55 °C, 65 °C, 70 °C, 75 °C

Energy Consumption: 73 kWh/100 cycles

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x70



ELISIR 90



ELISIR 90

Item Code: 29200838
EAN Code: 8022389017112

Hood
- Finish: Stainless Steel
- Lighting: 3x1.2 W LED Spotlights
- Tangential Motor: 800 M^3/H
- Extraction Speeds: 3
- Grease Filters: 3 Metal
- Active Carbon Filters: 2
- Controls: Touch Control
- Remote Control: Included

Power Absorbed: 300 W

ELISIR 120




ELISIR 120

Item Code: 29200835
EAN Code: 8022389014326

Hood
- Finish: Stainless Steel
- Lighting: 3x1.2 W LED Spotlights
- Tangential Motor: 800 M^3/H
- Extraction Speeds: 3
- Grease Baffle Filters: 4 Metal
- Active Carbon Filters: 2
- Controls: Touch Control
- Remote Control: Included

Power Absorbed: 300 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50 | 120x50



MODERN COLLECTION

RAINBOW 60 - 90



Hood
- Active Carbon Filters: 2
- Frontal Control Buttons
- Remote Control


60 Cm
- Air Flow: 800 M^3/H
- Grease Filters: 2 Metal
- Extraction Speeds: 3 + Intensive Speed
- Lighting: 2x1.2 W LED Spotlights


Power Absorbed: 300 W

90 Cm
- Air Flow: 800 M^3/H
- Grease Filters: 3 Metal
- Extraction Speeds: 3 + Intensive Speed
- Lighting: 2x1.2 W LED Spotlights

Power Absorbed: 300 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50 / 90x50





Also Available:



RAINBOW HOOD - BLACK MATT - 60 CM
Item Code: 29200851
EAN Code: 8022389022086

RAINBOW HOOD - BLACK MATT - 90 CM
Item Code: 29200839
EAN Code: 8022389019406



RAINBOW HOOD - STAINLESS STEEL - 60 CM
Item Code: 29200853
EAN Code: 8022389022093

RAINBOW HOOD - STAINLESS STEEL - 90 CM
Item Code: 29200844
EAN Code: 8022389020891



RAINBOW HOOD - IVORY - 60 CM
Item Code: 29200850
EAN Code: 8022389022079

RAINBOW HOOD - IVORY - 90 CM
Item Code: 29200842
EAN Code: 8022389019413



RAINBOW HOOD - PEARL WHITE - 60 CM
Item Code: 29200852
EAN Code: 8022389022116

RAINBOW HOOD - PEARL WHITE - 90 CM
Item Code: 29200843
EAN Code: 8022389021331



RAINBOW HOOD - RED BURGUNDY - 60 CM
Item Code: 29200854
EAN Code: 8022389023922

RAINBOW HOOD - RED BURGUNDY - 90 CM
Item Code: 29200840
EAN Code: 8022389019420

VIOLET 90




VIOLET 90

Item Code: 29200600
EAN Code: 8022389018584

Hood
- Finish: Stainless Steel With Stainless Steel Trims
- Lighting: 2x1.2 W LED Spotlights
- Tangential Motor: 800 M^3/H
- Extraction Speeds: 4
- Grease Filter: 2 Metal
- Active Carbon Filter: 2
- Controls: Touch Control
- Remote Control: Included

Power Absorbed: 300 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



T90




T 90

Item Code: 29200800
EAN Code: 8022389018973

Hood
- Finish: Stainless Steel With
- Stainless Steel Trims
- Lighting: 14 W LED Bar
- Tangential Motor: 800 M^3/H
- Extraction Speeds: 3
- Grease Filters: 3 Metal
- Active Carbon Filters: 1
- Controls: Touch Control
- Remote Control: Included

Power Absorbed: 300 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



HOLLY 90




HOLLY 90

Item Code: 29200160
EAN Code: 8022389007861

Hood
- Finish: Stainless Steel With
- Brushed Stainless Steel Trims
- Lighting: 2x21 W LED Bar
- Tangential Motor: 800 M^3/H
- Extraction Speeds: 3
- Grease Filter: 1 Anti-Fat Metal
- Controls: Touch Control
- Remote Control: Included

Power Absorbed: 300 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



GARDENIA 90




GARDENIA 90

Item Code: 29200650
EAN Code: 8022389017402

Hood
- Lighting: 4x1.2 W LED Spotlights
- Tangential Motor: 800 M^3/H
- Extraction Speeds: 3 + Intensive Speed
- Grease Filter: 1 Metal
- Active Carbon Filter: 1

Power Absorbed: 300 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x30



TECHNICAL TABLES STAINLESS STEEL HOBS

MODEL	HL...6G0	HLS640	HLS6M0	HL...7A0	HL...7D0	HLS7B0
Aesthetics	Urano	Urano	Urano	Urano	Urano	Urano
Dimensions (WxDxH) cm	60x50	60x50	60x50	75x50	75x50	75x50
Power Absorbed	0.6 W	0.6 W	0.6 W	0.6 W	0.6 W	0.6 W
Gas Consumption	8.30 kW	12.15 kW	12.15 kW	11.10 kW	11.10 kW	11.10 kW
HOB FEATURES						
Type Of Hob	Gas	Gas	Gas	Gas	Gas	Gas
Number Of Gas Burners	4	4	4	5	5	5
Triple Crown Position	Low Left	-	-	Centre	Right	Left
Hob Trims	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Flat Edge	•	•	•	•	•	•
Thickness 0.70 mm	•	•	•	•	•	•
Electric Ignition Under Knob	•	•	•	•	•	•
Control Knobs	Frontal	Frontal	Frontal	Frontal	Frontal	Frontal
Cast Iron Pan Support	•	•	•	•	•	•
Iron Cast Type	Single	Single	Single & Double	Single	Single	Single
Gas-Stop Safety Device	•	•	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	-	-	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-	-	-
Frontal Touch Control	-	-	-	-	-	-
Ceramic Cutlery Tray	-	-	-	-	-	-
Ref. Page.	158	159	159	160	161	162

MODEL	HL...9A0	HLS9C0	HLS9B0	HL...9D0	HLS9U0	HLS9S0
Aesthetics	Nettuno	Nettuno	Nettuno	Nettuno	Sole	Plutone
Dimensions (WxDxH) cm	90x50	90x50	90x50	90x50	90x50	90x50
Power Absorbed	0.6 W	0.6 W	0.6 W	0.6 W	0.6 W	0.6 W
Gas Consumption	11.10 kW	11.10 kW	10.90 kW	10.90 kW	11.10 kW	11.10 kW
HOB FEATURES						
Type Of Hob	Gas	Gas	Gas	Gas	Gas	Gas
Number Of Gas Burners	5	5	5	5	5	6
Triple Crown Position	Centre	Centre	Left	Right	Right	Low Left
Hob Trims	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Flat Edge	•	•	•	•	•	•
Thickness 0.70 mm	•	•	•	•	•	•
Electric Ignition Under Knob	•	•	•	•	•	•
Control Knobs	Frontal	Frontal	Frontal	Frontal	Frontal	Frontal
Cast Iron Pan Support	•	•	•	•	•	•
Iron Cast Type	Single	Single & Double	Single & Double	Single	Single & Double	Single
Gas-Stop Safety Device	•	•	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-	-	-
Frontal Touch Control	-	-	-	-	-	-
Ceramic Cutlery Tray	-	-	-	-	•	-
Ref. Page.	163	164	164	165	166	166

TECHNICAL TABLES STAINLESS STEEL HOBS

MODEL	HDS690	HDS640	HDS7T0	HDS9E0	HDS9T0
Aesthetics	Artes	Artes	Artes	Artes	Artes
Dimensions (WxDxH) cm	60x50	60x50	75x50	90x50	90x50
Power Absorbed	0.6 W	0.6 W	0.6 W	0.6 W	0.6 W
Gas Consumption	12.15 kW	16.70 kW	11.30 kW	11.30 kW	11.30 kW
HOB FEATURES					
Type Of Hob	Gas	Gas	Gas	Gas	Gas
Number Of Gas Burners	4	4	5	5	5
Triple Crown Position	Low Left	-	Left	Centre	Left
Hob Trims	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Flat Edge	•	•	•	•	•
Thickness 0.70 mm	•	•	•	•	•
Electric Ignition Under Knob	•	•	•	•	•
Control Knobs	Frontal	Frontal	Frontal	Frontal	Frontal
Cast Iron Pan Support	•	•	•	•	•
Iron Cast Type	Double	Double	Double	Double	Double
Gas-Stop Safety Device	•	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-	-
Max Input Burners Dual Crown Burner (135 mm)	3.70 kW	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-	-
Frontal Touch Control	-	-	-	-	-
Ceramic Cutlery Tray	-	-	-	-	-
Ref. Page.	167	167	168	169	169

TECHNICAL TABLES GLASS HOBS

MODEL	HGN310	HGN320	HG...6H0	HG...6G0	HG...7E0
Aesthetics	Diadema	Diadema	Mercurio	Mercurio	Mercurio
Dimensions (WxDxH) cm	30x50	30x50	60x50	60x50	75x50
Power Absorbed	0,60 W	0,60 W	0,60 W	0,60 W	0,60 W
Gas Consumption	2.80 kW	3.70 kW	8.30 kW	8.30 kW	11.10 kW
HOB FEATURES					
Type Of Hob	Gas	Gas	Gas	Gas	Gas
Number Of Gas Burners	1	2	4	4	5
Triple Crown Position	Central	-	Low Left	Low Left	Centre
Hob Trims	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Flat Edge	•	•	•	•	•
Thickness 0.70 mm	•	•	•	•	•
Electric Ignition Under Knob	•	•	•	•	•
Control Knobs	Frontal	Frontal	Side	Frontal	Frontal
Cast Iron Pan Support	•	•	•	•	•
Iron Cast Type	Single	Single	Single	Single	Single
Gas-Stop Safety Device	•	•	•	•	•
Max Input Burners Auxiliary Burner	-	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	-	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	-	-	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	-	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-	-
Frontal Touch Control	-	-	-	-	-
Ceramic Cutlery Tray	-	-	-	-	-
Ref. Page.	170	170	171	172	174

MODEL	HG...950	HG...9E0	HG...9B0	HGN190
Aesthetics	Marte	Marte	Marte	Vega
Dimensions (WxDxH) cm	90x50	90x50	90x50	112x40
Power Absorbed	0,60 W	0,60 W	0,60 W	0,60 W
Gas Consumption	10.90 kW	11.10 kW	10.90 kW	12.65 kW
HOB FEATURES				
Type Of Hob	Gas	Gas	Gas	Gas
Number Of Gas Burners	5	5	5	5
Triple Crown Position	Right	Centre	Left	Left
Hob Trims	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Flat Edge	•	•	•	•
Thickness 0.70 mm	•	•	•	•
Electric Ignition Under Knob	•	•	•	•
Control Knobs	Frontal	Frontal	Frontal	Frontal
Cast Iron Pan Support	•	•	•	•
Iron Cast Type	Single	Single	Single	Single
Gas-Stop Safety Device	•	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
Frontal Touch Control	-	-	-	-
Ceramic Cutlery Tray	-	-	-	-
Ref. Page.	176	177	178	179

TECHNICAL TABLES GAS INDUCTION HOBS

MODEL	HIN612	HGN622I	HGN9G2I	HGN924IB	HL...9G2I
Aesthetics	Luna	Dione	Dione	Dione	Nettuno
Dimensions (WxDxH) cm	60x50	60x50	90x50	90x50	90x50
Power Absorbed	3400 W	2700 W	3600 W	7200 W	3600 W
Gas Consumption	3.90 kW	11.10 kW	8.30 kW	4.55 kW	8.30 kW
HOB FEATURES					
Type Of Hob	Gas / Induction	Gas / Induction	Gas / Induction	Gas / Induction	Gas / Induction
Number Of Gas Burners	1	2	4	2	4
Triple Crown Position	Right	-	Low Left	-	Low Left
Hob Trims	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Flat Edge	•	•	•	•	•
Thickness 0.70 mm	•	•	•	•	•
Electric Ignition Under Knob	•	-	•	•	•
Control Knobs	Frontal	Frontal	Frontal	Frontal	Frontal
Cast Iron Pan Support	•	•	•	•	•
Iron Cast Type	Single	Single	Single	Single	Single
Gas-Stop Safety Device	•	•	•	•	•
Max Input Burners Auxiliary Burner	-	1.10 kW	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	-	-	1.75 kW	-	1.75 kW
Max Input Burners Rapid Burner	-	2.80 kW	2.80 kW	2.80 kW	-
Max Input Burners Triple Crown Burner	3.70 kW	-	3.70 kW	-	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-	-
Number Of Electric Zones	2	2	2	4	2
N. Of Power Levels	9	9	9	9	9
Booster Max. Input Induction Zone Ø 145 mm	1600 W	1600 W	1600 W	1600 W	1200 W
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-	-	-
Booster Max. Input Bridge Zone	-	-	-	3700 W	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	2000 W	2000 W	2000 W	2000 W	1500 W
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-	-
Booster Level	•	•	•	•	•
Heating Accelerator	•	•	•	•	•
Limiter To 7.400 W	•	•	•	•	•
Child Lock	•	•	•	•	•
Power Indicator	•	•	•	•	•
Residual Heat Indicator Light	•	•	•	•	•
Timer	•	•	•	•	•
Frontal Touch Control	•	•	•	•	•
Ceramic Cutlery Tray	-	-	-	-	-
Ref. Page.	180	181	182	183	184

TECHNICAL TABLES INDUCTION HOBS

MODEL	HIN302	HIN604B	HIN906B	HIN9042BA
Aesthetics	Luna	Luna	Luna	Luna
Dimensions (WxDxH) cm	30x50	60x50	90x50	90x50
Power Absorbed	3600 W	3600 W	11100 W	7400 W
Gas Consumption	-	-	-	-
HOB FEATURES				
Type Of Hob	Induction	Induction	Induction	Induction
Number Of Gas Burners	-	-	-	-
Triple Crown Position	-	-	-	-
Hob Trims	-	-	-	-
Flat Edge	•	•	•	•
Thickness 0.70 mm	•	•	•	•
Electric Ignition Under Knob	-	-	-	-
Control Knobs	Frontal	Frontal	Frontal	Frontal
Cast Iron Pan Support	-	-	-	-
Iron Cast Type	-	-	-	-
Gas-Stop Safety Device	-	-	-	-
Max Input Burners Auxiliary Burner	-	-	-	-
Max Input Burners Semi - Rapid Burner	-	-	-	-
Max Input Burners Rapid Burner	-	-	-	-
Max Input Burners Triple Crown Burner	-	-	-	-
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
Number Of Electric Zones	2	4	6	4
Number Of Bridge Zones	-	1	3	2
N. Of Power Levels	9	9	9	9
Booster Max. Input Induction Zone Ø 145 mm	1600 W	1600 W	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Bridge Zone	-	3700 W	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	2000 W	2000 W	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-	-
Circle Heating Zones	-	-	2100 - 3000 W	2100 - 2700 W
Bridge Heating Zones	-	-	1500 - 1850 W	4200 - 7400 W
Booster Level	•	•	•	•
Heating Accelerator	•	•	•	•
Limiter To 7.400 W	•	•	•	•
Child Lock	•	•	•	•
Power Indicator	•	•	•	•
Residual Heat Indicator Light	•	•	•	•
Timer	•	•	•	•
Frontal Touch Control	•	•	•	•
Ceramic Cutlery Tray	-	-	-	-
Ref. Page.	186	187	188	189

TECHNICAL TABLES VITRO CERAMICS HOBS

MODEL	VENERE 30	VENERE 60	VENERE 90
Aesthetics	Venere	Venere	Venere
Dimensions (WxDxH) cm	30x50	60x50	90x50
Power Absorbed	3000 W	6800 W	8600 W
Gas Consumption	-	-	-
HOB FEATURES			
Type Of Hob	Vitro Ceramic	Vitro Ceramic	Vitro Ceramic
Number Of Gas Burners	2	4	5
Triple Crown Position	-	-	-
Hob Trims	-	-	-
Flat Edge	-	-	-
Thickness 0.70 mm	•	•	•
Electric Ignition Under Knob	•	-	•
Control Knobs	Frontal	Frontal	Frontal
Cast Iron Pan Support	-	-	-
Iron Cast Type	-	-	-
Gas-Stop Safety Device	-	-	-
Max Input Burners Auxiliary Burner	-	-	-
Max Input Burners Semi - Rapid Burner	-	-	-
Max Input Burners Rapid Burner	-	-	-
Max Input Burners Triple Crown Burner	-	-	-
Max Input Burners Dual Crown Burner (125 mm)	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-
Number Of Electric Zones	2	4	5
N. Of Power Levels	9	9	9
Booster Max. Input Induction Zone Ø 145 mm	1200 W	1200 W	1200 W
Booster Max. Input Induction Zone Ø 150 mm	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	1400 W	1400 W	1400 W
Booster Max. Input Bridge Zone	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	2200 W	2200 W
Booster Max. Input Induction Zone Ø 260 mm	-	2200 W	2200 W
Booster Level	•	•	•
Heating Accelerator	•	•	•
Limiter To 7.400 W	•	•	•
Child Lock	•	•	•
Power Indicator	•	•	•
Residual Heat Indicator Light	•	•	•
Timer	•	•	•
Frontal Touch Control	•	•	•
Ceramic Cutlery Tray	-	-	-
Ref. Page.	190	191	192

TECHNICAL TABLES OVENS

MODEL	FO...69EE	FOV...66GE	FQV...6TEE	FDS69EE	FDS66TE
Aesthetics	Gaia	Gaia	Gemma	Leda	Leda
Dimensions (WxDxH) cm	60x55x60	60x55x60	60x55x60	60x55x60	60x55x60
Power Absorbed	2600 W	1600 W	3500 W	2600 W	2600 W
Gas Consumption	-	12.80 kW	-	-	-
OVEN FEATURES					
Push-Pull Knobs	•	-	-	-	-
Touch Control	•	•	•	-	-
Timer	Electronic Digital	Digital Timer	Digital Timer	Analog Timer	Analog Timer
Programmer Type	-	-	Electronic Digital	-	-
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	•	-	-	-
Number Of Fan	1	1	1	1	1
Tempered Triple Glass Door	•	•	•	•	•
Cooling Fan	•	•	•	•	•
Rotisserie Function	•	•	•	-	•
"Easy To Clean" Enamel	-	-	-	-	-
OVEN	Multifunction Electric	Convection Gas	Multifunction Electric	Multifunction Electric	Multifunction Electric
Internal Dimensions (WxDxH) cm	48x40,60x37	48x40,60x37	47.90x40x36.90	48x40,60x37	48x40,60x37
Cooking Programs	10	6	12	9	6
Max Temperature (°C)	250 °C	250 °C	250 °C	260 °C	260 °C
Gross Capacity (L)	72 L	72 L	72 L	72 L	72 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Fixed	Fixed
Wire Shelf	1	1	1	1	1
Enamel Tray	1	1	1	1	1
Max Power Absorbed By Bottom Heat	1650 W	-	1650 W	1650 W	1650 W
Max Power Absorbed By Top Heat	900 W	-	900 W	900 W	900 W
Max Power Absorbed By Grill	1500 W	1750 W	1500 W	1500 W	1500 W
Max Power Absorbed By Maxi - Grill	2400 W	-	2400 W	2400 W	2400 W
Max Power Absorbed By Fan	2000 W	-	2000 W	2000 W	2000 W
Max Gas Burner Consumption	-	3.30 kW	-	-	-
Ref. Page.	194	196	198	200	200

MODEL	FDS66GE	FFV66GE	FFV6TEE	FFV...9TEE	FO...99EE
Aesthetics	Leda	Flexo	Flexo	Flexo	Gaia
Dimensions (WxDxH) cm	60x55x60	60x55x60	60x55x60	90x55x60	90x55x60
Power Absorbed	1600 W	1600 W	2700 W	3500 W	3100 W
Gas Consumption	11.10 kW	11.10 kW	-	-	-
OVEN FEATURES					
Push-Pull Knobs	-	-	-	-	-
Touch Control	-	•	•	-	-
Timer	Analog Timer	Digital Timer	Digital Timer	Digital Timer	-
Programmer Type	-	-	Electronic Digital	Electronic Digital	Electronic Digital
Grill Type	Electric Grill	Electric Grill	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	•	-	-	-
Number Of Fan	1	1	1	1	1
Tempered Triple Glass Door	•	•	•	•	•
Cooling Fan	•	•	•	•	•
Rotisserie Function	•	•	•	-	-
"Easy To Clean" Enamel	-	-	-	-	-
OVEN	Convection Gas	Convection Gas	Multifunction Electric	Multifunction Electric	Multifunction Electric
Internal Dimensions (WxDxH) cm	48x40,60x37	48x40,60x37	47.90x40x36.90	67.20x40.60x37.60	67.20x40.60x37.60
Cooking Programs	6	6	12	12	9
Max Temperature (°C)	250 °C	250 °C	250 °C	260 °C	270 °C
Gross Capacity (L)	72 L	72 L	72 L	101 L	101 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	1	1	1	1	1
Enamel Tray	1	1	1	1	1
Max Power Absorbed By Bottom Heat	-	-	1650 W	1750 W	1750 W
Max Power Absorbed By Top Heat	-	-	900 W	1000 W	1000 W
Max Power Absorbed By Grill	1750 W	1750 W	1500 W	2000 W	2000 W
Max Power Absorbed By Maxi - Grill	-	-	2400 W	3000 W	3000 W
Max Power Absorbed By Fan	-	-	2000 W	2500 W	2500 W
Max Gas Burner Consumption	3.30 kW	3.30 kW	-	-	-
Ref. Page.	201	202	202	203	204

TECHNICAL TABLES OVENS

MODEL	FQ...9TEE	FAS96GE	FYS99EE
Aesthetics	Gemma	Etna	Onyx
Dimensions (WxDxH) cm	90x55x60	90x55x60	90x55x60
Power Absorbed	3600 W	1800 W	3100 W
Gas Consumption	-	5.00 kW	-
OVEN FEATURES			
Push-Pull Knobs	-	-	-
Touch Control	•	•	-
Timer	-	Digital & Electromechanical Timer	-
Programmer Type	Electronic Digital	-	Electronic Digital
Grill Type	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	•	-
Number Of Fan	1	1	1
Tempered Triple Glass Door	•	•	•
Cooling Fan	•	•	•
Rotisserie Function	-	•	•
"Easy To Clean" Enamel	-	-	-
OVEN	Multifunction Electric	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	67.20x40.60x37.60	67.20x40.60x37.60	60,20x39x37,60
Cooking Programs	12	6	9
Max Temperature (°C)	270 °C	260 °C	270 °C
Gross Capacity (L)	101 L	101 L	90 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Fixed
Wire Shelf	1	1	1
Enamel Tray	1	1	1
Max Power Absorbed By Bottom Heat	1750 W	-	1750 W
Max Power Absorbed By Top Heat	1000 W	-	1000 W
Max Power Absorbed By Grill	2000 W	1750 W	2000 W
Max Power Absorbed By Maxi - Grill	3000 W	-	3000 W
Max Power Absorbed By Fan	2500 W	-	2500 W
Max Gas Burner Consumption	-	3.30 kW	-
Ref. Page.	205	206	207

TECHNICAL TABLES MICROWAVE OVENS

MODEL	FM...TME	FM...25ME
Aesthetics	Professional	Professional
Dimensions (WxDxH) cm	59,50x54,20x45,50	59.50x58.90x38.70
Control	Touch Control	Touch Control
Trims	Stainless Steel	Stainless Steel
Power Absorbed	3400 W	1440 W
MICROWAVE OVEN FEATURES		
Cooking Functions	6	6
Cooking Levels	4	4
Microwave Power	1000 W	900 W
Grill Power	1550 W	1200 W
Gross Capacity	32 L	25 L
Electric Grill	•	•
Cooking Timer	•	•
Display	LED Display	LED Display
Cavity	Stainless Steel	Stainless Steel
Turntable Ø	32 cm	32 cm
Oven Guide	Fixed	Fixed
Ref. Page	208	209

TECHNICAL TABLES RANGE TOPS

MODEL	TAS96/5	TAS96/5I	TAS126/7
Aesthetics	Professional	Professional	Professional
Dimensions (WxDxH) cm	90x60x20	90x60x20	120x60x20
Power Absorbed	-	8400 W	-
Gas Consumption	12.15 kW	-	16.90 kW
HOB FEATURES			
Type Of Hob	Gas	Induction	Gas
Number Of Gas Burners	5	-	-
Triple Crown Position	Centre	-	Centre
Hob Trims	Stainless Steel	Stainless Steel	Stainless Steel
Flat Edge	•	-	•
Thickness 0.70 mm	•	-	•
Electric Ignition Under Knob	•	-	•
Control Knobs	Frontal	Frontal	Frontal
Cast Iron Pan Support	•	-	•
Iron Cast Type	Double	-	Double
Gas-Stop Safety Device	•	-	•
Max Input Burners Auxiliary Burner	1.10 kW	-	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	-	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	-	2.80 kW
Max Input Burners Triple Crown Burner	3.50 kW	-	3.50 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	3.90 kW
Max Input Burners Dual Crown Burner (145 mm)	-	-	4.50 kW
Number Of Electric Zones	-	4	-
N. Of Power Levels	-	9	-
Booster Max. Input Induction Zone Ø 145 mm	-	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	1400 W	-
Booster Max. Input Induction Zone Ø 190 mm	-	2000 W	-
Booster Max. Input Induction Zone Ø 210 mm	-	3000 W	-
Booster Max. Input Induction Zone Ø 260 mm	-	3000 W	-
Booster Max. Input Bridge Zone	-	-	-
Booster Level	-	•	-
Heating Accelerator	-	•	-
Limiter To 7.400 W	-	•	-
Child Lock	-	•	-
Power Indicator	-	•	-
Residual Heat Indicator Light	-	•	-
Timer	-	•	-
Frontal Touch Control	-	•	-
BBQ Zone	-	-	-
Ref. Page.	210	211	212

TECHNICAL TABLES WARMING DRAWERS

MODEL	W...66A
Aesthetics	Professional
Dimensions (WxDxH) cm	59,50x55,70x14,50
Trims	Stainless Steel
Power Absorbed	420 W
WARMING DRAWER FEATURES	
On/Off Switch Lights	•
Max. Temperature	80 °C
Warm Air Circulation System	Electric Grill
Warming Levels	4
Anti-Slip Mat	•
Ref. Page.	213

TECHNICAL TABLES COFFEE MACHINE

MODEL	YBI66T
Aesthetics	Professional
Dimensions (WxDxH) cm	60x40x45
Power Absorbed	1350 W
Dispensing Head Height	Adjustable 80–110 mm
Trims	Stainless Steel
COFFEE MACHINE FEATURES	
Machine Type	Fully Automatic
Cups Per Cycle	1 - 2
Heating Time	3 minutes
Energy Saving	Stand-by Mode
Electronic Control	•
Pre-Brewing Temperature	•
Brewing Temperature	•
Grinding Quantity	•
Water Hardness	•
Operating Time	•
Switch-Off Time	•
Cleaning Programme	•
Descaling Programme	•
Water Tank	1.8 L
Bean Container	200 g
Grounds Container	14 units
Milk Carafe	0,75 L
Water Tank	1.8 L
Ref. Page	214

TECHNICAL TABLES WINE COOLER

MODEL	ZBP...24M	ZBP...41MD
Aesthetics	Professional	Professional
Dimensions (WxDxH) cm	59x54x46	60x54x88
Energy Consumption	138 kWh/year	147 kWh/year
Trims	Stainless Steel	Stainless Steel
WINE COOLER FEATURES		
Capacity	24 Bottles	41 Bottles
Volume	57 L	132 L
Temperature Zones	-	Dual Zone
Internal Micro-Ventilation	•	•
Electronic Thermostat	•	•
Temperature Control	From 5 °C - 22 °C	From 5 °C - 22 °C
Sliding Wooden Shelves	3	5
Auto Defrost	•	•
Internal LED Light	•	•
Refrigerant Gas	R600a	R600a
Ref. Page	216	218

TECHNICAL TABLES RETRO' REFRIGERATORS

MODEL	IGT...45U/1	IGT...86D/1	IGT...280D/1	IGT...300D/1
Aesthetics	Retro	Retro	Retro	Retro
Dimensions (WxDxH) cm	44,70x53,40x55	48,70x59,20x89,30	60,30x69,80x157	59,90x62,80x192
Type Of Refrigerator	Table Top	Combo	Combo	Combo
Trims	Chrome	Chrome	Chrome	Chrome
Energy Consumption	80 kWh/year	165 kWh/year	280 kWh/year	219 kWh/year
REFRIGERATOR FEATURES				
Total Capacity	45 L	86 L	280 L	300 L
Number Of Compressors	1	1	1	1
Inverter	-	-	•	-
Temperature Control	Mechanical Temperature Control	Mechanical Temperature Control	Mechanical Temperature Control	Mechanical Temperature Control
Independent Refrigerator	-	-	•	•
Steel Wire Rack	•	•	-	-
Freezer Control	-	•	•	•
Refrigerant Gas	R600a	R600a	R600a	R600a
Adjustable Legs	•	•	•	•
FRIDGE FEATURES				
Gross Capacity (L)	45 L	60 L	210 L	216 L
Interior Temperature	0° - 8°	0° - 8°	0° - 8°	0° - 8°
N. Of Glass Shelf	-	3	2	2
Vegetable crisper with cover	•	•	•	•
Glass Shelves	-	-	•	•
Door Shelves	1	4	2	2
Defrost Function	•	•	"No Frost"	•
Egg Container	•	•	•	•
Bottle Compartment	•	•	•	•
FREEZER FEATURES				
Gross Capacity (L)	-	26 L	70 L	84 L
Interior Temperature	-	≤ -18°	≤ -18°	≤ -18°
Drawers	-	1	1	1
COMFORT				
Noise Level	42 dB	37 dB	42 dB	41 dB
Ref. Page	222	224	226	228

TECHNICAL TABLES FREE STANDING REFRIGERATORS

MODEL	GFP...918	GFP...819
Aesthetics	Professional	Professional
Dimensions (WxDxH) cm	91x69.80x179.30	83.30x65.30x189.80
Type Of Refrigerator	Side By Side	Quattroporte
Trims	Stainless Steel	Stainless Steel
Energy Consumption	324 kWh/year	306 kWh/year
REFRIGERATOR FEATURES		
"No Frost Premium" System	•	•
Number Of Evaporator	1	1
Number Of Compressors	1	1
Digital Inverter	•	•
Automatic Temperature Control	•	•
Independent Refrigerator Control	•	•
Independent Freezer Control	•	•
Triple Refrigeration Circuit	•	•
LED Light	•	•
Noise	41 dB	35 dB
Storage Autonomy Without Electricity	12 H	12 H
Refrigerant Gas	R600a	R600a
FRIDGE FEATURES		
Net Capacity (L)	372 L	345 L
"Multi Flow" Function	•	•
N. Of "Superfresh" Vegetable Drawers	2	2
N. Of "Meat And Fish" Drawers	1	1
"Vacation" Mode	•	•
Glass Shelves	3	3
Door Shelves	8	8
Door Tray	6	6
FREEZER FEATURES		
Net Capacity (L)	197 L	170 L
N. Of Freezer Section	2	2
Fast Freeze Button Left Section	-	-
Ice Cube Container	-	-
Rotable Ice Cube Container	-	-
Glass Shelf	-	-
Door Tray	-	-
Drawers	-	-
LEFT SECTION		
"Multi Flow" Function Left Section	•	•
Fast Freeze Button Left Section	•	•
N. Of Drawers	3	3
RIGHT SECTION		
"Multi Flow" Function Left Section	•	•
Fast Freeze Button Left Section	•	•
N. Of Drawers	3	3
"Cool Select Plus" Compartment	From -23 °C to +5 °C	From -23 °C to +5 °C
COMFORT		
Antibacterical Treatment	Deodorizer	Deodorizer
Beverage Dispenser	•	-
Internal Electronic Control Panel	•	•
Acoustic Signaling Of Door Opening	•	•
Ref. Page	220	221

TECHNICAL TABLES BUILT-IN REFRIGERATORS

MODEL	GBP0518/0 Freezer	GBP0518/0 Refrigerator	GBP0719/0	GBP0519/0
Aesthetics	Professional	Professional	Professional	Professional
Dimensions (WxDxH) cm	540x550x1776,90	540x550x1776,90	690x550x1937	540x550x1937
Energy Consumption	232 kW	158 kW	250 kW	232 kW
REFRIGERATOR FEATURES				
"No Frost" System	•	•	•	•
Number Of Evaporator	1	1	1	1
Number Of Compressors	1	1	1	1
Digital Inverter	•	•	•	•
Automatic Temperature Control	•	•	•	•
Independent Refrigerator	•	•	•	•
Freezer Control	•	•	•	•
Refrigerant Gas	R600a	R600a	R600a	R600a
FRIDGE FEATURES				
Gross Capacity (L)	-	280 L	257 L	200 L
N. Of "Superfresh" Vegetable Drawers	-	2	2	-
"Vacation" Mode	-	•	•	•
Glass Shelves	-	4	4	4
Door Shelves	-	2	3	2
Egg Container	-	1	1	1
Bottle Compartment	-	•	•	•
FREEZER FEATURES				
Gross Capacity (L)	200 L	-	84 L	67 L
Fast Cooling Button	-	•	•	•
Fast Freeze Button	•	-	•	•
COMFORT				
Acoustic Signaling Of Door Opening	•	-	•	•
Ref. Page	230	230	231	231

TECHNICAL TABLES DISHWASHER

MODEL	DB0613E0
Aesthetics	Professional
Dimensions (WxDxH) cm	60x70
Energy Consumption	73 kWh/100 cycles
DISHWASHER FEATURES	
Place Settings	14
Washing Programs	10
Lower Basket	•
Upper Basket	•
Cutlery Drawer	•
Adjustment Levels	3
Max Washing Temperature	75 °C
Delay Timer	24 H
Electronic Timer	•
Salt Level Gauge	•
Rinse Aid Level Gauge	•
Full Aqua - Stop	•
Turbidity Sensor	•
Automatic Opening At End Of Cycle	•
Floor Light At The End Of The Cycle	•
Noise	42 dB
Ref. Page	232

TECHNICAL TABLES HOODS

MODEL	Elisir Hood 90	Elisir Hood 120	Rainbow Hood 60	Rainbow Hood 90
Aesthetics	Elisir	Elisir	Rainbow	Rainbow
Dimensions (WxDxH) cm	60x50	90x50	60x50	90x50
Control Panel	Frontal	Frontal	Frontal	Frontal
Remote Control	•	•	•	•
Touch Control	•	•	-	-
Hob Trims	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Power Absorbed	300 W	300 W	300 W	300 W
HOOD FEATURES				
Active Carbon Filters	2	2	2	2
Air Flow	800 m^3/h	800 m^3/h	800 m^3/h	800 m^3/h
Grease Filters	3	4	2	3
Extraction Speeds	3	3	3 + Intensive Speed	3 + Intensive Speed
Lighting LED Spotlights	3x1.2 W	3x1.2 W	2x1.2 W	2x1.2 W
Ref. Page	233	233	234	234

MODEL	Violet 90	T 90	Holly 90	Gardenia 90
Aesthetics	Violet	T	Holly	Gardenia
Dimensions (WxDxH) cm	90x50	90x50	90x50	90x50
Control Panel	Frontal	Frontal	Frontal	Frontal
Remote Control	•	•	•	-
Touch Control	•	•	•	-
Hob Trims	Stainless Steel	Stainless Steel	Brushed Stainless Steel	Stainless Steel
Power Absorbed	300 W	300 W	270 W	300 W
HOOD FEATURES				
Active Carbon Filters	1	2	-	1
Air Flow	800 m^3/h	800 m^3/h	800 m^3/h	800 m^3/h
Grease Filters	2	3	1	1
Extraction Speeds	4	3	3	3 + Intensive Speed
Lighting LED Spotlights	2x12 W	14 W LED Bar	2x21 W LED Bar	4x12 W
Ref. Page	236	237	238	239

Dolcevita Collection

The essence of Italian elegance

A warm, cozy atmosphere

The Dolcevita gas cooktop collection perfectly captures the classic charm of Italian tradition through a familiar, timeless design. Its refined, retro spirit infuses the kitchen with warmth, transforming it into an elegant haven where tradition meets the reliability of modern technology.

This range allows you to create a fully coordinated ecosystem. From 60 and 90 cm ovens and 25 liter microwaves to built-in coffee machines, warming drawers and range hoods, all the way to the refrigeration suite featuring massive side by side, freestanding Quattroporte refrigerators and dedicated wine coolers, every element shares the collection's iconic style.

Available in the line's distinctive colors and finishes, each element allows for deep customization. Beneath the traditional lines lies cutting-edge technology that guarantees absolute precision and stability.

It is a perfect balance between beauty and functionality, designed to celebrate the pleasure of cooking every single day.





DOLCEVITA COLLECTION

DOLCEVITA 60



HRA6G0 - OATMEAL

Brass Trims

Item Code: 29210226
EAN Code: 8022389010311

Chrome Trims

Item Code: 29210245
EAN Code: 8022389027258

Bronze Trims


Item Code: 29210227
EAN Code: 8022389010847

Hob
- Burners: 3 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm


Gas Consumption: 8.30 kW

Available also in other colors upon request and special production

Cooktop Layout:
1 Auxiliary | 1 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50



Also Available:



HRNM6G0 - BLACK MATT

Brass Trims
Item Code: 29210223
EAN Code: 8022389010281

Chrome Trims
Item Code: 29210241
EAN Code: 8022389024677

Bronze Trims
Item Code: 29210230
EAN Code: 8022389010991



HRS6G0 - STAINLESS STEEL

Brass Trims
Item Code: 29210222
EAN Code: 8022389010274

Chrome Trims
Item Code: 29210240
EAN Code: 8022389024875

Bronze Trims
Item Code: 29210228
EAN Code: 8022389010953



HRBP6G0 - PEARL WHITE

Brass Trims
Item Code: 29210239
EAN Code: 8022389023595

Chrome Trims
Item Code: 29210243
EAN Code: 8022389024974

Bronze Trims
Item Code: 29210244
EAN Code: 8022389024967



HRBI6G0 - IVORY

Brass Trims
Item Code:: 29210224
EAN Code: 8022389010298

Chrome Trims
Item Code: 29210242
EAN Code: 8022389024950

Bronze Trims
Item Code: 29210231
EAN Code: 8022389010984

DOLCEVITA 75



HRS7A0 - STAINLESS STEEL

Brass Trims

Item Code: 29220216
EAN Code: 8022389012261

Chrome Trims

Item Code: 29220222
EAN Code: 8022389026497

Bronze Trims

Item Code: 29220223
EAN Code: 8022389026688


Hob

- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm


Gas Consumption: 11.10 kW

Available also in other colors upon request and special production

Cooktop Layout:
1 Auxiliary | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 70x50



Also Available:



HRNM7A0 - BLACK MATT

Brass Trims
Item Code: 29220218
EAN Code: 8022389012285

Chrome Trims
Item Code: 29220217
EAN Code: 8022389026015

Bronze Trims
Item Code: 29220209
EAN Code: 8022389011035



HRBI7A0 - IVORY

Brass Trims
Item Code: 29220215
EAN Code: 8022389012278

Chrome Trims
Item Code: 29220224
EAN Code: 8022389026039

Bronze Trims
Item Code: 29220210
EAN Code: 8022389011042



HRA7A0 - OATMEAL

Brass Trims
Item Code: 29220226
EAN Code: 8022389027265

Chrome Trims
Item Code: 29220227
EAN Code: 8022389027272

Bronze Trims
Item Code: 29220211
EAN Code: 8022389011059

DOLCEVITA 90



HRNM9A0 - BLACK MATT

Brass Trims

Item Code: 29230228
EAN Code: 8022389011998

Chrome Trims

Item Code: 29230249
EAN Code: 8022389026008

Bronze Trims

Item Code: 29230242
EAN Code: 8022389021805


Hob

- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs
- Flat Edge
- Thickness 0.70 mm


Gas Consumption: 11.10 kW

Available also in other colors upon request and special production

Cooktop Layout:
1 Auxiliary | 2 Semi - Rapid | 1 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x50



Also Available:



HRS9A0 - STAINLESS STEEL

Brass Trims
Item Code: 29230238
EAN Code: 8022389018287

Chrome Trims
Item Code: 29230247
EAN Code: 8022389025995

Bronze Trims
Item Code: 29230248
EAN Code: 8022389025377



HRBP9A0 - PEARL WHITE

Brass Trims
Item Code: 29230235
EAN Code: 8022389017648

Chrome Trims
Item Code: 29230252
EAN Code: 8022389024165

Bronze Trims
Item Code: 29230253
EAN Code: 8022389024004



HRBI9A0 - IVORY

Brass Trims
Item Code: 29230230
EAN Code: 8022389016931

Chrome Trims
Item Code: 29230250
EAN Code: 8022389026022

Bronze Trims
Item Code: 29230251
EAN Code: 8022389024776



HRA9A0 - OATMEAL

Brass Trims
Item Code: 29230258
EAN Code: 8022389027289

Chrome Trims
Item Code: 29230259
EAN Code: 8022389027296

Bronze Trims
Item Code: 29230260
EAN Code: 8022389027302

DOLCEVITA 60



FRBI69EE - IVORY

Brass Trims

Item Code: 29320153
EAN Code: 8022389010243

Chrome Trims

Item Code: 29320188
EAN Code: 8022389014913

Bronze Trims


Item Code: 29320163
EAN Code: 8022389010823

Oven

- Multifunction Electric
- Cooking Programs: 9
- Gross Capacity: 72 L
- Maximum Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Analog Timer
- Electronic Programmer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1


"Easy To Clean" Blue Enameling
Cooling Fan

Power Absorbed: 2700 W



Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x60



Also Available:



FRNM69EE - BLACK MATT

Brass Trims
Item Code: 29320152
EAN Code: 8022389010236

Chrome Trims
Item Code: 29320187
EAN Code: 8022389014906

Bronze Trims
Item Code: 29320164
EAN Code: 8022389010830



FRS69EE - STAINLESS STEEL

Brass Trims
Item Code: 29320151
EAN Code: 8022389010229

Chrome Trims
Item Code: 29320238
EAN Code: 8022389024028

Bronze Trims
Item Code: 29320161
EAN Code: 8022389010892



FRBP69EE - PEARL WHITE

Brass Trims
Item Code: 29320193
EAN Code: 8022389018607

Chrome Trims
Item Code: 29320198
EAN Code: 8022389024158

Bronze Trims
Item Code: 29320199
EAN Code: 8022389024585



FRA69EE - OATMEAL

Brass Trims
Item Code: 29320298
EAN Code: 8022389027319

Chrome Trims
Item Code: 29320299
EAN Code: 8022389027326

Bronze Trims
Item Code: 29320160
EAN Code: 8022389010960

DOLCEVITA 60 Gas Oven



FRS66GE - STAINLESS STEEL

Brass Trims

Item Code: 29320196
EAN Code: 8022389021706

Chrome Trims

Item Code: 29320239
EAN Code: 8022389024943

Bronze Trims

Item Code: 29320240
EAN Code: 8022389024936

Oven

- Convection Gas
- Gas-Stop Safety Device
- Gross Capacity: 72 L
- Maximum Temperature: 250 °C
- Electric Grill
- Rotisserie Function
- Analog Timer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1

"Easy To Clean" Blue Enameling
Cooling Fan


Power Absorbed: 1600 W
Gas Consumption: 2.50 kW



Available also with gas grill upon request and special production

Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x60



Also Available:



FRNM66GE - BLACK MATT

Brass Trims
Item Code: 29320194
EAN Code: 8022389021027

Chrome Trims
Item Code: 29320241
EAN Code: 8022389024837

Bronze Trims
Item Code: 29320242
EAN Code: 8022389024578



FRBI66GE - IVORY

Brass Trims
Item Code: 29320195
EAN Code: 8022389020662

Chrome Trims
Item Code: 29320243
EAN Code: 8022389024851

Bronze Trims
Item Code: 29320244
EAN Code: 8022389024868

DOLCEVITA 90



FRNM99EE - BLACK MATT

Brass Trims

Item Code: 29320610
EAN Code: 8022389012759

Chrome Trims

Item Code: 29320621
EAN Code: 8022389021942

Bronze Trims


Item Code: 29320620
EAN Code: 8022389021799

Oven

- Multifunction Electric
- Cooking Programs: 9
- Gross Capacity: 101 L
- Maximum Temperature: 270 °C
- Electric Grill
- Rotisserie Function
- Analog Timer
- Telescopic Guides
- Wire Shelves: 2
- Enamel Tray: 1


"Easy To Clean" Blue Enameling
Cooling Fan

Power Absorbed: 3100 W



Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x55x60



Also Available:



FRS99EE - STAINLESS STEEL

Brass Trims
Item Code: 29320616
EAN Code: 8022389136516

Chrome Trims
Item Code: 29320623
EAN Code: 8022389024141

Bronze Trims
Item Code: 29320622
EAN Code: 8022389024134



FRBI99EE - IVORY

Brass Trims
Item Code: 29320617
EAN Code: 8022389018591

Chrome Trims
Item Code: 29320624
EAN Code: 8022389024127

Bronze Trims
Item Code: 29320625
EAN Code: 8022389024110



FRBP99EE - PEARL WHITE

Brass Trims
Item Code: 29320626
EAN Code: 8022389024561

Chrome Trims
Item Code: 29320627
EAN Code: 8022389026701

Bronze Trims
Item Code: 29320629
EAN Code: 8022389026541

DOLCEVITA COMBI MICROWAVE



FMRBI66ME - IVORY

Brass Trims

Item Code: 29320212
EAN Code: 8022389018324

Chrome Trims

Item Code: 29320213
EAN Code: 8022389024899

Bronze Trims

Item Code: 29320214
EAN Code: 8022389024882


Microwave Oven

- Cooking Functions: 6
- Cooking Levels: 4
- Gross Capacity: 32 L
- Grill: Electric
- Timer: Cooking Timer
- Display: LED Display
- Cavity: Stainless Steel
- Turntable: Ø 32 Cm
- Oven Guide: Fixed
- Accessories: 1 Rectangular Griddle, 1 Rectangular Glass Tray

Power Absorbed: 3400 W

Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x55x45



Also Available:



FMRNM66ME - BLACK MATT

Brass Trims
Item Code: 29320209
EAN Code: 8022389017716

Chrome Trims
Item Code: 29320210
EAN Code: 8022389136509

Bronze Trims
Item Code: 29320211
EAN Code: 8022389021850



FMRS66ME - STAINLESS STEEL

Brass Trims
Item Code: 29320206
EAN Code: 8022389018003

Chrome Trims
Item Code: 29320207
EAN Code: 8022389018027

Bronze Trims
Item Code: 29320208
EAN Code: 8022389018034



FMRBP66ME - PEARL WHITE

Brass Trims
Item Code: 52160319
EAN Code: 8022389018331

Chrome Trims
Item Code: 29320246
EAN Code: 8022389024905

Bronze Trims
Item Code: 29320247
EAN Code: 8022389024745



FMRR66ME - RED BURGUNDY

Brass Trims
Item Code: 29320215
EAN Code: 8022389018966

Chrome Trims
Item Code: 29320216
EAN Code: 8022389024929

Bronze Trims
Item Code: 29320217
EAN Code: 8022389024912

DOLCEVITA MICROWAVE *Touch Control*



FMRS6T25ME - STAINLESS STEEL

Brass Trims

Item Code: 29320306
EAN Code: 8022389030142

Chrome Trims

Item Code: 29320307
EAN Code: 8022389030159

Bronze Trims

Item Code: 29320308
EAN Code: 8022389030166


Microwave Oven

- Oven Capacity: 25l
- Control Type: Touch Sensor
- Microwave Power: 900w
- Grill Power: 1200w
- Timer: 60 Min
- 5 Power Levels
- Child Safety Lock
- End Cooking Signal
- White LED Display
- Stainless Steel Cavity
- Turntable 315 mm
- Defrost Function
- Grill

Power Absorbed: 1440 W

Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 59.50x58.90x38.70




Also Available:



FMRNM6T25ME - BLACK MATT

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 29320309	**Item Code:** 29320310	**Item Code:** 29320311
EAN Code: 8022389030173	**EAN Code:** 8022389030180	**EAN Code:** 8022389030197



FMRBI6T25ME - IVORY

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 29320312	**Item Code:** 29320313	**Item Code:** 29320314
EAN Code: 8022389030203	**EAN Code:** 8022389030210	**EAN Code:** 8022389030227



FMRBP6T25ME - PEARL WHITE

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 29320315	**Item Code:** 29320316	**Item Code:** 29320317
EAN Code: 8022389031231	**EAN Code:** 8022389030234	**EAN Code:** 8022389030241



FMRR6T25ME - RED BURGUNDY

Brass Trims	Chrome Trims	Bronze Trims
Item Code: 29320318	**Item Code:** 29320319	**Item Code:** 29320320
EAN Code: 8022389030258	**EAN Code:** 8022389030265	**EAN Code:** 8022389030272

DOLCEVITA RANGE TOP 90



TRS96/5 - STAINLESS STEEL

Brass Trims

Item Code: 29230402
EAN Code: 8022389019321

Chrome Trims

Item Code: 29230408
EAN Code: 8022389026534

Bronze Trims


Item Code: 29230409
EAN Code: 8022389027333

Hob
- Burners: 4 Gas Burners
- Triple Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs


Gas Consumption: 12.15 kW

Available also in other colors upon request and special production

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 2 Rapid | 1 Triple Crown



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x20



Also Available:



TRNM96/5 - BLACK MATT

Brass Trims
Item Code: 29230406
EAN Code: 8022389018256

Chrome Trims
Item Code: 29230412
EAN Code: 8022389026299

Bronze Trims
Item Code: 29230413
EAN Code: 8022389026251



TRBI96/5 - IVORY

Brass Trims
Item Code: 29230405
EAN Code: 8022389018263

Chrome Trims
Item Code: 29230410
EAN Code: 8022389027340

Bronze Trims
Item Code: 29230411
EAN Code: 8022389026923

DOLCEVITA RANGE TOP 90 Induction Hob



TRNM96/5I - BLACK MATT

Brass Trims

Item Code: 29230616
EAN Code: 8022389023861

Chrome Trims

Item Code: 29230630
EAN Code: 8022389031583

Bronze Trims

Item Code: 29230631
EAN Code: 8022389031590

Induction Hob


- Cooking Zones: 5 Booster Zones
- Levels: Up To 9 Levels
- 1 Heating Zones x Ø 270 mm
- 2 Heating Zones x Ø 210 mm
- 2 Heating Zones x Ø 145 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control & Control Knobs
- Power Limiter: 7400 W

Power Absorbed: 8400w


Available also in other colors upon request and special production

Available also with double bridge upon request and special production

Cooktop Layout:
2 x 145 Ø | 2 x 210 Ø | 1 x 270 Ø



Technical Drawing (cm):
Dimensions (cm - WxDxH): 90x60x20



Also Available:



TRS96/5I - STAINLESS STEEL

Brass Trims
Item Code: 29230615
EAN Code: 8022389023854

Chrome Trims
Item Code: 29230632
EAN Code: 8022389031606

Bronze Trims
Item Code: 29230633
EAN Code: 8022389031613



TRBI96/5I - IVORY

Brass Trims
Item Code: 29230617
EAN Code: 8022389023878

Chrome Trims
Item Code: 29230634
EAN Code: 8022389031620

Bronze Trims
Item Code: 29230635
EAN Code: 8022389031637

DOLCEVITA RANGE TOP 120 BBQ & VTC



TRBI126/4BC - IVORY

Brass Trims

Item Code: 29230601
EAN Code: 8022389014920

Chrome Trims

Item Code: 29230624
EAN Code: 8022389026565

Bronze Trims

Item Code: 29230625
EAN Code: 8022389024844

Hob
- Burners: 3 Gas Brass Burners
- Dual Crown Burner: 1
- Gas-Stop Safety Device
- Cast Iron Pan Support
- 1 BBQ Zone
- Controls: Frontal Knobs


Induction Zone
- Two-Zone Glass Ceramic Plate
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 2 Heating Zones x Ø 210 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control & Control Knobs
- Power Limiter: 7400 W


Power Absorbed: 4800 W
Gas Consumption: 16.75 kW

Available also in other colors upon request and special production

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 1 Dual Crown | 1 BBQ | 1 Ind. Zone

Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x20





Also Available:



TRNM126/4BC - BLACK MATT

Brass Trims
Item Code: 29230608
EAN Code: 8022389018638

Chrome Trims
Item Code: 29230626
EAN Code: 8022389026626

Bronze Trims
Item Code: 29230627
EAN Code: 8022389027371



TRS126/4BC - STAINLESS STEEL

Brass Trims
Item Code: 29230609
EAN Code: 8022389018621

Chrome Trims
Item Code: 29230628
EAN Code: 8022389025315

Bronze Trims
Item Code: 29230629
EAN Code: 8022389026442

DOLCEVITA RANGE TOP 120



TRBI126/5C - IVORY

Brass Trims

Item Code: 29230610
EAN Code: 8022389018225

Chrome Trims

Item Code: 29230620
EAN Code: 8022389027357

Bronze Trims

Item Code: 29230621
EAN Code: 8022389026237


Hob
- Burners: 3 Gas Brass Burners
- Dual Crown Burner: 2
- Gas-Stop Safety Device
- Cast Iron Pan Support
- Controls: Frontal Knobs

Induction Zone
- Two-Zone Glass Ceramic Plate
- Cooking Zones: 2 Booster Zones
- Levels: Up To 9 Levels
- 2 Heating Zones x Ø 210 mm
- Booster Level
- Heating Accelerator
- Child Lock
- Power Indicator
- Residual Heat Indicator Light
- Timer
- Controls: Frontal Touch Control & Control Knobs
- Power Limiter: 7400 W


Power Absorbed: 1200 W
Gas Consumption: 16.75 kW

Available also in other colors upon request and special production

Cooktop Layout:
1 Aux | 1 Semi - Rapid | 1 Rapid | 2 Dual Crown | 1 VTC Zone



Technical Drawing (cm):
Dimensions (cm - WxDxH): 120x60x20



Also Available:



TRNM126/5C - BLACK MATT

Brass Trims
Item Code: 29230611
EAN Code: 8022389018218

Chrome Trims
Item Code: 29230618
EAN Code: 8022389026282

Bronze Trims
Item Code: 29230619
EAN Code: 8022389026466



TRS126/5C - STAINLESS STEEL

Brass Trims
Item Code: 29230612
EAN Code: 8022389018201

Chrome Trims
Item Code: 29230622
EAN Code: 8022389027364

Bronze Trims
Item Code: 29230623
EAN Code: 8022389026633

DOLCEVITA WARMING DRAWER



WRNM66A - BLACK MATT

Brass Trims

Item Code: 29320232
EAN Code: 8022389024714

Chrome Trims

Item Code: 29320258
EAN Code: 8022389026473

Bronze Trims


Item Code: 29320259
EAN Code: 8022389024752

Warming Drawer
- On/Off Switch Lights
- 4 Warming Levels
- Warming Range: 0-80 °C
- Warm Air Circulation System
- Anti-Slip Mat

Power Absorbed: 420 W

Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 59,50x55,70x14,50



Also Available:



WRS66A - STAINLESS STEEL

Brass Trims
Item Code: 29320234
EAN Code: 8022389024738

Chrome Trims
Item Code: 29320262
EAN Code: 8022389027425

Bronze Trims
Item Code: 29320263
EAN Code: 8022389027432

WRBI66A - IVORY

Brass Trims
Item Code: 29320233
EAN Code: 8022389024721

Chrome Trims
Item Code: 29320260
EAN Code: 8022389027401

Bronze Trims
Item Code: 29320261
EAN Code: 8022389027418

WRBP66A - PEARL WHITE

Brass Trims
Item Code: 29320237
EAN Code: 8022389027500

Chrome Trims
Item Code: 29320268
EAN Code: 8022389027517

Bronze Trims
Item Code: 29320269
EAN Code: 8022389026367



WRR66A - RED BURGUNDY

Brass Trims
Item Code: 29320235
EAN Code: 8022389027449

Chrome Trims
Item Code: 29320264
EAN Code: 8022389027456

Bronze Trims
Item Code: 29320265
EAN Code: 8022389027463



WRLV66A - LAVENDER

Brass Trims
Item Code: 29320236
EAN Code: 8022389027470

Chrome Trims
Item Code: 29320266
EAN Code: 8022389027487

Bronze Trims
Item Code: 29320267
EAN Code: 8022389027494

DOLCEVITA COFFEE MACHINE



YBRR66T - RED BURGUNDY

Brass Trims

Item Code: 29320228
EAN Code: 8022389021782

Chrome Trims

Item Code: 29320276
EAN Code: 8022389027586

Bronze Trims

Item Code: 29320277
EAN Code: 8022389027593

Coffee Machine
- Lighting: Two Light Points With 2 Leds

Performance
- Machine Type: Fully Automatic
- Cups Per Cycle: 1 Or 2 Cups
- Programmable Sizes
- Heating Time: 3 Minutes
- Dispensing Head Height: Adjustable 80–110 mm
- Adjustable (80–110 mm)
- Grinder Settings: Individual
- Cup Rack: Led-Lit
- Energy Saving: Stand-By Mode

Electronic Operation
- Electronic Control
- Programmable Pre-Brewing Temperature
- Programmable Brewing Temperature
- Programmable Grinding Quantity
- Programmable Water Hardness
- Programmable Operating Time
- Programmable Switch-Off Time
- Integrated Cleaning Programme
- Automatic Descaling Programme


Capacity
- Water Tank: 1.8 L
- Bean Container: 200 G
- Grounds Container: 14 Units
- Milk Carafe: 0,75 L

Type Of Coffee
- Cup Of Coffee
- Espresso
- Cappuccino
- Latte Macchiato
- Café Au Lait
- Hot Water

Power Absorbed: 1350 W

Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x40x45



Also Available:



YBRNM66T - BLACK MATT

Brass Trims
Item Code: 29320221
EAN Code: 8022389018669

Chrome Trims
Item Code: 29320270
EAN Code: 8022389027524

Bronze Trims
Item Code: 29320271
EAN Code: 8022389027531



YBRS66T - STAINLESS STEEL

Brass Trims
Item Code: 29320222
EAN Code: 8022389018676

Chrome Trims
Item Code: 29320274
EAN Code: 8022389027562

Bronze Trims
Item Code: 29320275
EAN Code: 8022389027579



YRBI66T - IVORY

Brass Trims
Item Code: 29320220
EAN Code: 8022389018652

Chrome Trims
Item Code: 29320272
EAN Code: 8022389027548

Bronze Trims
Item Code: 29320273
EAN Code: 8022389027555



YBRPB66T - PEARL WHITE

Brass Trims
Item Code: 52160814
EAN Code: 8022389023618

Chrome Trims
Item Code: 29320278
EAN Code: 8022389027609

Bronze Trims
Item Code: 29320279
EAN Code: 8022389026374

DOLCEVITA WINE COOLER 24 BOTTLES



ZBRNM24M - BLACK MATT

Brass Trims

Item Code: 29320823
EAN Code: 8022389029832

Chrome Trims

Item Code: 29320824
EAN Code: 8022389029849

Bronze Trims

Item Code: 29320825
EAN Code: 8022389029856


Wine Cooler

- Capacity: 24 Bottles
- Volume: 57 L
- Sliding Wooden Shelves: 3
- Internal LED Light
- Internal Micro-Ventilation
- Auto Defrost
- Humidity Control With Optional Water Reservoir
- Electronic Thermostat
- Temperature Control: From 5 °C - 22 °C
- Cooling System: Compressor (CFC-Free)
- Refrigerant Gas: R600a

Energy Consumption: 138 kWh/year

Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 59x54x46



Also Available:



ZBRS24M - STAINLESS STEEL

Brass Trims
Item Code: 29320820
EAN Code: 8022389029801

Chrome Trims
Item Code: 29320821
EAN Code: 8022389029818

Bronze Trims
Item Code: 29320822
EAN Code: 8022389029825



ZBRBI24M - IVORY

Brass Trims
Item Code: 29320826
EAN Code: 8022389029863

Chrome Trims
Item Code: 29320827
EAN Code: 8022389029870

Bronze Trims
Item Code: 29320828
EAN Code: 8022389029887



ZBRBP24M - PEARL WHITE

Brass Trims
Item Code: 29320829
EAN Code: 8022389029894

Chrome Trims
Item Code: 29320830
EAN Code: 8022389029900

Bronze Trims
Item Code: 29320831
EAN Code: 8022389029917



ZBRR24M - RED BURGUNDY

Brass Trims
Item Code: 29320832
EAN Code: 8022389029924

Chrome Trims
Item Code: 29320833
EAN Code: 8022389029931

Bronze Trims
Item Code: 29320834
EAN Code: 8022389029948

DOLCEVITA WINE COOLER 41 BOTTLES



ZBRS41MD - STAINLESS STEEL

Brass Trims

Item Code: 29320835
EAN Code: 8022389029955

Chrome Trims

Item Code: 29320836
EAN Code: 8022389029962

Bronze Trims

Item Code: 29320837
EAN Code: 8022389029979


Wine Cooler

- Capacity: 41 Bottles
- Volume: 132 L
- Sliding Wooden Shelves: 5
- Internal LED Light
- Temperature Zones: Dual Zone
- Internal Micro-Ventilation
- Auto Defrost
- Humidity Control With Optional Water Reservoir
- Electronic Thermostat
- Temperature Control: From 5 °C - 22 °C
- Cooling System: Compressor (CFC-Free)
- Refrigerant Gas: R600a

Energy Consumption: 147 kWh/year

Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x54x88



Also Available:



ZBRNM41MD - BLACK MATT

Brass Trims
Item Code: 29320838
EAN Code: 8022389029986

Chrome Trims
Item Code: 29320839
EAN Code: 8022389029993

Bronze Trims
Item Code: 29320840
EAN Code: 8022389030005



ZBRBI41MD - IVORY

Brass Trims
Item Code: 29320841
EAN Code: 8022389030012

Chrome Trims
Item Code: 29320842
EAN Code: 8022389030029

Bronze Trims
Item Code: 29320843
EAN Code: 8022389030036



ZBRBP41MD - PEARL WHITE

Brass Trims
Item Code: 29320844
EAN Code: 8022389030043

Chrome Trims
Item Code: 29320845
EAN Code: 8022389030050

Bronze Trims
Item Code: 29320846
EAN Code: 8022389030067



ZBRR41MD - RED BURGUNDY

Brass Trims
Item Code: 29320847
EAN Code: 8022389030074

Chrome Trims
Item Code: 29320848
EAN Code: 8022389030081

Bronze Trims
Item Code: 29320849
EAN Code: 8022389030098

DOLCEVITA REFRIGERATOR *Side By Side*





GFRNM918 - BLACK MATT

Brass Trims

Item Code: 29170078
EAN Code: 8022389030814

Chrome Trims

Item Code: 29170079
EAN Code: 8022389030821

Bronze Trims

Item Code: 29170080
EAN Code: 8022389030838

Refrigerator Side By Side
- System: No Frost Premium
- Total Capacity: 569 L Net
- Refrigerator Capacity: 372 L Net
- Freezer Capacity: 197 L Net
- Evaporators: 2
- Temperature Control: Automatic
- Independent Controls: Fridge / Freezer
- Autonomy Without Power: 10 H
- Compressors: 1 (Digital Inverter)
- LED Light
- Refrigerant Gas: R600a

Refrigerator
- Function: Multi Flow
- Super Fresh Vegetable Drawers: 2
- Vacation Mode: Available
- Glass Shelves: 3
- Door Tray: 4


Freezer
- Function: Multi Flow
- Fast Freeze Button: Included
- Ice Maker With Shield
- Ice Container (Removable)
- Glass Shelf: 1
- Door Tray: 1
- Drawers: 2

Comfort
- Beverage Dispenser: Water + Ice
- Door Open Acoustic Alarm: Included
- Handles: Long Handles

Energy Consumption: 324 kWh/year

Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 91x69.80x179.30



Also Available:



GFRS918 - STAINLESS STEEL

Brass Trims
Item Code: 29170075
EAN Code: 8022389030784

Chrome Trims
Item Code: 29170076
EAN Code: 8022389030791

Bronze Trims
Item Code: 29170077
EAN Code: 8022389030807



GFRBI918 - IVORY

Brass Trims
Item Code: 29170081
EAN Code: 8022389030845

Chrome Trims
Item Code: 29170082
EAN Code: 8022389030852

Bronze Trims
Item Code: 29170083
EAN Code: 8022389030869



GFRBP918 - PEARL WHITE

Brass Trims
Item Code: 29170084
EAN Code: 8022389030876

Chrome Trims
Item Code: 29170085
EAN Code: 8022389030883

Bronze Trims
Item Code: 29170086
EAN Code: 8022389030890



GFRR918 - RED BURGUNDY

Brass Trims
Item Code: 29170087
EAN Code: 8022389030906

Chrome Trims
Item Code: 29170088
EAN Code: 8022389030913

Bronze Trims
Item Code: 29170089
EAN Code: 8022389030920



GFRA918 - OATMEAL

Brass Trims
Item Code: 29170090
EAN Code: 8022389030937

Chrome Trims
Item Code: 29170091
EAN Code: 8022389030944

Bronze Trims
Item Code: 29170092
EAN Code: 8022389030951

DOLCEVITA REFRIGERATOR Quattroporte





GFRS819 - STAINLESS STEEL

Brass Trims

Item Code: 29170093
EAN Code: 8022389030968

Chrome Trims

Item Code: 29170094
EAN Code: 8022389030975

Bronze Trims

Item Code: 29170095
EAN Code: 8022389030982

Refrigerator Quattroporte
- System: No Frost Premium
- Total Capacity: 515 L Net
- Refrigerator Capacity: 345 L Net
- Freezer Capacity: 170 L Net
- Evaporators: 3
- Temperature Control: Automatic (Sensor)
- Independent Controls: Fridge / Freezer
- Refrigeration Circuit: Triple
- Autonomy Without Power: 12 H
- Compressors: 1 (Inverter)
- Refrigerant Gas: R600a
- LED Light
- Type: 4 Doors
- Noise: 35 dB

Refrigerator
- Function: Multi Flow
- Fruit And Vegetable Drawers: 2
- Vacation Mode: Available
- Door Shelves: 8
- Glass Shelves: 3
- Door Tray: 6


Freezer
- Function: Multi Flow Plus
- Freezer Section Right
- Function: Multi Flow Plus
- Fast Freeze Button: Included
- Cool Select Plus Compartment: -23°C, -18°C, -5°C, -1°C, 5°C
- Up Drawers: 2
- Middle Drawers: 2
- Down Drawers: 2

Comfort
- Antibacterial Treatment: Deodorizer
- Internal Control Panel: Electronic
- Door Open Acoustic Alarm: Included

Energy Consumption: 306 kWh/year

Available also in other colors upon request and special production

Technical Drawing (cm):
Dimensions (cm - WxDxH): 83.30x65.30x189.80



Also Available:



GFRNM819 - BLACK MATT

Brass Trims
Item Code: 29170096
EAN Code: 8022389030999

Chrome Trims
Item Code: 29170097
EAN Code: 8022389031002

Bronze Trims
Item Code: 29170098
EAN Code: 8022389031019



GFRBI819 - IVORY

Brass Trims
Item Code: 29170099
EAN Code: 8022389031026

Chrome Trims
Item Code: 29170100
EAN Code: 8022389031033

Bronze Trims
Item Code: 29170101
EAN Code: 8022389031040



GFRBP819 - PEARL WHITE

Brass Trims
Item Code: 29170102
EAN Code: 8022389031057

Chrome Trims
Item Code: 29170103
EAN Code: 8022389031064

Bronze Trims
Item Code: 29170104
EAN Code: 8022389031071



GFRR819 - RED BURGUNDY

Brass Trims
Item Code: 29170105
EAN Code: 8022389031088

Chrome Trims
Item Code: 29170106
EAN Code: 8022389031095

Bronze Trims
Item Code: 29170107
EAN Code: 8022389031101



GFRR819 - OATMEAL

Brass Trims
Item Code: 29170108
EAN Code: 8022389031118

Chrome Trims
Item Code: 29170109
EAN Code: 8022389031125

Bronze Trims
Item Code: 29170110
EAN Code: 8022389031132

DOLCEVITA 60 - 90 - 120 - 150



Hood
- Active Carbon Filters: 2
- Frontal Control Buttons
- Remote Control

60 Cm
- Air Flow: 800 M^3/H
- Grease Filters: 2 Metal
- Extraction Speeds: 3 + Intensive Speed
- Lighting: 2x1.2 W LED Spotlights

Power Absorbed: 300 W

120 Cm
- Air Flow: 800 M^3/H
- Grease Filters: 4 Metal
- Extraction Speeds: 3 + Intensive Speed
- Lighting: 2x1.2 W LED Spotlights

Power Absorbed: 300 W


90 Cm
- Air Flow: 800 M^3/H
- Grease Filters: 3 Metal
- Extraction Speeds: 3 + Intensive Speed
- Lighting: 2x1.2 W LED Spotlights

Power Absorbed: 300 W

150 Cm
- Air Flow: 1000 M^3/H
- Grease Filters: 5 Metal
- Extraction Speeds: 4 + Intensive Speed
- Lighting: 4x1.2 W LED Spotlights

Power Absorbed: 400 W

Technical Drawing (cm):
Dimensions (cm - WxDxH): 60x50 / 90x50 / 120x50 / 150x50



Also Available:



DOLCEVITA HOOD - BLACK MATT - 60 CM

Brass Trims
Item Code: 29200757
EAN Code: 8022389012889

Chrome Trims
Item Code: 29200855
EAN Code: 8022389026800

Bronze Trims
Item Code: 29200856
EAN Code: 8022389026794

DOLCEVITA HOOD - BLACK MATT - 90 CM

Brass Trims
Item Code: 29200751
EAN Code: 8022389010595

Chrome Trims
Item Code: 29200873
EAN Code: 8022389025063

Bronze Trims
Item Code: 29200874
EAN Code: 8022389024035

DOLCEVITA HOOD - BLACK MATT - 120 CM

Brass Trims
Item Code: 29200833
EAN Code: 8022389012896

Chrome Trims
Item Code: 29200877
EAN Code: 8022389024646

Bronze Trims
Item Code: 29200878
EAN Code: 8022389024059

DOLCEVITA HOOD - BLACK MATT - 150 CM

Brass Trims
Item Code: 29200765
EAN Code: 8022389018737

Chrome Trims
Item Code: 29200885
EAN Code: 8022389024189

Bronze Trims
Item Code: 29200886
EAN Code: 8022389026312



DOLCEVITA HOOD - STAINLESS STEEL - 60 CM

Brass Trims
Item Code: 29200755
EAN Code: 8022389014562

Chrome Trims
Item Code: 29200859
EAN Code: 8022389026862

Bronze Trims
Item Code: 29200860
EAN Code: 8022389026855

DOLCEVITA HOOD - STAINLESS STEEL - 90 CM

Brass Trims
Item Code: 29200754
EAN Code: 8022389010625

Chrome Trims
Item Code: 29200875
EAN Code: 8022389024639

Bronze Trims
Item Code: 29200876
EAN Code: 8022389024653

DOLCEVITA HOOD - STAINLESS STEEL - 120 CM

Brass Trims
Item Code: 29200758
EAN Code: 8022389012766

Chrome Trims
Item Code: 29200879
EAN Code: 8022389024820

Bronze Trims
Item Code: 29200880
EAN Code: 8022389026459

DOLCEVITA HOOD - STAINLESS STEEL - 150 CM

Brass Trims
Item Code: 29200766
EAN Code: 8022389019901

Chrome Trims
Item Code: 29200889
EAN Code: 8022389026787

Bronze Trims
Item Code: 29200890
EAN Code: 8022389026770

Also Available:



DOLCEVITA HOOD - IVORY - 60 CM

Brass Trims
Item Code: 29200750
EAN Code: 8022389013121

Chrome Trims
Item Code: 29200857
EAN Code: 8022389026824

Bronze Trims
Item Code: 29200858
EAN Code: 8022389026817

DOLCEVITA HOOD - IVORY - 90 CM

Brass Trims
Item Code: 29200752
EAN Code: 8022389010601

Chrome Trims
Item Code: 29200869
EAN Code: 8022389026886

Bronze Trims
Item Code: 29200870
EAN Code: 8022389026879

DOLCEVITA HOOD - IVORY - 120 CM

Brass Trims
Item Code: 29200759
EAN Code: 8022389012902

Chrome Trims
Item Code: 29200881
EAN Code: 8022389024691

Bronze Trims
Item Code: 29200882
EAN Code: 8022389026718

DOLCEVITA HOOD - IVORY - 150 CM

Brass Trims
Item Code: 29200760
EAN Code: 8022389018577

Chrome Trims
Item Code: 29200887
EAN Code: 8022389026244

Bronze Trims
Item Code: 29200888
EAN Code: 8022389026749



DOLCEVITA HOOD - RED BURGUNDY - 60 CM

Brass Trims
Item Code: 29200756
EAN Code: 8022389015392

Chrome Trims
Item Code: 29200861
EAN Code: 8022389027388

Bronze Trims
Item Code: 29200862
EAN Code: 8022389026831

DOLCEVITA HOOD - RED BURGUNDY - 90 CM

Brass Trims
Item Code: 29200753
EAN Code: 8022389010618

Chrome Trims
Item Code: 29200871
EAN Code: 8022389024622

Bronze Trims
Item Code: 29200872
EAN Code: 8022389026893

DOLCEVITA HOOD - RED BURGUNDY - 120 CM

Brass Trims
Item Code: 29200764
EAN Code: 8022389017174

Chrome Trims
Item Code: 29200883
EAN Code: 8022389026732

Bronze Trims
Item Code: 29200884
EAN Code: 8022389026725

DOLCEVITA HOOD - RED BURGUNDY - 150 CM

Brass Trims
Item Code: 29200767
EAN Code: 8022389020884

Chrome Trims
Item Code: 29200891
EAN Code: 8022389026763

Bronze Trims
Item Code: 29200892
EAN Code: 8022389026756

Also Available:



DOLCEVITA HOOD - GREEN - 90 CM

Brass Trims
Item Code: 29200866
EAN Code: 8022389025186

Chrome Trims
Item Code: 29200867
EAN Code: 8022389025193

Bronze Trims
Item Code: 29200868
EAN Code: 8022389024202



DOLCEVITA HOOD - BLUE - 90 CM

Brass Trims
Item Code: 29200863
EAN Code: 8022389025162

Chrome Trims
Item Code: 29200864
EAN Code: 8022389024219

Bronze Trims
Item Code: 29200865
EAN Code: 8022389025179



DOLCEVITA HOOD - PEARL WHITE - 60 CM

Chrome Trims
Item Code: 29200893
EAN Code: 8022389026848

DOLCEVITA HOOD - PEARL WHITE - 90 CM

Brass Trims
Item Code: 29200768
EAN Code: 8022389020440

Chrome Trims
Item Code: 29200770
EAN Code: 8022389020464

Bronze Trims
Item Code: 29200769
EAN Code: 8022389020457

TECHNICAL TABLES DOLCEVITA HOBS

MODEL	HR...6G0	HR...7A0	HR...9A0
Aesthetics	Dolcevita	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	60x50	75x50	90x50
Power Absorbed	0,60 W	0,60 W	0,60 W
Gas Consumption	8.30 kW	11.10 kW	11.10 kW
HOB FEATURES			
Type Of Hob	Gas	Gas	Gas
Number Of Gas Burners	4	5	5
Triple Crown Position	Low Left	Low Left	Low Left
Hob Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze
Flat Edge	•	•	•
Thickness 0.70 mm	•	•	•
Electric Ignition Under Knob	•	•	•
Control Knobs	Frontal	Frontal	Frontal
Cast Iron Pan Support	•	•	•
Iron Cast Type	Single	Single	Single
Gas-Stop Safety Device	•	•	•
Max Input Burners Auxiliary Burner	1.10 kW	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.70 kW	3.70 kW	3.70 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-
Number Of Electric Zones	-	-	-
N. Of Power Levels	-	-	-
Booster Max. Input Induction Zone Ø 145 mm	-	-	-
Booster Max. Input Induction Zone Ø 150 mm	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	-	-
Booster Max. Input Induction Zone Ø 260 mm	-	-	-
Booster Level	-	-	-
Heating Accelerator	-	-	-
Limiter To 7.400 W	-	-	-
Child Lock	-	-	-
Power Indicator	-	-	-
Residual Heat Indicator Light	-	-	-
Timer	-	-	-
Frontal Touch Control	-	-	-
Ceramic Cutlery Tray	-	-	-
Ref. Page.	256	258	260

TECHNICAL TABLES DOLCEVITA OVENS

MODEL	FR...69EE	FR...66GE	FR...99EE
Aesthetics	Dolcevita	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	60x55x60	60x55x60	90x55x60
Power Absorbed	2700 W	1600 W	3100 W
Gas Consumption	-	2.50 kW	-
OVEN FEATURES			
Push-Pull Knobs	-	-	-
Touch Control	-	-	-
Timer	Analog Timer	Analog Timer	Analog Timer
Programmer Type	-	-	-
Grill Type	Electric Grill	Electric Grill	Electric Grill
Gas-Stop Safety Device	-	•	-
Number Of Fan	1	1	1
Tempered Triple Glass Door	•	•	•
Cooling Fan	•	•	•
Rotisserie Function	•	•	•
"Easy To Clean" Enamel	•	•	•
OVEN	Multifunction Electric	Convection Gas	Multifunction Electric
Internal Dimensions (WxDxH) cm	48x40,60x37	48x40,60x37	67.20x40.60x37.60
Cooking Programs	9	6	9
Max Temperature (°C)	250 °C	250 °C	270 °C
Gross Capacity (L)	72 L	72 L	101 L
Oven Shelf Support	Telescopic at 2 Levels	Telescopic at 2 Levels	Telescopic at 2 Levels
Wire Shelf	1	1	1
Enamel Tray	1	1	1
Max Power Absorbed By Bottom Heat	1650 W	-	1750 W
Max Power Absorbed By Top Heat	900 W	-	1000 W
Max Power Absorbed By Grill	1500 W	1650 W	2000 W
Max Power Absorbed By Maxi - Grill	2400 W	-	3000 W
Max Power Absorbed By Fan	2000 W	-	2500 W
Max Gas Burner Consumption	-	-	-
Ref. Page.	262	264	266

TECHNICAL TABLES DOLCEVITA MICROWAVE

MODEL	FM...TME	FM...25ME
Aesthetics	Professional	Professional
Dimensions (WxDxH) cm	59,50x54,20x45,50	59.50x58.90x38.70
Control	Touch Control	Touch Control
Trims	Stainless Steel	Stainless Steel
Power Absorbed	3400 W	1440 W
MICROWAVE OVEN FEATURES		
Cooking Functions	6	6
Cooking Levels	4	4
Microwave Power	1000 W	900 W
Grill Power	1550 W	1200 W
Gross Capacity	32 L	25 L
Electric Grill	•	•
Cooking Timer	•	•
Display	LED Display	LED Display
Cavity	Stainless Steel	Stainless Steel
Turntable Ø	32 cm	32 cm
Oven Guide	Fixed	Fixed
Ref. Page	268	270

TECHNICAL TABLES DOLCEVITA RANGE TOPS

MODEL	TR...96/5	TR...96/5I	TR...126/4BC	TR...126/5C
Aesthetics	Dolcevita	Dolcevita	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	90x60x20	90x60x20	120x60x20	120x60x20
Power Absorbed	-	8400 W	4800 W	1200 W
Gas Consumption	12.15 kW	-	16.75 kW	16.75 kW
HOB FEATURES				
Type Of Hob	Gas	Induction	Gas / Induction	Gas / Induction
Number Of Gas Burners	5	-	4	4
Triple Crown Position	Centre	-	Low Left	-
Hob Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze
Flat Edge	•	-	•	•
Thickness 0.70 mm	•	-	•	•
Electric Ignition Under Knob	•	-	•	•
Control Knobs	Frontal	Frontal	Frontal	Frontal
Cast Iron Pan Support	•	-	•	•
Iron Cast Type	Double	-	Double	Double
Gas-Stop Safety Device	•	-	•	•
Max Input Burners Auxiliary Burner	1.10 kW	-	1.10 kW	1.10 kW
Max Input Burners Semi - Rapid Burner	1.75 kW	-	1.75 kW	1.75 kW
Max Input Burners Rapid Burner	2.80 kW	-	2.80 kW	2.80 kW
Max Input Burners Triple Crown Burner	3.50 kW	-	3.50 kW	3.50 kW
Max Input Burners Dual Crown Burner (125 mm)	-	-	-	-
Max Input Burners Dual Crown Burner (145 mm)	-	-	-	-
Number Of Electric Zones	-	4	2	2
N. Of Power Levels	-	9	9	9
Booster Max. Input Induction Zone Ø 145 mm	-	-	1600 W	1600 W
Booster Max. Input Induction Zone Ø 150 mm	-	-	-	-
Booster Max. Input Induction Zone Ø 170 mm	-	1400 W	-	-
Booster Max. Input Bridge Zone	-	-	-	-
Booster Max. Input Induction Zone Ø 190 mm	-	2000 W	-	-
Booster Max. Input Induction Zone Ø 210 mm	-	3000 W	2000 W	2000 W
Booster Max. Input Induction Zone Ø 260 mm	-	3000 W	-	-
Booster Level	-	•	•	•
Heating Accelerator	-	•	•	•
Limiter To 7.400 W	-	•	•	•
Child Lock	-	•	•	•
Power Indicator	-	•	•	•
Residual Heat Indicator Light	-	•	•	•
Timer	-	•	•	•
Frontal Touch Control	-	•	•	•
BBQ Zone	-	-	•	-
Ref. Page.	272	274	276	278

TECHNICAL TABLES DOLCEVITA WARMING DRAWER

MODEL	WR...66A
Aesthetics	Dolcevita
Dimensions (WxDxH) cm	59,50x55,70x14,50
Trims	Brass / Chrome / Bronze
Power Absorbed	420 W
WARMING DRAWER FEATURES	
On/Off Switch Lights	•
Max. Temperature	80 °C
Warm Air Circulation System	Electric Grill
Warming Levels	4
Anti-Slip Mat	•
Ref. Page.	280

TECHNICAL TABLES DOLCEVITA COFFEE MACHINE

MODEL	YBRR66T
Aesthetics	Dolcevita
Dimensions (WxDxH) cm	60x40x45
Power Absorbed	1350 W
Dispensing Head Height	Adjustable 80–110 mm
Trims	Brass / Chrome / Bronze
COFFEE MACHINE FEATURES	
Machine Type	Fully Automatic
Cups Per Cycle	1 - 2
Heating Time	3 minutes
Energy Saving	Stand-by Mode
Electronic Control	•
Pre-Brewing Temperature	•
Brewing Temperature	•
Grinding Quantity	•
Water Hardness	•
Operating Time	•
Switch-Off Time	•
Cleaning Programme	•
Descaling Programme	•
Water Tank	1.8 L
Bean Container	200 g
Grounds Container	14 units
Milk Carafe	0,75 L
Water Tank	1.8 L
Ref. Page	282

TECHNICAL TABLES DOLCEVITA WINE COOLER

MODEL	ZBR...24M	ZBR...41MD
Aesthetics	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	59x54x46	60x54x88
Energy Consumption	138 kWh/year	147 kWh/year
Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze
WINE COOLER FEATURES		
Capacity	24 Bottles	41 Bottles
Volume	57 L	132 L
Temperature Zones	-	Dual Zone
Internal Micro-Ventilation	•	•
Electronic Thermostat	•	•
Temperature Control	From 5 °C - 22 °C	From 5 °C - 22 °C
Sliding Wooden Shelves	3	5
Auto Defrost	•	•
Internal LED Light	•	•
Refrigerant Gas	R600a	R600a
Ref. Page	284	286

TECHNICAL TABLES DOLCEVITA HOODS

MODEL	Dolcevita Hood 60	Dolcevita Hood 90	Dolcevita Hood 120	Dolcevita Hood 150
Aesthetics	Dolcevita	Dolcevita	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	60x50	90x50	120x50	150x50
Control Panel	Frontal	Frontal	Frontal	Frontal
Remote Control	•	•	•	•
Touch Control	-	-	-	-
Hob Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze	Brass / Chrome / Bronze
Power Absorbed	300 W	300 W	300 W	400 W
HOOD FEATURES				
Active Carbon Filters	2	2	2	2
Air Flow	800 m^3/h	800 m^3/h	800 m^3/h	1000 m^3/h
Grease Filters	2	3	4	5
Extraction Speeds	3 + Intensive Speed	3 + Intensive Speed	3 + Intensive Speed	3 + Intensive Speed
Lighting LED Spotlights	2x1.2 W	2x1.2 W	2x1.2 W	4x1.2 W
Ref. Page	292	292	292	292

TECHNICAL TABLES DOLCEVITA FREE STANDING REFRIGERATORS

MODEL	GFR...918	GFR...819
Aesthetics	Dolcevita	Dolcevita
Dimensions (WxDxH) cm	91x69.80x179.30	83.30x65.30x189.80
Type Of Refrigerator	Side By Side	Quattroporte
Trims	Brass / Chrome / Bronze	Brass / Chrome / Bronze
Energy Consumption	324 kWh/year	306 kWh/year
REFRIGERATOR FEATURES		
"No Frost Premium" System	•	•
Number Of Evaporator	1	1
Number Of Compressors	1	1
Digital Inverter	•	•
Automatic Temperature Control	•	•
Independent Refrigerator Control	•	•
Independent Freezer Control	•	•
Triple Refrigeration Circuit	•	•
LED Light	•	•
Noise	41 dB	35 dB
Storage Autonomy Without Electricity	12 H	12 H
Refrigerant Gas	R600a	R600a
FRIDGE FEATURES		
Net Capacity (L)	372 L	345 L
"Multi Flow" Function	•	•
N. Of "Superfresh" Vegetable Drawers	2	2
N. Of "Meat And Fish" Drawers	1	1
"Vacation" Mode	•	•
Glass Shelves	3	3
Door Shelves	8	8
Door Tray	6	6
FREEZER FEATURES		
Net Capacity (L)	197 L	170 L
N. Of Freezer Section	2	2
Fast Freeze Button Left Section	-	-
Ice Cube Container	-	-
Rotable Ice Cube Container	-	-
Glass Shelf	-	-
Door Tray	-	-
Drawers	-	-
LEFT SECTION		
"Multi Flow" Function Left Section	•	•
Fast Freeze Button Left Section	•	•
N. Of Drawers	3	3
RIGHT SECTION		
"Multi Flow" Function Left Section	•	•
Fast Freeze Button Left Section	•	•
N. Of Drawers	3	3
"Cool Select Plus" Compartment	From -23 °C to +5 °C	From -23 °C to +5 °C
COMFORT		
Antibacterical Treatment	Deodorizer	Deodorizer
Beverage Dispenser	•	-
Internal Electronic Control Panel	•	•
Acoustic Signaling Of Door Opening	•	•
Ref. Page	288	290

Accessories

Elevate the art of cooking

Expand your creativity

These accessories are designed to complement your kitchen with the same combination of functionality and style that characterizes all Lofra products.

From cast iron grids and teppanyaki plates to pizza stones, rotisserie spits, and backsplashes, each item is crafted to enhance performance while integrating seamlessly into your kitchen.

The materials are selected for their durability and efficiency: cast iron retains and distributes heat evenly, stainless steel ensures hygiene and ease of cleaning, tempered glass adds safety and refined transparency, while natural wood lends a sense of warmth.

Each accessory is designed to work in perfect synergy with cookers and ovens, expanding their versatility and opening up new ways of cooking. Whether you want to recreate authentic restaurant-style pizza, master grilling at home or perfect your everyday meal preparation, these accessories are excellent allies.

Practical, sturdy and carefully designed, they take cooking to the next level, where precision, creativity and passion come together naturally.





FOR COOKTOPS & HOBS



CAST IRON GRILL

Thanks to its wavy structure, you can roast any food without worrying about excess fat, as it easily drains to the bottom of the pan.

Dimensions: 23x46 cm

Item Code: 03190116
EAN Code: 8022389135823



TEPPANYAKI

Made of stainless steel, it allows you to grill directly in the kitchen.
The front part acts as an oil collector to keep excess oil and grease away from food.

Dimensions: 26x49 cm suitable for all 150/120/90 cm cookers.

Item Code: 03170296
EAN Code: 8022389135816



CAST IRON TEPPANYAKI PAN FOR INDUCTION ZONE

Made entirely of cast iron, the teppanyaki grill retains high heat for long periods, making indoor grilling effortless. Its carefully crafted design maximises heat accumulation, and it should always be handled using proper oven gloves.

Dimensions: 26x49 cm, suitable for all cookers and built-in glass-ceramic and induction hobs.

Item Code: 03190237
EAN Code: 8022389136776



CAST IRON BBQ FOR INDUCTION ZONE

Practical and functional, it reaches the optimal temperature in a short time, allowing you to fully enjoy every "barbecue moment" in your kitchen.
It is always recommended to handle the teppanyaki grill with appropriate oven gloves.

Dimensions: 23x46 cm suitable for all cookers and built-in glass ceramic and induction hobs.

Item Code: 03190235
EAN Code: 8022389136844



WOK ADAPTER RING

Suitable for use on all gas hobs, thanks to its cast iron structure, it can support a wok pan, allowing you to cook Asian recipes in the comfort of your own home.

To be placed on top of the Double Crown or Dual burner.

Item Code: 03190152
EAN Code: 8022389136233

FOR OVENS



HOMEMADE PIZZA KIT

PIZZA STONE

Perfect for recreating pizzeria-style crispness and fragrance, the plate becomes the ideal baking base once the oven is preheated. It allows you to prepare pizza, bread and other baked creations at home, ensuring an evenly cooked, beautifully textured result every time.

Dimensions: 35x35 cm



WOODEN PIZZA SHOVEL

A lightweight yet sturdy pizza peel is supplied with the stone: a practical and safe aid for baking homemade pizza.

Made entirely of wood, its flat shape makes it easy to slide the pizza in and out of the oven.

Item Code: 03011278
EAN Code: 8022389136325



ROTISSERIE

(Frame + bushings + skewer/spit rod. Grill and drip pan not included.)

The rotisserie cooking system ensures even browning thanks to slow rotation during cooking. Prolonged heat transforms sugars and proteins into a tasty crust. This prevents the loss of liquids during cooking, resulting in meat that is crispy on the outside and tender on the inside.

60 cm Electric Oven

Item Code: 21503948
EAN Code: 8022389136394

90 cm Electric Oven

Item Code: 21503950
EAN Code: 8022389136417

60 cm Gas Oven

Item Code: 21503949
EAN Code: 8022389136400

90 cm Gas Oven

Item Code: 21503951
EAN Code: 8022389136424

FOR COOKERS



MAXI FEET

With this accessory, we can adjust the height of the cookers from 89 cm to 96 cm.
Applicable to kitchens up to a maximum size of 90 cm x 60 cm (not available for cookers 120 cm and above).

Item Code: 03170438
EAN Code: 8022389136240

DOLCEVITA PLINTH



It is the added value that can be placed at the foot of your Dolcevita.
Made entirely of stainless steel, it not only enhances your kitchen, but also raises it by up to 92 cm, and is available for all 60 cm, 90 cm, 120 cm, and 150 cm models.

The Dolcevita Plinth is NOT available for the following models:
- Dolcevita Up&Down
- Dolcevita 90 Quattroporte
- Dolcevita 110
- Dolcevita 110 Quattroporte
- Dolcevita 120 Quattroporte

AVAILABLE SIZES:

Model	Dimensions (cm)	Height (mm)	Item Code	EAN Code
Dolcevita 60	60x65	100	10020357	8022389136271
Dolcevita 60	60x65	135	10020369	8022389136288
Dolcevita 90	90x65	100	21502157	8022389135809
Dolcevita 90	90x65	135	21502190	8022389136653
Dolcevita 120	120x65	100	21503607	8022389136264
Dolcevita 120	120x65	135	21502533	8022389136639
Dolcevita 150	150x65	100	21503558	8022389136646

BACKSPLASH



PROFESSIONAL BACKSPLASH

The kitchen splashback is made entirely of stainless steel. It is easy to clean and protects the wall from splashes caused by cooking.

AVAILABLE SIZES:

Model	Dimensions (cm)	Item Code	EAN Code
Professional 90	90x65	21503023	8022389013572
Professional 120	120x65	21503024	8022389013589



DOLCEVITA BACKSPLASH

A lightweight yet sturdy pizza peel is supplied with the stone: a practical and safe aid for baking homemade pizza.

Made entirely of wood, its flat shape makes it easy to slide the pizza in and out of the oven.

AVAILABLE SIZES:

Model	Trims	Dimensions (cm)	Item Code	EAN Code
Dolcevita 60	Bronze	60x65	21502416	8022389136011
Dolcevita 60	Chrome	60x65	21502720	8022389136677
Dolcevita 60	Brass	60x65	21502484	8022389136660
Dolcevita 90	Bronze	90x65	21502909	8022389136035
Dolcevita 90	Chrome	90x65	21502415	8022389136028
Dolcevita 90	Brass	90x65	21502414	8022389135922
Dolcevita 120	Bronze	120x65	21502751	8022389136059
Dolcevita 120	Chrome	120x65	21502750	8022389136042
Dolcevita 120	Brass	120x65	21502749	8022389135908
Dolcevita 150	Brass	150x65	21503131	8022389136134

TEMPERED GLASS COVER



TEMPERED GLASS COVER

The tempered glass lid is completely removable.
Another distinctive feature is an exclusive, patented Lofra detail: the balanced hinge that makes it easy to open and close.

AVAILABLE SIZES MODEL WITH STAINLESS STEEL FRAME:

Dimensions (cm)	Item Code	EAN Code
60x50	21500199	8022389130552
60x60	21500200	8022389130569
70x50	21500201	8022389130576
70x60	21500231	8022389130873
80x50	21500202	8022389130583
80x60	21500525	8022389135793
90x50	21500204	8022389130606
90x60	21500465	8022389133218

AVAILABLE SIZES MODEL WITH SATIN FRAME:

Dimensions (cm)	Item Code	EAN Code
60x60	21500868	8022389135762
70x60	21500869	8022389135779
90x60	21500871	8022389135786

DOOR KIT FOR DISHWASHER



PROFESSIONAL DOOR KIT FOR DISHWASHER

Professional dishwasher door cover panel.
Dimensions (cm - WxH): 60x70

Item Code: 21503104
EAN Code: 8022389136295



DOLCEVITA DOOR KIT BLACK MATT



DOLCEVITA DOOR KIT IVORY



DOLCEVITA DOOR KIT STAINLESS STEEL


DOLCEVITA DOOR KIT FOR DISHWASHER

Professional dishwasher door cover panel.
Dimensions (cm - WxH): 60x70

AVAILABLE SIZES:

Colours	Trims	Dimensions (cm)	Item Code	EAN Code
Black Matt	Brass	60x70	21503106	8022389136141
Black Matt	Chrome	60x70	21503787	8022389136530
Black Matt	Bronze	60x70	21503230	8022389136523
Ivory	Brass	60x70	21503105	8022389136158
Ivory	Chrome	60x70	21503786	8022389018430
Ivory	Bronze	60x70	21503231	8022389018447
Stainless Steel	Brass	60x70	21503208	8022389136301
Stainless Steel	Chrome	60x70	21503788	8022389136554
Stainless Steel	Bronze	60x70	21503789	8022389136547

Technical Drawing (cm):



Nuova Lofra S.r.l. reserves the right to modify data and characteristics for technical and operational technical and operational requirements, in any part and at any time, even without prior notice.

The information contained in the catalogue may not be updated at the time of reading.

We therefore invite you to consult the website www.lofra.com for the latest data and specifications.

The company develops and markets its products with a strong focus on Italian design and engineering. The origin of each item is specified on the product label and in the relevant technical documentation.


LOFRA®

LOFRA 70 years
MADE IN ITALY

Nuova Lofra S.r.l.
Via Montegrotto, 125
35038 Torreglia - PD (Italy)
export@lofra.it
+ 39 049 9904811